District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure

	or below-grade tank Closure of a pit or below-grade	
Operator: Dugan Production Corp Tel	ephone: (505)325-1821 e-mail address:	
Address: P.O. Box 420, Farmington, New Mexico 87401		- participant of the second of
Facility or well name: Muddy Mudda #1 API #:	30-045-25919 U/L or Qtr/Qtr D Sec 21	T 24N R 9W (2) 28 29 7
County: San Juan Latitude 36.30465 Longitude		E DEC
<u>Pit</u>	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes	RECEIVED
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	- OME COME ED
Workover ☐ Emergency ☐	Construction material:	- OBT ON
Lined Unlined 🖪	Double-walled, with leak detection? Yes If no	ot, explain why not.
Liner type: Synthetic Thicknessmil Clay _		5/1/02/11/11/9
Pit Volume <u>320 ±</u> bbl		466101100
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) 0
fight water elevation of ground water.)	100 feet or more	(0 points)
W.W. d. and d. a	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points) 0
water source, or less than 1000 feet from all other water sources.)	T 4 200 C	(20
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points) 0
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	0
this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indica	ate disposal location: (check the onsite box if
our are burying in place) onsite 🔀 offsite 🔲 If offsite, name of facility_		
mediation start date and end date. (4) Groundwater encountered: No X		
tach soil sample results and a diagram of sample locations and excavation		<u>-</u>
Additional Comments:		
40' x 15' x 3'± deep unlined production separator pit, center located 9	00 feet North 25° West of wellhead	
Use backhoe to remove impacted pit contents to dimension of 40' x 15' x		
Collect 5-point composite soil sample from excavated pit for laboratory t	esting.	
See attached field sampling report and laboratory test reports.		
I hereby certify that the information above is true and complete to the behas been/will be constructed or closed according to NMOCD guidelin Date: (2-27-2005	nes 🗷, a general permit 🔲, or an (attached) alteri	native OCD-approved plan 🔲.
Printed Name/Title Jeff Blagg, Agent Your certification and NMOCD approval of this application/closure does	Signature Jeff Slegg	
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the content the operator of its responsibility for compliance with	ats of the pit or tank contaminate ground water or any other federal, state, or local laws and/or
Approval: Printed Name/Title Printed Name/Title	Signature Lengt Je	DEC 2 9 2005

CLIENT: _	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199				TION NO	14602			
				<u>`</u>					
FIELD	RE	PORT:	PIT CL	OSURE	VERIFI	CATIO	PAGE	No:	of
	~		MUDDA						12-14-05
			WP: Z4N RNG					NMENTAL	
			1040 FWL				SPECIAL	LIST:	ar is
			<u>-40</u> FT. х						
			- SITE			4			
			M (C.)						
			S: PIT LOC						
		_	NEAREST W.				RFACE WATE	R:	
					<u> </u>	OVM CALIB. R	EAD. = 52	חמם לי	n
SOIL AN	ID EXC	IOITAVA:	N DESCRIPT	ION:		OVM CALIB. G	AS = 100	ppm_c	RF = 0.52
COU TYPE:	CAND (CH TV CANI	D/ SILT / SILTY (C' AV / C' AV /	ODAVEL / OTH	TIME: <u>0939</u>		DATE:	12/14
SOIL COLOR:			DACK TAN						
			HESIVE (SLIGHTLY LS): LOOSE (FIRM			COHESIVE			
PLASTICITY (CLAYS): N	ON PLASTIC	/ SLIGHTLY PLAST	TIC / COHESIVE / I	MEDIUM PLASTIC	HIGHLY PLASTIC			
•			: SOFT / FIRM / ST MOIST / WET / SAT						
DISCOLORATI	ION/STAIN	ING OBSERV	ED: (YES) NO EXP	PLANATION -	IN REMOVE	& Soils			
HC ODOR DE	TECTED:	YES) NO EXI	PLANATION	IN REMOVE	D 3011S	·	1 0 1		
ADDITIONAL C	COMMENT	S:	# OF PTS.	40	x15 x3	Deep Un	ilmed t	<u> </u>	
			BACKHUE	to Keivo.	e Impouro	5015 70	8 0.0		
CCAL			_	FIE	LD 418.1 CALC	ULATIONS			
SCALI	<u> </u>	SAMP. TIM	E SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON I	DILUTION	READIN	G CALC. (ppm)
0 9	FT								
l 'J P	IT PE	RIMETI	 = R	<u> </u>	<u> </u>		PIT PI	ROFI	l F
i		.1 (114)	-1\		MV				ORIGINAL
415	7 ~	\		REA SAMPLE	ADING FIELD HEADSPACE	_			ORIGIT
	$\mathfrak{I} \setminus \mathfrak{I}$		/	1 @	(ppm)				
	~ /	, , ,	A.	2@			15		/
\	A				<u> </u>				
5 @ 5-Po,-7 12 13			3						
A Corpuite B									
		\		0.4.4.01.5	AMPLES NALYSIS TIME	=			
		TO	,	5-PONT	140 140				
		7 00-) · · · · · · · · · · · · · · · · · · ·	37Ex				
			GRADE; B = BELOV TANK BOTTOM	v		=			
TRAVEL NOTES: CALLOUT: ONSITE:									
1						, ,			



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Muddy Mudda #1 - Sep	Date Reported:	12-19-05
Laboratory Number:	35470	Date Sampled:	12-14-05
Chain of Custody No:	14602	Date Received:	12-15-05
Sample Matrix:	Soil	Date Extracted:	12-16-05
Preservative:	Cool	Date Analyzed:	12-19-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	ND	0.1	
Total Petroleum Hydrocarbons	ND	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Various Pit Closures 5-Point Comp. @ 8'.



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Muddy Mudda #1 - Sep	Date Reported:	12-19-05
Laboratory Number:	35470	Date Sampled:	12-14-05
Chain of Custody:	14602	Date Received:	12-15-05
Sample Matrix:	Soil	Date Analyzed:	12-19-05
Preservative:	Cool	Date Extracted:	12-16-05
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	1.8	1.8	
Toluene	48.1	1.6 1.7	
Ethylbenzene	22.4	1.5	
p,m-Xylene	46.9	2.2	
o-Xylene	16.2	1.0	
Total BTEX	135		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries: Parameter		Percent Recovery		
	Fluorobenzene	99.0 %		
	1,4-difluorobenzene	99.0 %		
	Bromochlorobenzene	99.0 %		

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Various Pit Closures 5-Point Comp. @ 8'.

Mistur m Walter



Chloride

Blagg / Dugan Project #: 94034-010 Client: Sample ID: Muddy Mudda #1 - Sep Date Reported: 12-19-05 35470 Lab ID#: Date Sampled: 12-14-05 Soil Sample Matrix: Date Received: 12-15-05 Cool Preservative: Date Analyzed: 12-19-05 Cool and Intact Chain of Custody: 14602 Condition:

Parameter

Concentration (mg/Kg)

Total Chloride

101

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Various Pit Closures 5-Po

5-Point Comp. @ 8'.

Analyst

Mistare of Walters