District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No ...

Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🔀					
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:					
Address: 200 Energy Ct, Farmington, NM 87401	50045 29/87 U/L or Qtr/Qtr B	0 78 TRAN - 8(.)			
1					
1	Longitude	NAD: 1927 🗌 1983 🗍			
Surface Owner: Federal  State Private Indian					
<u>Pit</u>	Below-grade tank				
Type: Drilling Production Disposal	Volume:bbl Type of fluid:				
Workover ☐ Emergency ☐	Construction material:				
Lined Unlined	Double-walled, with leak detection? Yes  If no	t, explain why not.			
Liner type: Synthetic Thicknessmil Clay _					
Pit Volumebbl	†				
Double to a series (seed of distance from bottom of the account	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)			
high water elevation of ground water.)	100 feet or more	( 0 points)			
	Voc	(20 mainta)			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	( 0 points)			
	Less than 200 feet	(20 points)			
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	( 0 points)			
	Danking Same (Total Boints)				
	Ranking Score (Total Points)				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'	s relationship to other equipment and tanks. (2) Indicate	ate disposal location: (check the onsite box if			
your are burying in place) onsite \( \bigcirc \text{ offsite, name of facility} \)	(3) Attach a general d	lescription of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered: No 🔲 🖰	Yes 🔲 If yes, show depth below ground surface	ft. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excava	tions.	12 13 11/10			
Additional Comments:		A (1)			
See Attached Documentation		D			
Soo Actuality Double Marketin		DEC 2005			
		( O )			
		VA DIE ON S			
		0181.3			
I hereby certify that the information above is true and complete to the best	of my knowledge and balief. I further contife that t	S OC 5297 \ Z			
has been/will be constructed or closed according to NMOCD guideline	es 🔀, a general permit 🔲, or an (attached) alterna	tive OCD-approved plan .			
Date:					
Printed Name/Title					
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
		DEC 1 4 2005			
Approval:  Printed Name/Title  Approval:  Ap	Signature enyton	M PEO 1 4 2003			
Printed Name/Title Date:					

3004529137

FIELD REPORT: CLOSURE VERIFICATION PAGE NO: 1 of 1  LOCATION: NAME GASTAGE A WELL & ZR PT. DEHY QUAD/UNIT B SEC 28 TWP 30A RNG. AW PM ANACONY, SJST. NA DTR/FOOTAGE 750/1840'K NAME CONTRACTOR. FLAT  EXCAVATION APPROX 9 FT x 9 FT. x (2 FT. DEEP, CUBIC YARDAGE. Q  DISPOSAL FACILITY: 00-51TE REMEDIATION METHOD CLOSE BY IS  LAND USE BLAM LEASE SC - 030597 FORMATION. AV  FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 130 FT. NSTE FRIM WELLHEAD.  DEPTH TO BROINDVAILE. 210 NEAREST VATER SOUNCE. 21000 NEAREST SUSFACE VATER. 21000  SICIL AND EXCAVATION THE 1355 ON/pm FTERRORS ANK INSTALLED  EXCAPPED PT MY STEEL TANK INSTALLED. READ 132.14ppm FTERRORS ANK INSTALLED  FIELD AIB LOCALULATIONS  SCALE  O FT  PIT PERIMETER  OVM  RESULTS  SUBJECT  OFT  PIT PERIMETER  OVM  RESULTS  SUBJECT  A A A A A A A A A A A A A A A A A A A	CLIENT: BP	BLAGG ENGINEERING, INC. O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	C.O.C. NO: <u>9227</u>				
EXCAVATION APPROX. 9 FT. x 9 FT. x 6 FT DEEP. CUBIC YARDAGE: O DISPOSAL FACILITY: 00-SITE REMEDIATION METHOD CLOSE BS IS LAND USE: BLAM LEASE SE-080597 FORMATION: MV  FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY JSQ FT. NST'E FROM VELLHEAD.  DEPTH TO GROUNDVATER: 2100 NEAREST VATER SOURCE: 21000 NAGREST SURFACE VATER: 20000  NNOCO BRANKING SCIDE: 0 NNOCO THE CLOSURE STD SIDO PPH  SOIL AND EXCAVATION DVM CALLE READ J32.49pm STEEL TANK INSTALLED  DESCRIPTION: TIME. J355.00/pm FIBEROLASS TANK INSTALLED  CAATHEN PIT W/ STEEL TANK INSTALLED  CAATHEN PIT W/ STEEL TANK INSTALLED  CAATHEN PIT W/ STEEL TANK INSTALLED  TIME BANKES TO SING STAKE INSTALLED  FIELD 418.1 CALCULATIONS  TIME SAMPLE ID LAB NO: WEIGHT (g) ML FREON DILUTION READING CALC ppm  SCALE  O PT  PIT PERIMETER  OVM  RESULTS  SOURCE  LAB SAMPLES  ON M. NAMES TO SEED THE COUNTY OF THE PROPTILE  CAATHEN PIT PROPTILE  OFT  PIT PERIMETER  OVM  RESULTS  SOURCE  LAB SAMPLES  ON M. NAMES TO SEED THE COUNTY OF THE PROPTILE  CAATHEN PIT PROPTILE  OFT  PIT PERIMETER  OVM  RESULTS  SOURCE  LAB SAMPLES  ON M. NAMES TO SEED THE COUNTY OF THE PROPTILE  CAATHEN PIT PROPTILE  A SAMPLES  ON M. NAMES TO SEED THE COUNTY OF THE PROPTILE  CAATHEN PIT PROPTILE  A SAMPLES  ON M. NAMES TO SEED THE COUNTY OF THE PROPTILE  CAATHEN PIT PROPTILE  CAATHEN PIT PROPTILE  OFT  PIT PROPTILE  CAATHEN PIT PROPTILE  CAATHEN PIT PROPTILE  CAATHEN PIT PROPTILE  OFT  PIT PROPTILE  CAATHEN PIT PROPTILE  CAATH	LOCATION: NAME: GARTA	JER A WELL #: 2R PIT: DEHY	DATE STARTED: 6-11-01 DATE FINISHED: 6-11-01				
DISPOSAL FACILITY:  DISPOSAL FACILITY:  LAND USE:  BLAM  LEASE:  SF - OBOS 97 FORMATION:  MV  FIELD NOTES & REMARKS:  PIT LOCATED APPROXIMATELY JSQ. FT. NST E FROM WELLHEAD.  DEPTH TO GROUNDWATER:  NODO RANKING SCORE:  NINDOD RAN	QTR/FDDTAGE: 7.90 0/1840 C	NWINE CONTRACTOR: FLINT	ENVIRONMENTAL JCB				
DEPTH TO GROUNDVATER DIOW NEAREST VATER SOURCE: DIOW NEAREST SURFACE VATER DIOW CHECK DNE MINDED RANKING SCORE: O NMOCD THE CLOSURE STD. 5.000 PPM PTH ABANDONCD STELL TANK INSTALLED STELL TANK INSTALLED FIBERGLASS TANK INSTALL	DISPOSAL FACILITY:	DISPOSAL FACILITY: 00-517E REMEDIATION METHOD: CLOSE PS 15					
SCALE  TIME SAMPLE I.D. LAB NO: WEIGHT (g) ML. FREON DILUTION READING CALC. ppm  SCALE  O FT  PIT PERIMETER  OVM  RESULTS  SAMPLE FIELD HAMSPACE PPD (ppm)  1 & C & S & O & O & O & O & O & O & O & O & O	DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000 CHECK ONE:  NMOCD RANKING SCORE: O NMOCD TPH CLOSURE STD: 5000 PPM						
OVM RESULTS SAMPLE FIELD HEADSPACE PID (ppm)  2 @ HULP 3 @ 4 @ 5 @ 6  5 @ 6  LAB SAMPLES SAMPL	SCALE	<del></del>	LUTION READING CALC. ppm				
CALLOUT, IS A LOCAL MARKET PARTY ON CITE PARTY AND A STATE OF THE STAT	PIT PERIMET  A 9'  SAMPLE	OVM RESULTS SAMPLE FIELD HEADSPACE PID (ppm)  1 @ CC8 O O 2 @ 4 @ 5 @ 4 @ 5 @  LAB SAMPLES SAMPLE , ANALYSIS TIME 10 ANALYSIS	A				

revised: 03/12/01



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	C @ 8'	Date Reported:	06-12-01
Laboratory Number:	20009	Date Sampled:	06-11-01
Chain of Custody No:	9227	Date Received:	06-11-01
Sample Matrix:	Soil	Date Extracted:	06-11-01
Preservative:	Cool	Date Analyzed:	06-12-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	9.5	0.2
Diesel Range (C10 - C28)	45.7	0.1
Total Petroleum Hydrocarbons	55.2	0.1

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Gartner A 2R.

Analyst L. Oglucum

Christing Wastern
Review