District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes X No

Type of action: Registration of a pit or below-grade tank   Closure of a pit or below-grade tank				
Operator: BP America Production Company Telepho	Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:			
Address: 200 Energy Ct, Farmington, NM 87401				
Facility or well name: Horance C LS #10 API#: 3	30045 07/63 U/L or Qtr/Qtr H	Sec 30 TABN RBW		
	Longitude			
Surface Owner: Federal  State  Private  Indian				
<u>Pit</u>	Below-grade tank			
Type: Drilling   Production   Disposal	Volume:bbl Type of fluid:	· <del></del>		
Workover	Construction material:			
Lined [ Unlined [	Double-walled, with leak detection? Yes [] If not, explain why not.			
Liner type: Synthetic Thicknessmil Clay				
Pit Volumebbl				
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)		
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)		
ingii watti devation of glouid water.	100 feet or more	( 0 points)		
W-III I metastica area: (Lega then 200 feet from a private domestic	Yes	(20 points)		
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	No	( 0 points)		
Water source, or less than 1000 lest from an outer water sources.	Learning 200 Gran	(20 = 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)		
	1000 feet or more	( 0 points)		
	Ranking Score (Total Points)			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'	s relationship to other equipment and tanks. (2) Indica	ate disposal location: (check the onsite box if		
your are burying in place) onsite  offsite If offsite, name of facility_	(3) Attach a general de	escription of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No 🔲				
(5) Attach soil sample results and a diagram of sample locations and excava-				
Additional Comments:	3 3 14 13			
See Attached Documentation	- 08 G	1		
	O DEC 2003	3)		
Lo Digg.				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further cortify that the above-described pit or below-grade tank				
has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) alternative OCD-approved plan .				
Date: 11/01/2005				
Printed Name/Title Jeffrey C. Blagg, Agent Signature				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or				
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Approval:		DEC 1 4 2005		
Approval:  Printed Name/Title  Signature  Signature  Signature  Signature				

CLIENT: B		AGG ENGINEI 87, BLOOMF (505) 632	TELD, NM 8	7413	C.O.C. NO: 9654
	EPORT: CL		nv.		PAGE No: 1 of 1
	E: FLORANCE C LS SEC: 30 TWP: 28N			MM:TE	DATE STARTED: 11-6-01 DATE FINISHED: 11-6-01
QTR/FOOTAGE:	2175 N 330E SEINE	CONTRACTOR:	FLINT		ENVIRONMENTAL JCB
1	ROX1 <u>0</u> FT. x _1	O FT. x _ <i>S</i> _			
	LITY: <u>VONE</u> ANGE	LEASE: NM			D: CLOSE AS IS
FIELD NOTES &	& REMARKS: PIT L			FT <b>/</b>	J 5 X FROM WELLHEAD.
DEPTH TO GROUNDW					VATER: > 1000
NMOCD RANKING SCE	DRE: O NMOCD TPH	CLOSURE STD: 50			CHECK ONE:
SOIL AND EX		CALIB. READ. /3/	. <b>7</b> ppm		PIT ABANDONED STEEL TANK INSTALLED
DESCRIPTION:	TIME	1145 (am) pm I	ATE: 11-6-01	<u> </u>	FIBERGLASS TANK INSTALLED
SOIL TYPE: SAND	/ SILTY SAND/ SILT /				EDROCK (SANDSTONE)
SDIL COLOR:	HERS) NON COHESIVE /	SLIGHTLY CDHESI	VE / CDHESIVE /	/ HIGHLY	COHESIVE
	COHESIVE SOILS): (DO				
PLASTICITY (CLAY:	S): NON PLASTIC / SLIC E CLAYS & SILTS): SDF				IC / HIGHLY PLASTIC
MOISTURE: DRY /	(SLIGHTLY MOIST) / MOIS	T / WET / SATURA	ATED / SUPER SA	TURATED	
HC DDOR DETECTED	AINING OBSERVED (YES)	/ ND EXPLANATI TION - M(√)	ion - Frim S	-6 -	CRAP
SAMPLE TYPE: G	RAB / COMPOSITE - # 0	F PTS		15.63	Tz -6-11 or
ADDITIONAL COMME	NTS. PIT HAD REMOVE TAN	STEEL TANK			SANDSTUNE @ 6'.
Bottom	(21				
SCALE	SAMP. TIME SAMPLE I.D		418.1 CALCULATI		TION READING CALC. ppm
	SAIVIT . TIME SAIVIT LE 1.D	. DAB ING. WEIG	(g) ME. TREC	JIV DILOT	TON READING CALC. PPITI
Q FT					
N PIT F	PERIMETER			PIT	PROFILE
	/	OVM RESULT	G		
-	10>	SAMPLE FIELD H	EADSPACE (ppm)		
1 1		1 6 6 31			
		2 @ 3 @			
		4 @ 5 @			
10'	8	5 6		NOT A	PPLICABLE
		LAD CAME	50		
		LAB SAMPL	TIME		
SATRE	TEST TANK Hole FOOT	COB TPH/B	Ex 1140		
	TEST TANK Hole PONT PRINT	BOTH PASS			
	11-				
TRAVEL NOTES:	CALLOUT: 11-6-01	1015 or	ISITE: 11-6	-01	1115
					-



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	C @ 6'	Date Reported:	11-07-01
Laboratory Number:	21431	Date Sampled:	11-06-01
Chain of Custody No:	9654	Date Received:	11-06-01
Sample Matrix:	Soil	Date Extracted:	11-07-01
Preservative:	Cool	Date Analyzed:	11-07-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	348	0.2
Diesel Range (C10 - C28)	145	0.1
Total Petroleum Hydrocarbons	493	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Florance C LS 10 - Blow Pit.

PRODUCTION TANK

25

Analyst

Christin m Walters
Review



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	C @ 6'	Date Reported:	11-07-01
Laboratory Number:	21431	Date Sampled:	11-06-01
Chain of Custody:	9654	Date Received:	11-06-01
Sample Matrix:	Soil	Date Analyzed:	11-07-01
Preservative:	Cool	Date Extracted:	11-07-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	521	1.8	
Toluene	1,570	1.7	
Ethylbenzene	1,590	1.5	
p,m-Xylene	3,140	2.2	
o-Xylene	2,090	1.0	
Total BTEX	8,910		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

915

Comments:

Florance C LS 10 - Blow Pit.

PRODUCTION TANK

Analyst . Cet

Review