1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No ... Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: Ell 10th AL A# API#: 3004508587 U/L or Otr/Otr A Sec 1 T 29N R 9W Latitude County: San Juan Longitude NAD: 1927 ☐ 1983 ☐ Surface Owner: Federal State Private Indian Below-grade tank Type: Drilling Production Disposal Volume: ____bbl Type of fluid: _____ Workover ☐ Emergency ☐ Construction material: Lined Unlined U Double-walled, with leak detection? Yes If not, explain why not. Liner type: Synthetic Thickness ___ mil Clay _ Pit Volume (20 points) Less than 50 feet Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) **Ranking Score (Total Points)** If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite 🗌 offsite 🗀 If offsite, name of facility_________. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 📋 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: See Attached Documentation

I hereby certify that the information above is true and complete to the best of my knowledge and the life of further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) alternative OCD-approved plan .

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or

regulations.

DEPUTY OR & GAS INSPECTOR, DIST. (II)

Approval: Printed Name/Title Signature Derry Fourt DEC 1 4 2005

BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199 C.D.C. ND: 80849				
FIELD REPORT: CLOSURE VERIFICATION PAGE NO: 1 of 1 LOCATION: NAME: ELLIOTT A.L. A WELL #: 1 PIT: BLOW DATE STARTED: 5-4-01				
QUAD/UNIT: A SEC: 11 TWP: 29N RNG: 9W PM: NM CNTY: SJ ST: NM QTR/FOOTAGE: 990 FNL × 990 FEL CONTRACTOR: FLINT DATE FINISHED: 5-4-01 ENVIRONMENTAL SPECIALIST: JCB				
DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS IS LAND USE: RANGE - BLM LEASE: SF - 078132 FORMATION: MV				
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 225 FT. 540°W FROM WELLHEAD. DEPTH TO GROUNDWATER: >100' NEAREST WATER SQURCE: >1000' NEAREST SURFACE WATER: >1000' NMOCD RANKING SCORE: O NMOCD TPH CLOSURE STD: 5000 PPM SOIL AND EXCAVATION DESCRIPTION: TIME: 1045 (an) pm FIBERGLASS TANK INSTALLED TIME: 1045 (an) pm FIBERGLASS TANK INSTALLED				
NOTE: THIS WAS A DUAL BLOW PIT FOR THIS WELL & THE ELLIOTI A.C. A#3 (NOW PXA) WELLS. USED BACKHOE TO EXCAVATE TEST HOLE @ PIPELINE INCETS. COAKSE GRAINED SAND, MINUR ODDR, MOIST, NO STAINING. SAMPLED @ 4 Below bottom of Pit.				
FIELD 418.1 CALCULATIONS TIME SAMPLE I.D. LAB NO: WEIGHT (9) ML. FREON DILUTION READING CALC. ppm SCALE O FT PIT PERIMETER PIT PROFILE				
OVM RESULTS SAMPLE FIELD HEADSPACE PID (ppm) 1 @ 4 0.3 1 NLETS # 1 2 @ 3 @ 4 @ A A A A A A A A A A A A A A A A A				
SAMPLE POINT A SE WAYSIS TIME THING THE ID THING THE OPES				
TRAVEL NOTES: CALLOUT: 5/3/01 - AFTER. ONSITE: 5/4/01 0330				

revised: 03/12/01



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Blow TH #1 @ 4'	Date Reported:	05-07-01
Laboratory Number:	19818	Date Sampled:	05-04-01
Chain of Custody No:	8641	Date Received:	05-04-01
Sample Matrix:	Soil	Date Extracted:	05-07-01
Preservative:	Cool	Date Analyzed:	05-07-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	2.0	0.2
Diesel Range (C10 - C28)	1.5	0.1
Total Petroleum Hydrocarbons	3.5	0.1

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

A. L. Elliott "A" #1.

Analyst C. Ogjenn

Christini m Walters
Review