District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Printed Name/Title

State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, NM 87505

	ade Tank Registration or Clos nk covered by a "general plan"? Yes 🔀 N		
	or below-grade tank [] Closure of a pit or below-		
Operator: BP America Production Company Telepho	ne: <u>(505)326-9200</u> e-mail address:		
Address: 200 Energy Ct, Farmington, NM 87401			
Facility or well name: Elliott AL A# API#:	30045 <i>08587</i> U/L or Qtr/Qtr_ <i>f</i>	Sec 1 T JAN R AW	
1	Longitude		
Surface Owner: Federal State Private Indian			
Pit	Below-grade tank		
Type: Drilling Production X Disposal	Volume:bbl Type of fluid:		
Workover ☐ Emergency ☐	Construction material:		
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.		
Liner type: Synthetic Thicknessmil Clay			
Pit Volumebbl			
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)	
high water elevation of ground water.)	100 feet or more	(0 points)	
	Yes	(20 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	No	(20 points)	
water source, or less than 1000 feet from all other water sources.)	140	(o poults)	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)	
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) Inc	dicate disposal location: (check the onsite box if	
your are burying in place) onsite offsite If offsite, name of facility_	. (3) Attach a genera	al description of remedial action taken including	
remediation start date and end date. (4) Groundwater encountered: No			
(5) Attach soil sample results and a diagram of sample locations and excava			
Additional Comments:			
See Attached Documentation		7,01,01=	
		- 2 V G - 12 T	
		, , , ,	
		· · · · · · · · · · · · · · · · · · ·	
l hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify thates ⊠, a general permit □, or an (attached) alter	at the above-described pit or below-grade tank rnative OCD-approved plan .	
Date: 11/01/2005	1		
Printed Name/Title Jeffrey C. Blage, Agent Signal	nure they C. She,	>	
Printed Name/Title Jeffrey C. Blagg, Agent Signal Your certification and NMOCD approval of this application/closure does to otherwise endanger public health or the environment. Nor does it relieve to regulations.	not relieve the operator of liability should the conte the operator of its responsibility for compliance wit	nts of the pit or tank contaminate ground water or h any other federal, state, or local laws and/or	
Approval: OFFIT OL & GAS INSPECTOR, DET.	1 Le 1115	DEC 1 4 ZUUD	

CLIENT: <u>βρ</u> BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	C.D.C. NO: 8641	
FIELD REPORT: CLOSURE VERIFICATION LOCATION: NAME: ELLIOTI A.L. A WELL #: 1 PIT: SEP QUAD/UNIT: A SEC: 11 TWP: Z9N RNG: 9W PM: NM CNTY: 5T ST:,NM	PAGE No: of DATE STARTED: DATE FINISHED:	
QTR/FOOTAGE: 990'N/990'E NEWE CONTRACTOR: FLINT	ENVIRONMENTAL JCB	
EXCAVATION APPROX. 12 FT. x 12 FT. x 8 FT. DEEP. CUBIC DISPOSAL FACILITY: A.C. ELIWIT A # 3 WELLPAD REMEDIATION METHOLIAND USE: ROSE - Bum LEASE: SF-078132 FOR	D: LANDFARM	
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 105 FT. N76 WFROM WELLHEAD. DEPTH TO GROUNDWATER: 7100' NEAREST WATER SOURCE: 71000' NEAREST SURFACE WATER: 71000' NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM SOIL AND EXCAVATION DESCRIPTION: TIME: 1045 ampm FIBERGLASS TANK INSTALLED		
USED BACKHUE TO EXCAMPLE PIT. COASSE GRAINED, MOIST YULLOW TAN SAND, STRUNG HC ODUR & STAIN. HIT V. FIRM SANDSTONE @ 8' DEPTH. USED BACKHUE TO SAMPLE SOIL ON TOP OF SANDSTONE.		
LANDFARMED SOIL @ A.L. ELLIOTT A #3 ON Adjacon. BEDROCIZ CLOSED FIELD 418.1 CALCULATIONS BOTTOM TIME SAMPLE 1.D. LAB NO: WEIGHT (g) ML. FREON DIE SCALE PIT PERIMETER OVM		
RESULTS SAMPLE ID FIELD HEADSPACE PID (ppm) 1 @ 8' 2Z7 2 @ 3 @ 4 @ 6 3 @ 4 @ 6 5 @ 5 @ 7 LAB SAMPLES	-12'->	
TPAVEL NOTES:	NDSTONE BEDRUCK 0830	

revised: 03/12/01



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Sep C @ 8'	Date Reported:	05-07-01
Laboratory Number:	19820	Date Sampled:	05-04-01
Chain of Custody No:	8641	Date Received:	05-04-01
Sample Matrix:	Soil	Date Extracted:	05-07-01
Preservative:	Cool	Date Analyzed:	05-07-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	15.6	0.2
Diesel Range (C10 - C28)	9.5	0.1
Total Petroleum Hydrocarbons	25.1	0.1

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

A. L. Elliott "A" #1.

Analyst C. Cejecca

Pristri m Waeter



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Sep C @ 8'	Date Reported:	05-07-01
Laboratory Number:	19820	Date Sampled:	05-04-01
Chain of Custody:	8641	Date Received:	05-04-01
Sample Matrix:	Soil	Date Analyzed:	05-07-01
Preservative:	Cool	Date Extracted:	05-07-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
_	·	
Benzene	.474	1.8
Toluene	2,170	1.7
Ethylbenzene	585	1.5
p,m-Xylene	1,710	2.2
o-Xylene	821	1.0
Total BTEX	5,760	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

A. L. Elliott "A" #1.

Analyst L. Office

Misting Walles
Review