District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank.

Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🔀		
Occurred BR Associate Description Company Telephon	o: (505)224 0200 a mail address:	
Operator: <u>BP America Production Company</u> Telephon Address: 200 Energy Ct, Farmington, NM 87401	e: <u>(505)326-9200</u> e-mail address:	
	50045 10879 U/L or Qtr/Qtr K	Sec 8 T 31N R 11W
	Longitude	
Surface Owner: Federal State Private Indian	Longitude	1727 1700
Pit	Below-grade tank	9111123
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover Emergency	Construction material:	
Lined Unlined U	Double-walled, with leak detection? Yes If not,	explain why not. Cocking
Liner type: Synthetic Thicknessmil Clay _		explain why not.
Pit Volumebbl		S. J. J.
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)
high water elevation of ground water.)	100 feet or more	(0 points)
	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)
water source, or less than 1000 feet from all other water sources.)		(o points)
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicate	te disposal location: (check the onsite box if
your are burying in place) onsite offsite from If offsite, name of facility		-
remediation start date and end date. (4) Groundwater encountered: No \square Y		
(5) Attach soil sample results and a diagram of sample locations and excavati		it. and attach sample results.
	UIS.	
Additional Comments:		
See Attached Documentation		
I hereby certify that the information above is true and complete to the best of	of my knowledge and belief. I further certify that the	e above-described pit or below-grade tank
has been/will be constructed or closed according to NMOCD guidelines 🔀, a general permit 🗌, or an (attached) alternative OCD-approved plan 🔲.		
Date: 11/01/2005		
Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Signature Jeffy C. Slegg		
Your certification and NMOCD approval of this application/closure does not relieve/the operator of liability should the contents of the pit or tank contaminate ground water or		
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval: CEPUTY ON & GAS INSPECTOR ONE AND	117-	1
Approval: OFFITY OL & GAS INSPECTOR, OST. (P) Printed Name/Title	Signature Service	9 Date DEC 1 4 2005
A TARREST A TRACT		/

30045/0879 CLIENT: _ BP BLAGG ENGINEERING, INC. LOCATION NO: 80876 P.O. BOX 87, BLOOMFIELD, NM 87413 C.D.C. NO: 928Z (505) 632-1199FIELD REPORT: CLOSURE VERIFICATION. PAGE No: LOCATION: NAME: CASE WELL #: 9 PIT: BLOW 72 DATE STARTED: DATE FINISHED: RNG: IIW PM: NM CNTY: ST ST: NM QUAD/UNIT: K SEC: 8 TWP: 312 **ENVIRONMENTAL** NEED CONTRACTOR: FLINT QTR/FDDTAGE: 1680 5 (1520 W) SPECIALIST: _ CUBIC YARDAGE: EXCAVATION APPROX. _____ FT. x _____ FT. x _____ FT. DEEP. DISPOSAL FACILITY: _____ ON- 51TE REMEDIATION METHOD: DILLIEO/AERSTED LAND USE: RANGE-BLM LEASE: 55-078095 FORMATION: 549W FROM WELLHEAD PIT LOCATED APPROXIMATELY 89 FT. FIELD NOTES & REMARKS: DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: > 1000 NMOCD TPH CLOSURE STD: 5000 PPM NMOCD RANKING SCORE: _ O CHECK ONE OVM CALIB. READ. 53.9 ppm ✓ PIT ABANDONED SOIL AND EXCAVATION DVM CALIB. GAS = 100 ppm RF = 0.52____ STEEL TANK INSTALLED DESCRIPTION: TIME: 10:15 am/pm DATE: 7/17/01 __ FIBERGLASS TANK INSTALLED SOIL TYPE: SAND / SILTY SAND / SILTY SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK (SANDSTONE SOIL COLOR PALE YELL BROWN BEDROCK - MED GRAY COHESION (ALL OTHERS) NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE (FIRM) DENSE) / VERY DENSE PLASTICITY (CLAYS) NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD KISK ASSESSED MOISTURE: DRY / SLIGHTLY MOIST / WOTS / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: YES/ NO EXPLANATION - ON BEDROCK (PIT BOTTOM HC ODOR DETECTED! YES / NO EXPLANATION - ON BEDROCK (PIT BOTTOM ONLY) SAMPLE TYPE: (GRAB) COMPOSITE - # OF PTS. ADDITIONAL COMMENTS: DRAINED LIQUID FROM WEST EDGE OF PIT DEPRESSION THEN ADVANCED TEST HOLE BEDEEK MOISTERS IN SAMPLE PROBABLY OUE TO LIQUID IN PIT BOITON FIELD 418.1 CALCULATIONS SCALE SAMP. TIME SAMPLE I.D. WEIGHT (a) ml. FREON DILUTION READING CALC. Dom. LAB No: 0 FT PERIMETER PIT 40 PROFILE OVM RESULTS PIT DEPRESSIONS APPROX. 6' FIELD HEADSPACE PID (ppm) SAMPLE BELOW GRADE 384 201 6 BERLEN 3 6 4 @ 5 @ NOT APPLICABLE 231 LAB SAMPLES LIONID SAMPLE ANALYSIS (CUNDEUSATE P) TEST HOLE APPROX. TPH (8015) 1050 1' BELOW PIT BTEX (8021)

TRAVEL NOTES: CALLOUT: 7/19/01 - MORN. ONSITE: 7/19/01 - MORN.

revised: 07/16/01 bei1005A.skd



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 7'	Date Reported:	07-24-01
Laboratory Number:	20427	Date Sampled:	07-19-01
Chain of Custody No:	9282	Date Received:	07-19-01
Sample Matrix:	Soil	Date Extracted:	07-20-01
Preservative:	Cool	Date Analyzed:	07-23-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	5,840	0.2
Diesel Range (C10 - C28)	145	0.1
Total Petroleum Hydrocarbons	5,990	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Case LS #9 Blow Pit Grab Sample.

Analyst C. Ogles

Review Mrsteri M Walters



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 7'	Date Reported:	07-23-01
Laboratory Number:	20427	Date Sampled:	07-19-01
Chain of Custody:	9282	Date Received:	07-19-01
Sample Matrix:	Soil	Date Analyzed:	07-23-01
Preservative:	Cool	Date Extracted:	07-20-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	359	1.8	
Toluene	2,000	1.7	
Ethylbenzene	1,010	1.5	
p,m-Xylene	1,280	2.2	
o-Xylene	1,570	1.0	
Total BTEX	6,220		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Case LS #9 Blow Pit Grab Sample.

Analyst L. Ogleen

Review Review