District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes M No

Type of action: Registration of a pit	or below-grade tank	de tank			
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:					
Operator: BP America Production Company Telephon Address: 200 Energy Ct, Farmington, NM 87401	c-man address.				
Facility or well name: Bolack #2 API#:	30045'23267 U/L or Qtr/Qtr 6	Sec 19 TABN RAW			
i e e e e e e e e e e e e e e e e e e e	Longitude				
Surface Owner: Federal State Private Indian					
Pit	Below-grade tank				
Type: Drilling Production Disposal	Volume:bbl Type of fluid:				
Workover Emergency	Construction material:				
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic Thicknessmil Clay					
Pit Volumebbl	1				
	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)			
high water elevation of ground water.)	100 feet or more	(0 points)			
	Yes	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)			
water source, or less than 1000 feet from all other water sources.)					
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
	1000 feet or more	(0 points)			
	Ranking Score (Total Points)				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'	s relationship to other equipment and tanks. (2) Indica	ate disposal location: (check the onsite box if			
your are burying in place) onsite Offsite If offsite, name of facility	. (3) Attach a general d	escription of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered: No 🔲 Y					
(5) Attach soil sample results and a diagram of sample locations and excavar	tions.				
Additional Comments:					
See Attached Documentation					
		3			
	<u> </u>				
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that the	ne above-described pit or below-grade tank			
has been/will be constructed or closed according to NMOCD guidelines 🔼, a general permit 🗌, or an (attached) alternative OCD-approved plan 🗍.					
Date: 11/01/2005					
Printed Name/Title Jeffrey C. Blagg, Agent Signat	ure fully C. Algy				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Approval: CFUTY OR & GAS INSPECTOR, OST. 61	1 Emy Do	DEC 1 4 2005			
Printed Name/Title	Signature	Date:			

	T			
CLIENT: BP	BLAGG ENG			LOCATION NO: 80904
	P.O. BOX 87, BLO		A 87413	C.D.C. ND: 959)
	(505)	632-1199	•	
FIELD REPOR	RT: CLOSURE	VERIFICA	ATION	PAGE No: of
LOCATION: NAME: BOL	ACK WELL #:	Z PIT: 7A	NK	DATE STARTED: 10-15-01
	1 TWP: 28N RNG: 8W			DATE FINISHED: 10-15-01
	650E SWIME CONTRACT			ENVIRONMENTAL JCB_
EXCAVATION APPROX				
DISPOSAL FACILITY:				
	Bun LEASE:			
FIELD NOTES & REMAI	·····			
			AREST SURFACE	
NMOCD RANKING SCORE:	DVM CALTE DEA	D. 129. 8 ppm		CHECK DNE :
SOIL AND EXCAVATION	N DVM CALIB, REA	u. <u>124.8 pp</u> m = 250 nnm RF	= 052	PII ABANDUNED
DESCRIPTION:	TIME: 1515 an	/pm DATE: /0-19	<u></u>	STEEL TANK INSTALLED FIBERGLASS TANK INSTALLED
SOIL TYPE SAND / SILTY	SAND) / SILT / SILTY CLAY	/ / CLAY / GRAVEL	_ / DTHER _	
SOIL COLOR: ORANGE COHESION (ALL OTHERS): (NO	TAN TO COHESIVE) / SLIGHTLY (THESIVE / CHEST	VE / HIGHLY	CUHESIVE
CONSISTENCY (NON COHESIVE	SOILS): LOOSE / (FIRM)	DENSE / VERY DE	INSE	
PLASTICITY (CLAYS): NON P				IC / HIGHLY PLASTIC
DENSITY (COHESIVE CLAYS & MOISTURE: DRY / SLIGHTLY				(CrozED)
DISCOLORATION/STAINING OB	SERVED: YES / (ND) EXP		· SHIOKHILD	
HC DDOR DETECTED: YES /				
SAMPLE TYPE: GRAB / COM ADDITIONAL COMMENTS: P	1POSITE - # OF PTS. F 'IT HAD ZI BBL	STEEL TANK	USED B	ACKHOE TO
_ RE	MOLE TANK & SAM			
		IELD 418.1 CALCUL	ATIONS	
SCALE SAMP TIM	ME SAMPLE I.D. LAB No:			TION BEADING CALC DOM
	TE SAMI CE I.D. LAB NO.	WEIGHT (g) IIIL.	FREON DIEO	TION READING CALC. ppm
OrFT				
N PIT PERIM	ETER		PIT	PROFILE
İ)VM	<u> </u>	11011111
,		ULTS		
10'	TANK SAMPLE	FIELD HEADSPACE PID (ppm)		
10 —	FwT 2 0	0.0		
1 (, , , , , , , , , , , , , , , , , ,	(K) Paul 3 6			
,,,	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			
			NOT.	APPUSABLE
10' 8	<u> </u>			
	/			
	< / h			
1 / Yimi		SAMPLES NALYSIS TIME		
		NALYSIS TIME		
/	Hole			
1. 21 6		SSED		
SANPLÉ			· · · · · · · · · · · · · · · · · · ·	
TRAVEL NOTES: CALLOUT: 10/15/01 0900 ONSITE: 10/15/01 1415				
	*		-	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Sep C @ 10'	Date Reported:	10-16-01
Laboratory Number:	21256	Date Sampled:	10-15-01
Chain of Custody No:	9591	Date Received:	10-15-01
Sample Matrix:	Soil	Date Extracted:	10-16-01
Preservative:	Cool	Date Analyzed:	10-16-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Bolack #2.

Analyst

Mister of Walters
Review