District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes X No

	or below-grade tank Closure of a pit or below-gr	ade tank	
Operator: BP America Production Company Telepho	ne: (505)326-9200 e-mail address:		
Address: 200 Energy Ct, Farmington, NM 87401			
Facility or well name: France # API#:	30045 29053 U/L or Qtr/Qtr P	Sec 23 T 30N R BW	
County: San Juan Latitude	Longitude	NAD: 1927 🗌 1983 🗍	
Surface Owner: Federal State Private Indian			
Pit	Below-grade tank		
Type: Drilling Production Disposal	Volume:bbl Type of fluid:		
Workover	Construction material:		
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.		
Liner type: Synthetic Thicknessmil Clay			
Pit Volumebbl		12 13 14 75	
Does to a second control of control distance from hottom of cited account	Less than 50 feet	(20 points) (20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points) DEC 2008	
high water elevation of ground water.)	100 feet or more	(0 points)	
	Yes	(20 points) DIV	
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)	
water source, or less than 1000 feet from all other water sources.)		Re-	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	(0 points)	
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	s relationship to other equipment and tanks. (2) Indic	cate disposal location: (check the onsite box if	
your are burying in place) onsite offsite If offsite, name of facility_			
remediation start date and end date. (4) Groundwater encountered: No			
(5) Attach soil sample results and a diagram of sample locations and excava			
Additional Comments:	erons.		
See Attached Documentation		- · · · · · · · · · · · · · · · · · · ·	
	<u></u>		
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify that tes ⊠, a general permit □, or an (attached) alterna	the above-described pit or below-grade tank ative OCD-approved plan .	
Date: 11/01/2005	111		
Printed Name/Title Jeffrey C. Blagg, Agent Signal	ure Jeffy C. Sligg		
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the contents	s of the pit or tank contaminate ground water or	
Approval: Printed Name/Title	Signature Denny Fe	eny DEC 1 4 2005	

3004529053 CLIENT: BP BLAGG ENGINEERING, INC. LOCATION NO. 80915 P.O. BOX 87, BLOOMFIELD, NM 87413 C.O.C. NO. 8827 (505) 632-1199FIELD REPORT CLOSURE VERIFICATION PAGE No: ! of) DATE STARTED: 11-29-01 LOCATION: NAME: FRANCE WELL #: PIT: TANK DATE FINISHED: 11-29-01 QUAD/UNIT: P SEC: 23 TWP: 30N RNG: 8W PM: NM CNTY: 55 ST: NA QTR/FOOTAGE: 1025'5 910'E SEISECONTRACTOR: FLINT EXCAVATION APPROX. _ LZ FT. x _ LZ FT. x _ LE FT. DEEP. CUBIC YARDAGE: __O DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS TS LEASE: SF-078385 FORMATION: OK/mv FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>117</u> ft. <u>N52°W</u>from Wellhead. DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000 NMOCD RANKING SCORE: _____ NMOCD TPH CLOSURE STD: 5000 PPM CHECK DNE : OVM CALIB. READ. 127.5 ppm PIT ABANDONED SOIL AND EXCAVATION DVM CALIB. GAS = 250 ppm RF = 0.52 ____ STEEL TANK INSTALLED DESCRIPTION: TIME: 10:5 Tampom DATE: 11-29-01 _____ FIBERGLASS TANK INSTALLED SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER SOIL COLOR: ORANGE AND TAN COHESION (ALL OTHERS): (NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): (LODSE) / FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD CLOSED MOISTURE: DRY / SLIGHTLY MOISD / MOIST / VET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: YES IND EXPLANATION -HC ODOR DETECTED YES / NO) EXPLANATION -_ SAMPLE TYPE: (GRAB) COMPOSITE - # OF PTS Use Stoel TAINE. W/ 21 BBC ADDITIONAL COMMENTS: TRUE & SAMPLE FIELD 418.1 CALCULATIONS SCALE SAMP. TIME SAMPLE I.D. LAB No: |WEIGHT (g) |mL. FREON DILUTION | READING | CALC. ppm FT PIT PERIMETER PROFILE OVM RESULTS FIELD HEADSPACE PID (ppm) SAMPLE - 12' -12 NOT APPLICABLE AB SAMPLES ANALYSIS THA 1010 SAMPE TRAVEL NOTES: 0945 CALLOUT 11/29/01 0830 ONSITE:



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Tank C @ 8'	Date Reported:	11-30-01
Laboratory Number:	21621	Date Sampled:	11-29-01
Chain of Custody No:	8827	Date Received:	11-30-01
Sample Matrix:	Soil	Date Extracted:	11-30-01
Preservative:	Cool	Date Analyzed:	11-30-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

France #1.

Analyst

Mist m Walters
Review