

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
March 4, 2004

PN  
WELL API NO.  
30-045-24742

5. Indicate Type of Lease  
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Moore

8. Well Number

1

9. OGRID Number

019219

10. Pool name or Wildcat

Cha Cha Gallup

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN, OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Richardson Operating Company

3. Address of Operator

3100 La Plata Highway, Farmington, NM 87401

4. Well Location

Unit Letter E : 1980 feet from the North line and 660 feet from the West line

Section 12 Township 29N Range 15W NMPM County San Juan

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
5193' GL

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL        Sect        Twp        Rng        Pit type        Depth to Groundwater        Distance from nearest fresh water well       

Distance from nearest surface water        Below-grade Tank Location UL        Sect        Twp        Rng        ;

       feet from the        line and        feet from the        line

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☒

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Well was plugged per attached procedure.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Ryan Bruner TITLE Engineering Assistant DATE 12/8/04

Type or print name Ryan Bruner E-mail address: rbruner@richardsonoil.com Telephone No. 303-830-8000

(This space for State use)

APPROVED BY Felix G. Lopez TITLE WELL INSPECTOR DATE 1-17-05  
Conditions of approval, if any:

## Moore #1 P&A

**8/17/2004:** Lay down tbg & rods.

**8/18/2004:** TIH w/ workstring to 4622'. Mix and pump 75sx Class B cement, 15.6ppg. TOH 30 stands.

Reverse circulate clean.

**8/19/2004:** TIH w/ tbg. Tag cement at 3840'. Pressure test to 500psi, held OK. Set plug at 4622'-3840'.

TOH. Run CBL. TOC at 698'. TIH to 1450'. Mix and pump 19sx Class B cement, 15.6ppg. Spot balanced plug from 1450'-1200'. TOH shoot squeeze holes at 550'. Establish circulation to surface. Mix and pump 225sx Class B cement, 15.6ppg. Pump cement inside and outside plug. Circulate 2 bbl cement to surface. Cutoff wellhead and install P&A marker.

<b>Well Name:</b>	<b>Moore #1</b>
Location (FL):	1980' FNL & 660' FWL, E
(Sec., T, R, NMPM):	Sec. 12, T29N, R15W, NMPM
County:	San Juan
Field:	Cha Cha Unit - Gallup
API #	30-045-24742
Elevation (GR, KB):	5193' GL

