

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-045-31916
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. LG-3735
7. Lease Name or Unit Agreement Name State
8. Well Number #1S
9. OGRID Number 004838
10. Pool name or Wildcat Basin Fruitland Coal

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐

2. Name of Operator
Coleman Oil & Gas, Inc.

3. Address of Operator
P.O. Drawer 3337 Farmington, NM 87499

4. Well Location
Unit Letter : J : 2040 feet from the South line and 1600 feet from the East line
Section 2 Township 26N Range 13W NMPM County San Juan

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
6023' GR.

Pit or Below-grade Tank Application ☒ or Closure ☒

Pit type: LINED EARTHEN Depth to Groundwater: 300 feet. Distance from nearest fresh water well 10 miles. Distance from nearest surface water 5 miles.

Pit Liner Thickness: 12 mil Below-Grade Tank: Volume bbls: Construction Material

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: Dig & Reclaim Reserve Pit ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☒

OTHER: Pressure Test Casing ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SPUD WELL JANUARY 10, 2006 @ 10:30 AM. DRILLED 8 3/4" HOLE TO 140 FT. KB AND RAN 3 JTS OF 7" 20# J-55 ST&C NEW CASING. RAN A TOTAL FOOTAGE OF 131.11 FT. AND LANDED @ 137.11 FT. KB. CEMENTED W/ 50 SACKS CLASS B W/2% CALCIUM CHLORIDE AND 1/4# PER SACK CELLOFLAKE. CIRCULATED 4 BARRELS OF CEMENT TO RESERVE PIT. NIPPLED UP BOP AND MANIFOLD. PRESSURE TESTED BOP, MANIFOLD AND CASING TO LOW 250 PSIG AND HIGH 900 PSIG. DRILLED 6 1/4" HOLE TO 1360 FT. KB. TD WELL @ 1360 FT. KB @ 4:30 PM ON JANUARY 13, 2006. RAN A TOTAL OF 34 JTS 4 1/2" 10.50#/FT ST&C J-55. LANDED CASING @ 1350.23 FT. KB. CEMENTED W/ 80 SACKS CLASS G W 3% D79 AND 1/4# PER SACK D29. TAILED W/ 30 SACKS CLASS G 50/50 POZ W/ 2% GEL D20, 5# PER SACK D24 GILSONITE, .1% D46, 1% S-1 AND 1/4# PER SACK D29. CIRCULATED 10 BARRELS OF CEMENT TO SURFACE. PLUG DOWN AT 12:00 PM JANUARY 14, 2006. BUMPED PLUG TO 1000 PSIG. PLUG HELD.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed and closed according to NMOC guidelines ☒, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Michael T. Hanson TITLE: Operations Engineer DATE: January 16, 2006

Michael T. Hanson cogmhanson@sprynet.com (505) 327-0356

For State Use Only

APPROVED BY: H. Villanueva DEPUTY OIL & GAS INSPECTOR, DIST. 4 DATE: JAN 17 2006
Conditions of Approval (if any):