District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes X No

Type of action: Registration of a pit o	or below-grade tank [Closure of a pit or below-grade	le tank 🔀	
Occurred DD Associate Deschartion Comments	(505)22(0200		
	e:(505)326-9200		
Address: 200 Energy Ct, Farmington, NM 87401	m46 0276 2 vg 0.00 D	- 75 T 79N R 171.)	
Facility or well name: GCU Com A#142 API#: 3			
	Longitude	NAD: 1927 ☐ 1983 ☐	
Surface Owner: Federal State Private Indian			
<u>Pit</u>	Below-grade tank		
Type: Drilling Production Disposal	Volume:bbl Type of fluid:		
Workover	Construction material:		
Lined Unlined U	Double-walled, with leak detection? Yes If not, explain why not.		
Liner type: Synthetic Thicknessmil Clay			
Pit Volumebbl			
2 Line de la constant distance Combanne of the constant	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)	
high water elevation of ground water.)	100 feet or more	(0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No	(0 points)	
Company of the state of the sta	Less than 200 feet	(20 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)	
		(, , , , , , , , , , , , , , , , , , ,	
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indica	te disposal location: (check the onsite box if	
your are burying in place) onsite 🗌 offsite 🔲 If offsite, name of facility_	. (3) Attach a general de	escription of remedial action taken including	
remediation start date and end date. (4) Groundwater encountered: No TY			
(5) Attach soil sample results and a diagram of sample locations and excavat		-	
Additional Comments:	1010.		
	7	-£-	
See Attached Documentation		076	
180 East of South 1	451		
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline.	of my knowledge and belief. I further certify that the	tive OCD engroyed plan	
uss neem will be collect acced of closed according to this Cop Enigerities	s [5], a general permit [1], or an (attached) afternat	луе ОСБ-ярргочец рівіі 🔲.	
Date:	1		
Printed Name/Title Jeffrey C. Blagg, Agent Signate	ure Jeffy C. Sligg		
Your certification and NMOCD approval of this application/closure does n	not relieve the operator of liability should the contents	of the pit or tank contaminate ground water or	
otherwise endanger public health or the environment. Nor does it relieve the regulations.			
Approval: OFUTY OR & GAS INSPECTOR, OSI. 4.	1 Ta any = Jan	DEC 1 4 2005	
Printed Name/Title	Signature Devy 1000	Date:	
	• //		

BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	C.O.C. NO:
FIELD REPORT: CLOSURE VERIFICATION	PAGE No: _ 1 _ of _ 1
QUAD/UNIT: SEC: 25 TWP: Z9N RNG: 12W PM:NM CNTY: ST ST.NM	DATE STARTED: 5/22/01 DATE FINISHED: 5/22/01 ENVIRONMENTAL 5/26/21
QTR/FOOTAGE: 5W/SE CONTRACTOR: FEINT	
EXCAVATION APPROX. 15 FT. x 15 FT. x 6 FT. DEEP. CUBIC	YARDAGE:
DISPOSAL FACILITY: 00-5 TE REMEDIATION METHO	}
LAND USE: FARM LEASE: FEE PRIVATE FOR	MATION: DK
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY /45 FT. 5	18°E FROM WELLHEAD.
DEPTH TO GROUNDWATER: NEAREST WATER SOURCE: 7/00 NEAREST SURFAC	WATER: SON CIOON
NMOCD RANKING SCORE: NMOCD TPH CLOSURE STD: SPM X	PIT ABANDONED
SOIL AND EXCAVATION OVM CALIB. READ. 129.4 ppm	STEEL TANK INSTALLED
DESCRIPTION.	FIBERGLASS TANK INSTALLED
STEEL TANK IN WOULD LINES PIT. Remained Touch & Soughe	
WITH BACKHUE. 0-6' Sitty Soud - Der. 6-7	Silty Soud- Der
7-9 River cobbe/soud mix, lite moisting, N	6 HC COUR
CX STAIR.	
CC-22D)	
FIELD 418.1 CALCULATIONS TIME SAMPLE I.D. LAB No: WEIGHT (g) mL. FREON DI	LUTION READING CALC. DOM
SCALE	
O FT	
PIT PERIMETER PIT	PROFILE
OVM RESULTS	
SAMPLE FIELD HEADSPACE PID (ppm)	,
1 1 0 TH 1 0 1.2	-15 ->
3 @	A
5.6	
A (8) (5 A	
LAB SAMPLES 3	
SAMPLE ANALYSIS TIME	8-5-10
Simil	SHAME
(PA3250)	
TRAVEL NOTES: 2007 (1) 12(0)	

revised: 03/12/01



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	TANK / SEP TH #1 @ 9'	Date Reported:	05-23-01
Laboratory Number:	19885	Date Sampled:	05-22-01
Chain of Custody No:	8666	Date Received:	05-22-01
Sample Matrix:	Soil	Date Extracted:	05-23-01
Preservative:	Cool	Date Analyzed:	05-23-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1.9	0.2
Diesel Range (C10 - C28)	1.5	0.1
Total Petroleum Hydrocarbons	3.4	0.1

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

GCU 142.

Analyst C. Queur

Review Deveters