District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office.

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit	or below-grade tank Closure of a pit or below-gra	ade tank			
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:					
	iie. (303)320-3200 Hall addiess.				
Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: Chioth & B#2 API#: 3	3 0045 09225 U/L or Qtr/Qtr A	Sec 27 T.30A) R9(1)			
The state of the s	Longitude				
Surface Owner: Federal State Private Indian	Longitude	NAD. 1227 🗖 1305 🗖			
Pit	Below-grade tank				
Type: Drilling Production Disposal					
Workover Emergency	Volume:bbl Type of fluid: Construction material:				
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic Thicknessmil Clay _	Boulet wanted, with loak detection. Tes E in ite	s, explain why not.			
Pit Volumebbl					
	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)			
high water elevation of ground water.)	100 feet or more	(0 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	(0 points)			
	Less than 200 feet	(20 points)			
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)			
	Ranking Score (Total Points)				
	Ranking Store (Total Folias)	<u> </u>			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's		- · · · · · · · · · · · · · · · · · · ·			
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility_		escription of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered: No \square Y	Yes If yes, show depth below ground surface	ft. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excavat	tions.				
Additional Comments:					
See Attached Dogumentation					
O DEC ZUE S					
© PLY DIN. 23					
60 ON 01.3 3					
The Difference of the Control of the					
The state of the s					
I hereby certify that the information above described pit or below-grade tank					
has been/will be constructed or closed according to NMOCD guidelines 🗷, a general permit 🗌, or an (attached) alternative OCD-approved plan 🗍.					
Date: 11/01/2005					
Printed Name/Title					
Your certification and NMOCD approval of this application/closure does not relieve/the operator of liability should the contents of the pit or tank contaminate ground water or					
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Approval: DEC 1 4 2005					
Printed Name/Title	Signature	Date:			

P.O. BOX 87, BLOOM (505) 63	MFIELD, NM 87413
FIELD REPORT: CLOSURE	
LOCATION: NAME: ELLIDIT EE B WELL #: Z QUAD/UNIT: A SEC: 27 TWP: 300 RNG: 9W P	M: NM CNTY: 57 ST: NM DATE FINISHED:
OTR/FOOTAGE: 990'N/990'E NELNE CONTRACTOR:	FUNT SPECIALIST: NV
EXCAVATION APPROXAA_ FT. xAA_ FT. x _A	FT. DEEP. CUBIC YARDAGE: NA
DISPOSAL FACILITY: ON-SITE	
LAND USE: RANGE - BLM LEASE:	
FIELD NOTES & REMARKS: PIT LOCATED APPROXIDEPTH TO GROUNDWATER: 2100 NEAREST WATER SOURCE:	
I NAME DE DANIONE SCORE. D NAMED THE CLOSURE STR. 5	OO O DDM CHECK UNE
SOIL AND EXCAVATION OVM CALIB. READ. 5	3.4 ppm Y PIT ABANDONED
UVM CALIB. GAS = 1	DATE: 7/31/01 STEEL TANK INSTALLED FIBERGLASS TANK INSTALLED
SOIL TYPE: (SAND / SILTY SAND / SILT / SILTY CLAY /	
SOIL COLOR: DK YELL OPANGE COHESION (ALL OTHERS): (NON COHESIVE) / SLIGHTLY COHE	SIVE / CDHESIVE / HIGHLY CDHESIVE
CONSISTENCY (NON COHESIVE SOILS): (LOOSE) FIRM / DE	NSE / VERY DENSE
PLASTICITY (CLAYS) NON PLASTIC / SLIGHTLY PLASTIC / DENSITY (COHESIVE CLAYS & SILTS): SDFT / FIRM / STIF	F / VERY STIFF / HARD
MOISTURE: DRY / SLIGHTLY MOISD / MOISD / WET / SATURDISCOLORATION/STAINING OBSERVED: YES / NO EXPLANA	
HC ODOR DETECTED: YES / D EXPLANATION	
SAMPLE TYPE: GRAD / COMPOSITE - # OF PTS	TO SAMPLINE.
FIELI	D 418.1 CALCULATIONS
SCALE SAMP TIME SAMPLE LD LAB NO: WI	
57 NWI - 11WIL 57 NWI EL 1.D. DAD 140.	EIGHT (g) ml. FREON DILUTION READING CALC. DDM
O FT	EIGHT (g) mL. FREON DILUTION READING CALC. ppm
OFT	
PIT PERIMETER NOVA	PIT PROFILE
O FT PERIMETER NO OVA	PIT PROFILE ITS
O FT PIT PERIMETER N OVN RESUI	PIT PROFILE
O FT PIT PERIMETER N OVN RESUI SAMPLE FIEL 10 1 @ 8' 2.8	PIT PROFILE ITS D. HEADSPACE PID (ppm)
PIT PERIMETER N PIT PERIMETER N RESUI SAMPLE FEE 10 2 8 2 2 2 2 3 2 4 2 4 2	PIT PROFILE ITS D. HEADSPACE PID (ppm)
PIT PERIMETER NOVA RESULT SAMPLE FEE 10 1 @ 8' 2 @ 3 @ 4 @ 5 @	PIT PROFILE ITS D. HEADSPACE PID (ppm)
PIT PERIMETER NOVA RESUI SAMPLE FEE 1 @ 8' 2 @ 3 @ 4 @ 5 @ 5 @ 5 @ 5 @ 5 @ 5 @ 5 @ 5 @ 5	PIT PROFILE A.TS D. HEADSPACE PID (ppm) O. C
PIT PERIMETER NOVA RESULT SAMPLE FIEL 10 8 7 2.8 76.56 4 9 5 9	PIT PROFILE A.TS D. HEADSPACE PID (ppm) O. C
PIT PERIMETER NOVARESUI SAMPLE FEE 1 @ 8	PIT PROFILE A TS D. HEADSPACE PID (ppm) O. 6 NOT APPLICABLE
PIT PERIMETER N OVA RESUI SAMPLE FEE 1 @ 8' 2 @ 3 @ 4 @ 5 @ 5 @ 5 @ 5 @ 5 @ 5 @ 5 @ 5 @ 5	PIT PROFILE A TS D. HEADSPACE PID (ppm) O. 6 PLES IS TIME
PIT PERIMETER N OVN RESULT SAMPLE 10 1 @ 8' 2 @ 3 @ 4 @ 5 @ 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	PIT PROFILE A TS D HEADSPACE PID (ppm) O. G NOT APPLICABLE PLES IS TIME BOIS D8D
PIT PERIMETER N OVN RESUI SAMPLE FEE 10 8 2 6 3 6 4 6 5 6 3 6 4 6 5 6 5 6 5 6 5 6 5 6 6 5 6 6 6 6 6	PIT PROFILE A TS D HEADSPACE PID (ppm) O. G NOT APPLICABLE PLES IS TIME BOIS D8D
PIT PERIMETER N OVN RESULT SAMPLE 10 1 @ 8' 2 @ 3 @ 4 @ 5 @ 4 @ 5 @ APPROX. 4' APPROX. 3' BELING PIT BELING PIT DERIMETER N OVN RESULT SAMPLE FIEL 10 LAB SAM SMIPLE ANALYS DE 8' TPH. BELING PIT	PIT PROFILE A TS D HEADSPACE PID (ppm) O. G NOT APPLICABLE PLES IS TIME BOIS D8D

revised: 07/16/01



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 8'	Date Reported:	08-01-01
Laboratory Number:	20514	Date Sampled:	07-31-01
Chain of Custody No:	9398	Date Received:	07-31-01
Sample Matrix:	Soil	Date Extracted:	08-01-01
Preservative:	Cool	Date Analyzed:	08-01-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	1.5	0.1
Total Petroleum Hydrocarbons	1.5	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Elliott, EE B #2 Compressor Pit

Grab Sample.

Alex C. Cefarer

Pristing Waster