District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes X No ...

Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🔀			
Occupant DR America Production Comments	may (505)226 0200		
Operator: BP America Production Company Telepho	ne: (505)326-9200 e-mail address:		
Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: + Caton LS + 5A API #:	20046 127/2 Ha 0-10- 1	= 6-28 T2/N RULL)	
	Longitude	NAD: 1927 🗌 1983 🗍	
Surface Owner: Federal State Private Indian			
Pit .	Below-grade tank		
vpe: Drilling Production Disposal Volume: bbl Type of fluid:			
Workover			
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.		
Liner type: Synthetic Thicknessmil Clay			
Pit Volumebbl			
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)	
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)	
	100 feet or more	(0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No	(0 points)	
water source, or less than 1000 feet from all other water sources.)	T	(20 :)	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	(0 points)	
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) Inc	dicate disposal location: (check the onsite box if	
your are burying in place) onsite offsite foffsite, name of facility_	- ·		
remediation start date and end date. (4) Groundwater encountered: No			
(5) Attach soil sample results and a diagram of sample locations and excava			
Additional Comments:	atoris.		
	2 (nf-2	
See Attached Documentation		<u> </u>	
1 - 0 - + + N/2 +1			
65 West of North	4		
960 from WH			
Thereby and for the information above is the and any letter the best by	6		
I hereby certify that the information above is true and complete to the bes has been/will be constructed or closed according to NMOCD guidelin	t of my knowledge and belief. I further certify that les X , a general permit . or an (attached) alter	it the above-described pit or below-grade tank	
		., . –	
Date: 11/01/2005	111 0 11		
Printed Name/Title Jeffrey C. Blagg, Agent Signa	iture Jeffy C. Slig	}	
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the conte	nts of the pit or tank contaminate ground water or h any other federal, state, or local laws and/or	
Approval: Printed Name/Title	Signature Fury Tan	DEC 1 4 2005	

FIELD REPORT: CLOSURE VERIFICATION PAGE NO: 1 of 1 LOCATION: NAME HEATON LS WELL & SP PIT SEP / TANK QUAD/UNIT. F SEC. 20 TWP 31N RNG: 11W PM. MICHITY ST ST. JANK QUAD/UNIT. F SEC. 20 TWP 31N RNG: 11W PM. MICHITY ST ST. JANK QUAD/UNIT. F SEC. 20 TWP 31N RNG: 11W PM. MICHITY ST ST. JANK QUAD/UNIT. F SEC. 20 TWP 31N RNG: 11W PM. MICHITY ST ST. JANK QUAD/UNIT. F SEC. 20 TWP 31N RNG: 11W PM. MICHITY ST ST. JANK QUAD/UNIT. F SEC. 20 TWP 31N RNG: 11W PM. MICHITY ST ST. QUAD/UNIT. F SEC. 20 TWP 31N RNG: 11W PM. MICHITY ST JANK QUAD/UNIT. F SEC. 20 TWP 31N RNG: 11W PM. MICHITY ST JANK PROMOBINE ST JANK PRO	CLIENT: BP	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	C.O.C. NO: 9539		
QUAD/UNITE SEC. 28 TWP 3/N RNG: /// PM: N/M CNTT: 55 ST. N/M DIR. FEDDTAGE: 2700/1/190/2 SELW_CONTRACTOR: FE/N 7 ENGRAPHER. 2700/2 SELW_CONTRACTOR: FE/N 7 ENGRAPHER. 2700/		and the second s			
EXCAVATION APPROX. 12 PT. x 12 PT. x 5 PT. DEEP. CUBIC YARDAGE: OBSPOSAL FACILITY: NOWS REMEDIATION METHOD: CLOSED AS 15 LAND USE: SCALA LEASE: SF - OTBO97 FORMATION: MU FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 9(g FT. 465° M FROM WELLHEAD DEPTH TO GROUNDWATER 100 NAMES VATER SURCE: 2000 NAMES SURFACE WATER. 1000 NAME STORES WATER SURFACE WATER. 1000 NAMES STORES WATER. 1000 NAMES NAME STANK INSTALLED TIME. 1405 UND TEST HAVE NOT READING CALC. PART OF THE RESULTS. 1000 NAMES NAME STANK INSTALLED STREET SURFACE WATER. 1000 NAMES NAMES NAME STANK INSTALLED STREET SURFACE WATER. 1000 NAMES NAMES NAME STANK INSTALLED STREET SURFACE WATER. 1000 NAMES NAME STANK INSTALLED STREET SURFACE WATER. 1000 NAMES NAMES NAME STANK INSTALLED STREET SURFACE WATER. 1000 NAMES NAME STANK INSTALLED STREET NAME STANK INSTALLED STANK INSTALLED STANK INSTALLED STANK INSTALLED STANK INSTAL	QUAD/UNIT: F SEC: 2	QUAD/UNIT: F SEC: 28 TWP: 31N RNG: 11W PM: NM CNTY: 55 ST: JM DATE FINISHED: 8-27-01			
NMOCD RANKING SCORE: O NMOCD THY CLOSURE STD SWPPM SOIL AND EXCAVATION DESCRIPTION: FIRE SAMPLE ID. LAB NO: WEIGHT (g) mL FREON DILUTION READING CALC. ppm SCALE O FT 1 PIT PERIMETER OVM RESULTS SAMPLE ID. LAB SAMPLES SAMPLE ID. LAB SAM	DISPOSAL FACILITY: None REMEDIATION METHOD: CLOSS AS 15 LAND USE: BCM LEASE: SF-078097 FORMATION: MU				
CLOSED FIELD 418.1 CALCULATIONS TIME SAMPLE I.D. LAB No: WEIGHT (9) ML. FREON DILUTION READING CALC. ppm SCALE O FT 12 PIT PERIMETER OVM RESULTS SUBJECT PROPRIE 12 P 13 P 12 P 12 P 12 P 13 P 14 P 17 PAVEL NOTES:	NMOCD RANKING SCORE: C SOIL AND EXCAVATION DESCRIPTION:	NMOCD TPH CLOSURE STD: 5000 PPM OVM CALIB. READ. 131.7 PPM TIME: 1405 am/pm	CHECK ONE: PIT ABANDONED STEEL TANK INSTALLED FIBERGLASS TANK INSTALLED		
SCALE O FT PIT PERIMETER OVM RESULTS SAMPLE PROD HEADSPACE PRO (ppm) 1 @ 12 335 2 @ 3 @ 4 @ 5 @ 9 3 @ 4 @ 5 @ 9 3 @ 4 @ 5 @ 9 3 @ 4 @ 5 @ 9 3 @ 4 @ 5 @ 9 3 @ 4 @ 5 @ 9 3 @ 4 @ 5 @ 9 3 @ 4 @ 5 @ 9 3 @ 4 @ 5 @ 9 3 @ 4 @ 5 @ 9 3 @ 4 @ 5 @ 9 3 @ 4 @ 5 @ 9 4 @ 5 @ 9 4 @ 5 @ 9 5 @ 9 TRAVEL NOTES:					
OVM RESULTS SAMPLE PELD HEADSPACE 10 12 12 2 2 2 3 3 5 3 2 4 4 2 5 2 2 4 4 2 5 2 2 4 4 2 5 2 2 4 4 2 4 2	O FT	TIME SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON DI			
CALLOUT: ONSITE:					

revised: 03/12/01



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Sep/Tank C @ 12'	Date Reported:	08-29-01
Laboratory Number:	20814	Date Sampled:	08-27-01
Chain of Custody No:	9539	Date Received:	08-27-01
Sample Matrix:	Soil	Date Extracted:	08-28-01
Preservative:	Cool	Date Analyzed:	08-29-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	262	0.2
Diesel Range (C10 - C28)	60.9	0.1
Total Petroleum Hydrocarbons	323	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Heaton LS 5A.

Analyst

(Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Sep/Tank C @ 12'	Date Reported:	08-29-01
Laboratory Number:	20814	Date Sampled:	08-27-01
Chain of Custody:	9539	Date Received:	08-27-01
Sample Matrix:	Soil	Date Analyzed:	08-29-01
Preservative:	Cool	Date Extracted:	08-28-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
i arameter	(ug/ivg)	(ug/Ng)
Benzene	37.7	1.8
Toluene	411	1.7
Ethylbenzene	242	1.5
p,m-Xylene	1,490	2.2
o-Xylene	468	1.0
Total BTEX	2,650	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery	
	Fluorobenzene	94 %	
	1,4-difluorobenzene	94 %	
	Bromochlorobenzene	94 %	

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Heaton LS 5A.

Analyst

Review Walter