District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes X No

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank					
Operator: BP America Production Company Telephor	ne: (505)326-9200 e-mail address:				
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:  Address: 200 Energy Ct, Farmington, NM 87401					
Facility or well name: Ellott & B#78 API#:	30045 26298 U/L or Otr/Otr C	Sec 27 T 30N R 9 W			
	Longitude				
Surface Owner: Federal  State  Private  Indian					
Pit	Below-grade tank				
Type: Drilling  Production  Disposal	Volume:bbl Type of fluid:				
Workover ☐ Emergency ☐	Construction material:  Double-walled, with leak detection? Yes  If not, explain why not.				
Lined Unlined					
Liner type: Synthetic Thicknessmil Clay					
Pit Volumebbl					
Doubt to account water (vertical distance from bottom of sit to concept	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)			
night water elevation of ground water.)	100 feet or more	( 0 points)			
No. 11	Yes	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	No	( 0 points)			
water source, or less than 1000 feet from all other water sources.)					
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
	1000 feet or more	( 0 points)			
	Ranking Score (Total Points)				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit?	s relationship to other equipment and tanks. (2) Indica	te disposal location: (check the onsite box if			
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility_	. (3) Attach a general de	escription of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered: No 🔲 Y	es 🔲 If yes, show depth below ground surface	ft. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excavat	ions.				
Additional Comments:					
See Attached Documentation		$\sim$			
		1 -0			
	· · · · · · · · · · · · · · · · · · ·				
l hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) alternative OCD-approved plan .					
Date: 11/01/2005	۸.				
Date: 11/01/2005  Printed Name/Title Jeffrey C. Blagg, Agent Signature Jeffy C. Slegy					
Your certification and NMOCD approval of this application/closure does not relieve/the operator of liability should the contents of the pit or tank contaminate ground water or					
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Approval: OF UTV OR & GAS HISTERTOR, DIST. 41		DEC 1 4 2005			
Printed Name/Title	Signature Derry for	Date:			

CLIENT: AMOCO	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 874 (505) 632-1199	13   LOCATION NO. <u>85838</u>   C.O.C. NO. <u>8168</u>
FIELD REPOR	T: CLOSURE VERIFICATIO	N PAGE No: _/_ of _/_
!	EE B WELL #: 7E PIT: 5EP  TWP: 30N RNG: 9W PM:NM CNTY: 5J ST:N  10'W NEW CONTRACTOR: FLINT	DATE STARTED. 3/1/01  DATE FINISHED  ENVIRONMENTAL SPECIALIST  NV
DISPOSAL FACILITY:	FT. x NA FT. x NA FT. DEEP. CU  ON-SITE REMEDIATION MET  LEASE: SF 078139	THOD: CLOSE AS 15
DEPTH TO GROUNDWATER: >\o o o o o o o o o o o o o o o o o o o	NMOCD TPH CLOSURE STD: 5000 PPM	PIT ABANDONED  STEEL TANK INSTALLED  FIBERGLASS TANK INSTALLED  OUGO & REPUBCATED
SCALE	FIELD 418.1 CALCULATION TIME SAMPLE I.D. LAB No: WEIGHT (g) mL. FREO	
O FT PIT PERIME	ETER AN P	T PROFILE
FORMER  STEEL TANK PIT  LOCATION	OVM RESULTS PPPROX. 6 PPPROX. 6 PPPROX. 6 PPD (ppm)  1 @ 10' 0.0  2 @  3 @  4 @  5 @	APPLICABLE
TRAVEL NOTES: CALLOUT:		MORN. SNOWING



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 10'	Date Reported:	03-06-01
Laboratory Number:	19330	Date Sampled:	03-01-01
Chain of Custody No:	8268	Date Received:	03-02-01
Sample Matrix:	Soil	Date Extracted:	03-05-01
Preservative:	Cool	Date Analyzed:	03-05-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	0.9	0.1
Total Petroleum Hydrocarbons	0.9	0.1

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Elliott EE B #7E Separator Pit.

Mistine Malley
Analyst

Review Review