District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No 1

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank					
Operator: BP America Production Company Telepho	ne: (505)326-9200 e-mail address:				
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: Address: 200 Energy Ct, Farmington, NM 87401					
Facility or well name: Elliott EE B#9E API#:	30045 265 70 U/L or Otr/Otr F	Sec 26 T 30N R94)			
1	Longitude				
Surface Owner: Federal State Private Indian					
Pit	Below-grade tank				
Type: Drilling Production Disposal	Volume:bbl Type of fluid:				
Workover ☐ Emergency ☐	Construction material:				
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic Thickness mil Clay					
Pit Volumebbl					
	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)			
high water elevation of ground water.)	100 feet or more	(0 points) 33 14 15 16 17			
	Yes	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	No	1 2			
water source, or less than 1000 feet from all other water sources.)		DEO 2000			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points) Process DIN 3			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet				
	1000 feet or more	(0 points)			
	Ranking Score (Total Points)	2 / Magaz SZ Russ			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'	s relationship to other equipment and tanks. (2) Indic	ate disposal location: (check the onsite box if			
your are burying in place) onsite offsite If offsite, name of facility_					
remediation start date and end date. (4) Groundwater encountered: No 🗌					
(5) Attach soil sample results and a diagram of sample locations and excavat		n and aration sample results.			
Additional Comments:					
See Attached Documentation					
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that t	he above-described pit or below-grade tank			
has been/will be constructed or closed according to NMOCD guideline	s 🔀, a general permit 🗌, or an (attached) alterna	tive OCD-approved plan .			
Date: 11/01/2005	1.				
Printed Name/Title Jeffrey C. Blagg, Agent Signature C. Slegy					
Printed Name/Title Jeffrey C. Blagg, Agent Signature Sig					
otherwise endanger public health or the environment. Nor does it relieve the regulations.	he operator of its responsibility for compliance with a	ny other federal, state, or local laws and/or			
Approval: DEPUTY OR & GAS INSPECTOR, DIST. 46		DEC 1 4 2005			
Printed Name/Title	Signature Dery 70	Date:			

	Alas.	3004526570		televa epiere e e e e gara
CLIENT: BP		ENGINEERING,		LOCATION NO: 80850
	P.O. BOX 87, BLOOMFIELD, NM 87413			
	(5	05) 632-1199	·	C.O.C. NO: 8555
FIELD REPOR	RT: CLOS	URE VERIF	ICATION	PAGE No: of
LOCATION: NAME: EE E	ELLIOT B WEI	L #: 9E PIT:	BLOW	DATE STARTED: 3/19/01
QUAD/UNIT: F SEC: 20				DATE FINISHED: 3/20/01 ENVIRONMENTAL
QTR/FOOTAGE:1790'20(1422,M ZEMM CO	NTRACTOR: FUNT		SPECIALIST:
EXCAVATION APPROX. 2	<u> の FT. x 2の</u>	FT. x <u>5</u> FT. 1	DEEP. CUBIC	YARDAGE:
DISPOSAL FACILITY:	ON-217E	REMEDIA	TION METHO	D: CLOSE AS 15
LAND USE: RANGE	LEA	SE:SF 0	<u> 18139 </u>	RMATION: DK
FIELD NOTES & REMAR	RKS: PIT LOCAT	ED APPROXIMATELY	135 FT. N	57°E FROM WELLHEAD.
DEPTH TO GROUNDWATER: >1				E VATER: >(000
NMOCD RANKING SCORE:	NMOCD TPH CLOS	URE STD 5000 PPM	\ ×	CHECK ONE
SOIL AND EXCAVATION	<u> </u>		131.7 ppm	_STEEL TANK INSTALLED
DESCRIPTION:		TIME: 1040 (am)p		_ FIBERGLASS TANK INSTALLED
ORKINAL EXCAUATION	W HAD 12 Z	MA x 5 TACC	DOUBLE WA	IL STEEL TANK.
The DEMONTO	Test TR	euch Die 11	uto Ceny	r of lat
WITH BACKHOE.	ORIGINAL PI	TO'-5' De	CY, COAKSE	GRAINTED SAND.
Fest Trench 5	-8' IN FIF	2M SANDSTONE	, NO ODOR	, NO STAIN.
	EDROCK			
β	ottom		CALCULATIONS	
COALE	TIME SAMPLE 1.	D. LAB No: WEIGHT (g) mL. FREON DI	LUTION READING CALC. ppm
SCALE				
0 FT				
↑ PIT PERIM	ETER	OTT 6	PIT	PROFILE
Ì		OVM RESULTS		
20'-	-> s	MPLE FIELD HEADSPACE ID PID (ppm)	1	
	1 6 2 6	CCB' 1.1	1	(
	1 3 6			-20-
A MISA	MAG A 6 5 6 20'			A A
10	120		1	
			5	
			1	
	SAM	LAB SAMPLES PLE ANALYSIS TIME	3	SANDSTONE
	Test ce	B' TPH 1052	1 2	8 SAMPLA
	Trench _	Prissed		
			-	
TRAVEL NOTES: CALLOUT:	: 3/20/01 C	ONSITE:	3/20/01	1015
l .	/ /		/ /	1



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Blow C @ 8'	Date Reported:	03-21-01
Laboratory Number:	19416	Date Sampled:	03-20-01
Chain of Custody No:	8555	Date Received:	03-20-01
Sample Matrix:	Soil	Date Extracted:	03-21-01
Preservative:	Cool	Date Analyzed:	03-21-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	0.3	0.1
Total Petroleum Hydrocarbons	0.3	0.1

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

EE Elliot "B" 9E.

Analyst . Celeccin

Mister of Walter