

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office


**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Duncan Oil Telephone: (303) 759-3303 e-mail address: sfallin@duncanoil.com  
Address: 1777 South Harrison Street - Penthouse One, Denver, Colorado, 80210  
Facility or well name: N. Hogback 6 No. 6 API #: 3004521656 U/L or Qtr/Qtr L Sec 6 T 29N R 16W  
County: San Juan Latitude 36° 45.222' Longitude -108° 34.332' NAD: 1927 ☒ 1983 ☐  
Surface Owner: Federal ☐ State ☐ Private ☐ Indian ☒

Pit	Below-grade tank
Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness <u>      </u> mil Clay <input type="checkbox"/> Pit Volume <u>      </u> bbl	Volume: <u>      </u> bbl Type of fluid: <u>      </u> Construction material: <u>      </u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not: <u>      </u>
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points) 20
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) 20
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points) 10
Ranking Score (Total Points) 50	




If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☒ If offsite, name of facility Envirotech Landfarm #2. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☒ If yes, show depth below ground surface 14 ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
Approximately 320 cubic yards of contaminated soil was excavated from the North Hogback 6-#6 Separator pit and hauled to Envirotech's Landfarm.
Documentation of BTEX analysis via USEPA Method 8021B is attached for the ground water sample.
Documentation of TPH and OVM results are also attached

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 1/4/06  
Printed Name/Title Steve Fallin - Production Manager Signature Steve Fallin  
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

DEPUTY OIL & GAS INSPECTOR, DIST. 3  
Approval: Denny Reed Date: JAN 09 2006  
Printed Name/Title Denny Reed



RIVER

# LEGEND

DUNCAN OIL  
NORTH HOGBACK 6 WELL NO. 6  
SEC. 6, T-29-N, R-17-W  
SAN JUAN COUNTY, NM

SCALE:	NTS	FIGURE NO.	1	REV
PROJECT NO.	05161-001			

## REVISIONS

NO.	DATE	BY	DESCRIPTION
MAP DRWN	GWC	12/7/05	BASE DRWN
MPM			12/1/04

ENVIRONMENTAL SCIENTISTS & ENGINEERS  
**ENVIROTECH**

5796 U.S. HIGHWAY 64, FARMINGTON, NM 87401 505-632-0615



# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Duncan Oil	Project #:	05161-001
Sample ID:	North Hogback 6 - #6	Date Reported:	11-23-05
Chain of Custody:	15149	Date Sampled:	11-22-05
Laboratory Number:	35249	Date Received:	11-22-05
Sample Matrix:	Water	Date Analyzed:	11-23-05
Preservative:	Cool	Analysis Requested:	BTEX
Condition:	Cool & Intact		

Parameter	Concentration (ug/L)	Dilution Factor	Det. Limit (ug/L)
Benzene	0.7	1	0.2
Toluene	2.9	1	0.2
Ethylbenzene	12.2	1	0.2
p,m-Xylene	11.2	1	0.2
o-Xylene	2.6	1	0.1

**Total BTEX** **29.6**


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	fluorobenzene	99 %
	1,4-difluorobenzene	99 %
	4-bromochlorobenzene	99 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

### Comments:

  
Analyst

  
Review

**EPA METHOD 418.1  
TOTAL PETROLEUM  
HYDROCARBONS**

Client:	Duncan Oil	Project #:	05161-001
Sample No.:	6	Date Reported:	11/23/2005
Sample ID:	Bottom @ 14' BGS 5-point composite	Date Sampled:	11/22/2005
Sample Matrix:	Soil	Date Analyzed:	11/22/2005
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	60.0	5.0


ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **North Hogback 6-#6 Separator pit**

Instrument calibrated to 200 ppm standard. Zeroed before each sample

  
\_\_\_\_\_  
Analyst

  
\_\_\_\_\_  
Review

**EPA METHOD 418.1  
TOTAL PETROLEUM  
HYDROCARBONS**

Client:	Duncan Oil	Project #:	05161-001
Sample No.:	4	Date Reported:	11/23/2005
Sample ID:	Composite sample of South Wall	Date Sampled:	11/22/2005
Sample Matrix:	Soil	Date Analyzed:	11/22/2005
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
-----------	--------------------------	--------------------------

<b>Total Petroleum Hydrocarbons</b>	<b>28.0</b>	<b>5.0</b>
-------------------------------------	-------------	------------


ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **North Hogback 6-#6 Separator pit**

Instrument callibrated to 200 ppm standard. Zeroed before each sample

  
Analyst

  
Review

**EPA METHOD 418.1  
TOTAL PETROLEUM  
HYDROCARBONS**

Client:	Duncan Oil	Project #:	05161-001
Sample No.:	5	Date Reported:	11/23/2005
Sample ID:	Composite Sample of East Wall	Date Sampled:	11/22/2005
Sample Matrix:	Soil	Date Analyzed:	11/22/2005
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
-----------	--------------------------	--------------------------

<b>Total Petroleum Hydrocarbons</b>	<b>12.0</b>	<b>5.0</b>
-------------------------------------	-------------	------------


ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **North Hogback 6-#6 Separator pit**

Instrument callibrated to 200 ppm standard. Zeroed before each sample

  
Analyst

  
Review

EPA METHOD 418.1  
TOTAL PETROLEUM  
HYDROCARBONS

Client:	Duncan Oil	Project #:	05161-001
Sample No.:	7	Date Reported:	11/23/2005
Sample ID:	Composite sample of North Wall	Date Sampled:	11/22/2005
Sample Matrix:	Soil	Date Analyzed:	11/22/2005
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		


Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	36.0	5.0


ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **North Hogback 6-#6 Separator pit**

Instrument callibrated to 200 ppm standard. Zeroed before each sample

  
Analyst

  
Review

EPA METHOD 418.1  
TOTAL PETROLEUM  
HYDROCARBONS

Client:	Duncan Oil	Project #:	05161-001
Sample No.:	8	Date Reported:	11/23/2005
Sample ID:	Composite Sample of East Wall	Date Sampled:	11/22/2005
Sample Matrix:	Soil	Date Analyzed:	11/22/2005
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	32.0	5.0


ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **North Hogback 6-#6 Separator pit**

Instrument callibrated to 200 ppm standard. Zeroed before each sample

  
Analyst

  
Review