District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office


Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes X No

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank		
Operator: _Koch Exploration Company, LLCTelephone: _(505) 334-9111e-mail address: _clark23j@kochind.com or johnso4d@kochind.com		
Address: _PO Box 489, Aztec, NM 87410		
County: San Juan Latitude 36.54.1850 Longitude 107.45.31489 NAD: 1927 1983 Surface Owner Federal State Private Indian		
CountySail Julia Latitude_30.34.1650 Longitude_107.45.51465 IVID. 1727 1765 Sail Julia Latitude_30.54.1650 Longitude_107.45.51465 IVID. 1727 1765 Sail Julia Longitude_30.54.1650 Longitude_107.45.51465 IVID. 1727 1765 Sail Julia Longitude_30.54.1650		
<u>Pit</u>	Below-grade tank	
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:	
Workover		
Lined 🛛 Unlined 🗍	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic X Thickness 12 mil Clay		
Pit Volumebbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	X 100 feet or more	(0 points) 0 points
	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	X No	(20 points) (0 points) 0 points
water source, or less than 1000 feet from all other water sources.)	X NO	(0 points) 0 points
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
inigation eatitus, are reco, and perential and epitement watercoalses.	X 1000 feet or more	(0 points) 0 points
	Ranking Score (Total Points)	0 points
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🖾 offsite If offsite, name of facility		
remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surface ft. and attach sample.results. (5)		
Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments:		
Additional Confinence.		A LANGOOD TO
	osuve	AN 2008
	0341	FOR DW 3

		Dia1.3
		2000
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan		
Date: 01/17/06		
Printed Name/Title_Don Johnson, Field Operations ManagerSignatureSignature		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit of tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other dederal, state, or local laws and/or regulations.		
Approval: OFFUTY CA. & GAS INSPECTOR, DIST. 41		
Printed Name/Title		

Form C-144 June 1, 2004

KOCH EXPLORATION COMPANY LLC Seymour 719S \$14, T31N, R9W 750' FNL & 1660' FWL - ELEVATION 6513'



Seymour 719S

S14, T31N, R09W, 750' FNL & 1660' FWL San Juan Co., New Mexico API No. 30-045-32529 Lease SF078505

Upon completion of drilling/completion remaining liquids were removed from pit by truck to an approved disposal facility.

Prior to closing the pit, liner was cut off at mud level. The excess liner was hauled to a licensed disposal.

December 01 through December 02, 2005 the remaining waste in pit was encapsulated. This was accomplished by covering the remaining waste and liner with earthen materials. Surface area where pit was located was contoured according to BLM requirements, and reseeded with recommended BLM seed mixture.