

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Name and No. HARGRAVE A 3
2. Name of Operator CONOCOPHILLIPS COMPANY		9. API Well No. 30-045-06558-00-S1
3a. Address HOUSTON, TX 77252-2197	3b. Phone No. (include area code) Ph: 832.486.2329 Fx: 832.486.2764	10. Field and Pool, or Exploratory KUTZ PICTURED CLIFFS
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 16 T27N R10W NWNE 0990FNL 1650FEL		11. County or Parish, and State SAN JUAN COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomple in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

ConocoPhillips plugged and abandoned this well as per the attached daily summary.



14. I hereby certify that the foregoing is true and correct. Electronic Submission #30667 verified by the BLM Well Information System For CONOCOPHILLIPS COMPANY, sent to the Farmington Committed to AFMSS for processing by STEVE MASON on 05/18/2004 (04SXM0151SE)	
Name (Printed/Typed) YOLANDA PEREZ	Title SR. REGULATORY ANALYST
Signature (Electronic Submission)	Date 05/13/2004

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By ACCEPTED	STEPHEN MASON Title PETROLEUM ENGINEER	Date 05/18/2004
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Farmington

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

NMOC

Daily Summary

API/UWI	County	State/Province	Surface Legal Location	N/S Dist. (ft)	N/S Ref.	E/W Dist. (ft)	E/W Ref.
300450655800	SAN JUAN	NEW MEXICO	NMPM-27N-10W-16-F	990.0	N	1650.0	E
Ground Elevation (ft)	Spud Date	Rig Release Date	Latitude (DMS)	Longitude (DMS)			
6081.00	1/29/1950		36° 34' 47.172" N	107° 53' 48.84" W			

Start Date	Ops This Rot
3/3/2004 00:00	HELD SAFETY MEETING. MIRU.
3/4/2004 00:00	HELD SAFETY MEETING. OPENED UP WELL. CSG PRESSURE 30 #. TBG PRESSURE 10 #. KILLED WELL. NDWH - NUBOP. TESTED BOP TO 250 # & 3000 #. BOTH PIPE AND BLIND RAMS. HELD OK. POOH W/ 62 JTS (1945') OF 2 1/16" TBG. RU WIRELINE. RIH W/ 3 1/2" CIBP. SET CIBP @ 1874'. RIH W/ 2 1/16" TBG. TAGGED CIBP @ 1874'. LOADED & CIRCULATED 3 1/2" CSG CLEAN. PRESSURE TESTED 3 1/2" CSG TO 500 #. HELD OK. PUMPED CEMENT PLUG #1 W/ 16 SACKS OF 15.5 # CLASS B CEMENT FROM 1874' TO 1584'. POOH W/ TBG. RIH W/ PERFORATING GUN. SHOT 3 HOLES @ 1113'. EST RATE @ 1 1/2 BPM @ 1400 #. OK'D BY BLM TO PUMP 40 SACKS & DISPLACE DOWN TO 800'. DUE TO HIGH PRESSURE. PUMPED CEMENT PLUG # 2 W/ 64 SACKS OF 15.5 # CLASS B CEMENT FROM 1113' TO 800'. SQUEEZED 51 SACKS OUTSIDE AND 13 SACKS INSIDE. SWI W/ 1000 #.
3/5/2004 00:00	HELD SAFETY MEETING. OPENED UP WELL. CSG PRESSURE 0 #. RIH W/ TBG. TAGGED TOC @ 740'. POOH W/ TBG. RIH W/ PERFORATING GUN. SHOT 3 HOLES @ 146'. EST CIRCULATION OUT BRADENHEAD. PUMPED CEMENT PLUG #3 W/ 64 SACKS OF 15.5 # CLASS B CEMENT FROM 146' TO SURFACE. CIRCULATED GOOD CEMENT OUT BRADENHEAD. NDBOP. CUT OFF WELLHEAD BELOW GROUND. INSTALLED P & A MARKER W/ 12 SACKS CLASS B CEMENT. RDMO. FINAL REPORT.