Office District I Energy, Minerals and Natural	0 Form C-103 Resources May 27, 2004
1625 N. French Dr., Hobbs, NM 88240	WELL API NO.
District II 1301 W. Grand Ave. Artesia NM 88210 OIL CONSERVATION DI	VISION 30-045-32976 /
1301 W. Grand Ave., Artesia, NM 88210 OIL CONSERVATION DI District III 1220 South St. Francis	5. Indicate Type of Lease
1000 Pio Brazos Pd. Aztes, NM 87410	SIAIE/ FEE
District IV Santa Fe, NM 8750	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505	/
SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUGE	BACK TO A Bonds Com
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR S	UCH 8. Well Number #100S
PROPOSALS.)	8. Well Number #1003
1. Type of Well: Oil Well Gas Well Other	0. OCRIDAL 1. 14530
2. Name of Operator	9. OGRID Number 14538
Burlington Resources Oil & Gas Company LP	10. Pool name or Wildcat
3. Address of Operator 3401 E. 30 th Street, Farmington, NM 87402	
3401 E. 30" Street, Farmington, NW 8/402	Basin Fruitland Coal
4. Well Location	,
Unit Letter <u>D</u> : <u>690</u> feet from the <u>North</u>	line and 935 feet from the West line
Section 15 Township 32N Range	10W NMPM San Juan County
11. Elevation (Show whether DR, RK	
11. Lievation (bnow whether DR, Res	D, MI, ON, etc.)
Pit or Below-grade Tank Application □ or Closure □	
	well Distance from popular surface water
Pit Liner Thickness: mil Below-Grade Tank: Volume	bbls; Construction Material
12. Check Appropriate Box to Indicate Natu	re of Notice, Report or Other Data
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
	EMEDIAL WORK
TEMPORARILY ABANDON	OMMENCE DRILLING OPNS. P AND A
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ C	ASING/CEMENT JOB
_	<u>_</u>
	THER: Casing & Cementing
13. Describe proposed or completed operations. (Clearly state all pert	inent details, and give pertinent dates, including estimated date
	completions: Attach wellbore diagram of proposed completion
or recompletion.	completions: Attach wellbore diagram of proposed completion
or recompletion.	
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7"	J-55 20# ST&C csg set @ 2537'.
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr	J-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1,
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc	J-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, cium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft).
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr	J-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, cium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft).
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc	J-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, cium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft).
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on the state of the stat	J-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, sium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft). next report.
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on the state of the best	J-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, sium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft). next report. of my knowledge and belief. I further certify that any pit or below-
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on the state of the stat	J-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, sium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft). next report. of my knowledge and belief. I further certify that any pit or below-
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on the state of the best of the best of the state of the state of the best of the state of the state of the state of the best of the state o	of my knowledge and belief. I further certify that any pit or belowgeneral permit or an (attached) alternative OCD-approved plan .
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on the state of the best of the best of the state of the state of the best of the state of the state of the state of the best of the state o	J-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, sium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft). next report. of my knowledge and belief. I further certify that any pit or below-
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on the state of the sta	IJ-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, sium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft). mext report. of my knowledge and belief. I further certify that any pit or belowgeneral permit or an (attached) alternative OCD-approved plan . Regulatory Specialist DATE 1/19/06
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on a I hereby certify that the information above is true and complete to the best of grade tank has been/will be constructed or closed according to NMOCD guidelines , a SIGNATURE Type or print name Joni Clark E-mail address: jo	of my knowledge and belief. I further certify that any pit or belowgeneral permit or an (attached) alternative OCD-approved plan .
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on a I hereby certify that the information above is true and complete to the best of grade tank has been/will be constructed or closed according to NMOCD guidelines a SIGNATURE Type or print name Joni Clark E-mail address: jour state Use Only	TJ-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, sium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft). mext report. of my knowledge and belief. I further certify that any pit or belowgeneral permit □ or an (attached) alternative OCD-approved plan □. Regulatory Specialist □DATE 1/19/06 clark@br-inc.com Telephone No. 505-326-9700
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on a I hereby certify that the information above is true and complete to the best of grade tank has been/will be constructed or closed according to NMOCD guidelines a SIGNATURE Type or print name Joni Clark E-mail address: journame For State Use Only	IJ-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, frium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft). mext report. of my knowledge and belief. I further certify that any pit or belowgeneral permit or an (attached) alternative OCD-approved plan . Regulatory Specialist DATE 1/19/06 clark@br-inc.com Telephone No. 505-326-9700 OLLA GAS INSPECTOR, DIST. 41 JAN 2 5 2006
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on a I hereby certify that the information above is true and complete to the best of grade tank has been/will be constructed or closed according to NMOCD guidelines a SIGNATURE Type or print name Joni Clark E-mail address: Joni Clark For State Use Only APPROVED BY: June 1.1. Type or print name Joni Clark E-mail address: June 1.1. TITLE	TJ-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, sium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft). mext report. of my knowledge and belief. I further certify that any pit or belowgeneral permit □ or an (attached) alternative OCD-approved plan □. Regulatory Specialist □DATE 1/19/06 clark@br-inc.com Telephone No. 505-326-9700
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on a I hereby certify that the information above is true and complete to the best of grade tank has been/will be constructed or closed according to NMOCD guidelines a SIGNATURE Type or print name Joni Clark E-mail address: journame For State Use Only	IJ-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, frium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft). mext report. of my knowledge and belief. I further certify that any pit or belowgeneral permit or an (attached) alternative OCD-approved plan . Regulatory Specialist DATE 1/19/06 clark@br-inc.com Telephone No. 505-326-9700 OLLA GAS INSPECTOR, DIST. 41 JAN 2 5 2006
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on a I hereby certify that the information above is true and complete to the best of grade tank has been/will be constructed or closed according to NMOCD guidelines a SIGNATURE Type or print name Joni Clark E-mail address: Joni Clark For State Use Only APPROVED BY: June 1.1. Type or print name Joni Clark E-mail address: June 1.1. TITLE	IJ-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, frium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft). mext report. of my knowledge and belief. I further certify that any pit or belowgeneral permit or an (attached) alternative OCD-approved plan . Regulatory Specialist DATE 1/19/06 clark@br-inc.com Telephone No. 505-326-9700 OLLA GAS INSPECTOR, DIST. 41 JAN 2 5 2006
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on a I hereby certify that the information above is true and complete to the best of grade tank has been/will be constructed or closed according to NMOCD guidelines a SIGNATURE Type or print name Joni Clark E-mail address: Joni Clark For State Use Only APPROVED BY: June 1.1. Type or print name Joni Clark E-mail address: June 1.1. TITLE	IJ-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, frium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft). mext report. of my knowledge and belief. I further certify that any pit or belowgeneral permit or an (attached) alternative OCD-approved plan . Regulatory Specialist DATE 1/19/06 clark@br-inc.com Telephone No. 505-326-9700 OLLA GAS INSPECTOR, DIST. 41 JAN 2 5 2006
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on a I hereby certify that the information above is true and complete to the best of grade tank has been/will be constructed or closed according to NMOCD guidelines a SIGNATURE Type or print name Joni Clark E-mail address: Joni Clark For State Use Only APPROVED BY: June 1.1. Type or print name Joni Clark E-mail address: June 1.1. TITLE	IJ-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, frium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft). mext report. of my knowledge and belief. I further certify that any pit or below- general permit or an (attached) alternative OCD-approved plan . Regulatory Specialist DATE 1/19/06 clark@br-inc.com Telephone No. 505-326-9700 DATE JAN 2 5 2006 DATE
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on a I hereby certify that the information above is true and complete to the best of grade tank has been/will be constructed or closed according to NMOCD guidelines a SIGNATURE Type or print name Joni Clark E-mail address: Joni Clark For State Use Only APPROVED BY: June 1.1. Type or print name Joni Clark E-mail address: June 1.1. TITLE	IJ-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, frium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft). mext report. of my knowledge and belief. I further certify that any pit or below- general permit or an (attached) alternative OCD-approved plan . Regulatory Specialist DATE 1/19/06 clark@br-inc.com Telephone No. 505-326-9700 DATE JAN 2 5 2006 DATE
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on a I hereby certify that the information above is true and complete to the best of grade tank has been/will be constructed or closed according to NMOCD guidelines a SIGNATURE Type or print name Joni Clark E-mail address: Joni Clark For State Use Only APPROVED BY: June 1.1. Type or print name Joni Clark E-mail address: June 1.1. TITLE	IJ-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, frium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft). mext report. of my knowledge and belief. I further certify that any pit or below- general permit or an (attached) alternative OCD-approved plan . Regulatory Specialist DATE 1/19/06 clark@br-inc.com Telephone No. 505-326-9700 DATE JAN 2 5 2006 DATE
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on a I hereby certify that the information above is true and complete to the best of grade tank has been/will be constructed or closed according to NMOCD guidelines a SIGNATURE Type or print name Joni Clark E-mail address: Joni Clark For State Use Only APPROVED BY: June 1.1. Type or print name Joni Clark E-mail address: June 1.1. TITLE	IJ-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, frium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft). mext report. of my knowledge and belief. I further certify that any pit or below- general permit or an (attached) alternative OCD-approved plan . Regulatory Specialist DATE 1/19/06 clark@br-inc.com Telephone No. 505-326-9700 DATE JAN 2 5 2006 DATE
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on a I hereby certify that the information above is true and complete to the best of grade tank has been/will be constructed or closed according to NMOCD guidelines a SIGNATURE Type or print name Joni Clark E-mail address: Joni Clark For State Use Only APPROVED BY: June 1.1. Type or print name Joni Clark E-mail address: June 1.1. TITLE	IJ-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, frium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft). mext report. of my knowledge and belief. I further certify that any pit or belowgeneral permit or an (attached) alternative OCD-approved plan . Regulatory Specialist DATE 1/19/06 clark@br-inc.com Telephone No. 505-326-9700 OLLA GAS INSPECTOR, DIST. 41 JAN 2 5 2006
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on a I hereby certify that the information above is true and complete to the best of grade tank has been/will be constructed or closed according to NMOCD guidelines a SIGNATURE Type or print name Joni Clark E-mail address: Joni Clark For State Use Only APPROVED BY: June 1.1. Type or print name Joni Clark E-mail address: June 1.1. TITLE	IJ-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, frium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft). mext report. of my knowledge and belief. I further certify that any pit or below- general permit or an (attached) alternative OCD-approved plan . Regulatory Specialist DATE 1/19/06 clark@br-inc.com Telephone No. 505-326-9700 DATE JAN 2 5 2006 DATE
or recompletion. 1/10/06 Drill to TD @ 2540'. Circ hole clean. TOOH. TIH w/60 jts 7" 1/11/04 Cmtd w/19 sxs Scavenger cmt. Lead w/271 sxs Premium Lite cr 0.4% SMS, 0.4% fluid loss (575 ft). Tail w/90 sxs Type III cmt w/1% calc No cmt circ to surface. BOP. RD. Rig released. Will PT & show TOC on a I hereby certify that the information above is true and complete to the best of grade tank has been/will be constructed or closed according to NMOCD guidelines a SIGNATURE Type or print name Joni Clark E-mail address: Joni Clark For State Use Only APPROVED BY: June 1.1. Type or print name Joni Clark E-mail address: June 1.1. TITLE	IJ-55 20# ST&C csg set @ 2537'. mt w/3% calcium chloride, .25 pps celloflake, 5 pps LCM-1, frium chloride, .25 pps celloflake, 0.2% fluid loss (124 cu ft). mext report. of my knowledge and belief. I further certify that any pit or below- general permit or an (attached) alternative OCD-approved plan . Regulatory Specialist DATE 1/19/06 clark@br-inc.com Telephone No. 505-326-9700 DATE JAN 2 5 2006 DATE