

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

| | | |
|---|---|-------------|
| Operator: <u>BP America Production Company</u> Telephone: <u>(505)326-9200</u> e-mail address: _____ | | |
| Address: <u>200 Energy Ct. Farmington, NM 87401</u> | | |
| Facility or well name: <u>Hughes #5E</u> API #: <u>30045 25188</u> U/L or Qtr/Qtr <u>N</u> Sec <u>20</u> T <u>29N</u> R <u>8W</u> | | |
| County: <u>San Juan</u> Latitude _____ Longitude _____ NAD: 1927 <input type="checkbox"/> 1983 <input type="checkbox"/> | | |
| Surface Owner: Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/> | | |
| Pit Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl | Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____ | |
| Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) | Less than 50 feet | (20 points) |
| | 50 feet or more, but less than 100 feet | (10 points) |
| | 100 feet or more | (0 points) |
| Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) | Yes | (20 points) |
| | No | (0 points) |
| Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) | Less than 200 feet | (20 points) |
| | 200 feet or more, but less than 1000 feet | (10 points) |
| | 1000 feet or more | (0 points) |
| Ranking Score (Total Points) | | |

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

| |
|----------------------------|
| Additional Comments: |
| See Attached Documentation |
| 202 |
| |
| |
| |

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. III

Signature Denny Feat

Date: DEC 14 2005

| | | |
|-------------------|---|---|
| CLIENT: <u>BP</u> | BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199 | LOCATION NO: <u>80863</u> C.O.C. NO: <u>8420</u> |
|-------------------|---|---|

| | | |
|---|--|-------------------------------------|
| FIELD REPORT: CLOSURE VERIFICATION | | PAGE No: <u>1</u> of <u>1</u> |
| LOCATION: NAME: <u>HUGHES</u> WELL #: <u>5E</u> PIT: <u>SEP</u> | | DATE STARTED: <u>6/19/01</u> |
| QUAD/UNIT: <u>N SEC: 20 TWP: 29N RNG: 8W PM: NM CNTY: SJ ST: NM</u> | | DATE FINISHED: _____ |
| QTR/FOOTAGE: <u>1070'S/1710'W SE/SW</u> CONTRACTOR: <u>FLINT</u> | | ENVIRONMENTAL SPECIALIST: <u>NV</u> |

| |
|---|
| EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>NA</u> |
| DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>CLOSE AS IS</u> |
| LAND USE: <u>RANGE - BLM</u> LEASE: <u>SF-078046</u> FORMATION: <u>DK</u> |

| | | |
|--|---|--|
| FIELD NOTES & REMARKS: | PIT LOCATED APPROXIMATELY <u>96</u> FT. <u>N32E</u> FROM WELLHEAD | |
| DEPTH TO GROUNDWATER: <u>>100'</u> | NEAREST WATER SOURCE: <u>>1000'</u> | NEAREST SURFACE WATER: <u>>1000'</u> |
| NMOC D RANKING SCORE: <u>0</u> | NMOC D TPH CLOSURE STD: <u>5000</u> PPM | CHECK ONE: <input checked="" type="checkbox"/> PIT ABANDONED <input type="checkbox"/> STEEL TANK INSTALLED <input type="checkbox"/> FIBERGLASS TANK INSTALLED |
| SOIL AND EXCAVATION DESCRIPTION: <div style="border: 1px solid black; padding: 5px; display: inline-block;"> OVM CALIB. READ. <u>51.9</u> ppm TIME: <u>0645</u> @ 7 pm <u>6/19/01</u> </div> | | |

DK: GRAY TO GRAYISH BLACK BEDROCK (SANDSTONE), FRILBLE, HARD, STRONG HC
 ODOR DETECTED IN TEST HOLE & IN OVM SAMPLE, SAMPLE COLLECTED FROM
 SOIL ABOVE BEDROCK - SAND, NON COHESIVE, MOIST, FIRM.

BECKROCK BOTTOM

CLOSED

SCALE

0 FT

FIELD 418.1 CALCULATIONS

| TIME | SAMPLE I.D. | LAB No: | WEIGHT (g) | ML. FREON | DILUTION | READING | CALC. ppm |
|------|-------------|---------|------------|-----------|----------|---------|-----------|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

PIT PERIMETER

PIT DEPRESSION APPROX. 3' BELOW GRADE

TEST HOLE APPROX. 3' BELOW PIT DEPRESSION

TO NEW HEAD

PIT PROFILE

OVM RESULTS

| SAMPLE ID | FIELD HEADSPACE PID (ppm) |
|-----------|---------------------------|
| 1 @ 6' | 361 |
| 2 @ | |
| 3 @ | |
| 4 @ | |
| 5 @ | |
| | |
| | |
| | |
| | |
| | |
| | |

LAB SAMPLES

| SAMPLE ID | ANALYSIS | TIME |
|---------------|-------------|------|
| 1 @ 6' | TPH (3015) | 0730 |
| " | BTGX (8021) | " |
| (BOTH PASSED) | | |
| | | |
| | | |

NOT APPLICABLE

| | | |
|---------------|---------------------------------|--------------------------------|
| TRAVEL NOTES: | CALLOUT: <u>6/18/01 - AFTER</u> | ONSITE: <u>6/19/01 - MORN.</u> |
|---------------|---------------------------------|--------------------------------|

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


| | | | |
|----------------------|-----------------|---------------------|-----------|
| Client: | Blagg / BP | Project #: | 94034-010 |
| Sample ID: | 1 @ 6' | Date Reported: | 06-21-01 |
| Laboratory Number: | 20081 | Date Sampled: | 06-19-01 |
| Chain of Custody No: | 8420 | Date Received: | 06-19-01 |
| Sample Matrix: | Soil | Date Extracted: | 06-20-01 |
| Preservative: | Cool | Date Analyzed: | 06-21-01 |
| Condition: | Cool and Intact | Analysis Requested: | 8015 TPH |


| Parameter | Concentration (mg/Kg) | Det. Limit (mg/Kg) |
|------------------------------|--------------------------|--------------------------|
| Gasoline Range (C5 - C10) | 154 | 0.2 |
| Diesel Range (C10 - C28) | 22.0 | 0.1 |
| Total Petroleum Hydrocarbons | 176 | 0.1 |

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Hughes #5E Separator Pit.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

| | | | |
|--------------------|---------------|---------------------|-----------|
| Client: | Blagg / BP | Project #: | 94034-010 |
| Sample ID: | 1 @ 6' | Date Reported: | 06-20-01 |
| Laboratory Number: | 20081 | Date Sampled: | 06-19-01 |
| Chain of Custody: | 8420 | Date Received: | 06-19-01 |
| Sample Matrix: | Soil | Date Analyzed: | 06-21-01 |
| Preservative: | Cool | Date Extracted: | 06-20-01 |
| Condition: | Cool & Intact | Analysis Requested: | BTEX |

| Parameter | Concentration (ug/Kg) | Det. Limit (ug/Kg) |
|--------------|--------------------------|--------------------------|
| Benzene | 79.3 | 1.8 |
| Toluene | 474 | 1.7 |
| Ethylbenzene | 83.5 | 1.5 |
| p,m-Xylene | 1,210 | 2.2 |
| o-Xylene | 465 | 1.0 |
| Total BTEX | 2,310 | |


ND - Parameter not detected at the stated detection limit.


| Surrogate Recoveries: | Parameter | Percent Recovery |
|-----------------------|---------------------|------------------|
| | Fluorobenzene | 100 % |
| | 1,4-difluorobenzene | 100 % |
| | Bromochlorobenzene | 100 % |

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Hughes #5E Separator Pit.


Analyst


Review