District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank			
Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: Hughes A#58 API#:3	ne:e-mail address:	Sec <u>33</u> T <u>29N</u> R <u>8W</u>	
Pit  Type: Drilling   Production   Disposal    Workover   Emergency    Lined   Unlined    Liner type: Synthetic   Thicknessmil Clay    Pit Volumebbl	Below-grade tank  Volume:bbl Type of fluid:  Construction material:  Double-walled, with leak detection? Yes		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) ( 0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points)	
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite  offsite  for offsite, name of facility			
Additional Comments:  See Attached Documentation		C 1.	
See Attached Documentation			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .			
Date:			
Approval: Printed Name/Title DEPUTY OR & GAS INSPECTOR, DIST. \$3  Signature  Signature  Signature			

BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>83866</u> C.O.C. NO: <u>9288</u>		
FIELD REPORT: CLOSURE VERIFICATION  LOCATION: NAME: HUGHES A WELL #: SE PIT: DEHY	PAGE No: of		
QUAD/UNIT: J SEC: 33 TWP: 29N RNG: 8W PM: NM CNTY: SJ ST: NM QTR/FOOTAGE: 1540'S (1560'E NW) SE CONTRACTOR: FLINT	DATE FINISHED: 6-25-91  ENVIRONMENTAL JCB  SPECIALIST:		
excavation approx. 13 ft. x 13 ft. x 4 ft. deep. cubic yardage:			
DISPOSAL FACILITY: ON-SITE REMEDIATION METHOL LAND USE: BLM LEASE: NMSF078049 FOR	_		
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 115 FT. A			
DEPTH TO GROUNDWATER: 3/00 NEAREST WATER SOURCE: 3/000 NEAREST SURFACE  NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM	CHECK ONE:  PIT ABANDONED		
SOIL AND EXCAVATION OVM CALIB. READ. 132.4 ppm	_STEEL TANK INSTALLED		
DESCRIPTION: TIME: 1230 (F) DIE TEST Hole in	_ FIBERGLASS TANK INSTALLED		
0-5' SILTY SAND, DRY, NO HIC OLUR OR STAIN			
5-9' BEDROCK Shelpstone, Moist, Minus HK ODOR	, Buse color.		
BOTTOM CLOSED			
TIME SAMPLE I.D. LAB NO: WEIGHT (g) ML. FREON DI	LUTION READING CALC. ppm		
SCALE			
O FT			
↑ PIT PERIMETER OVM	PROFILE		
RESULTS	€ 18° →		
10 PID (ppm) 1 @ 9' 276			
2 @ 3 @ (4 @			
A 5 e	\ /CA		
18			
4			
LAB SAMPLES SAMPLE ANALYSIS TIME			
SAMPLE ANALYSIS TIME  C G T TO-Y/37F, 1770	BEDROCK		
SAMPLE ANALYSIS TIME  C. G. TON 1377, 1770  ROTH PROTECTION	BEDROCK		
SAMPLE ANALYSIS TIME  C G T TO-Y/37F, 1770	· .		

revised: 03/12/01



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Dehy C @ 9'	Date Reported:	06-28-01
Laboratory Number:	20152	Date Sampled:	06-25-01
Chain of Custody No:	9288	Date Received:	06-26-01
Sample Matrix:	Soil	Date Extracted:	06-27-01
Preservative:	Cool	Date Analyzed:	06-28-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	256	0.2
Diesel Range (C10 - C28)	64.1	0.1
Total Petroleum Hydrocarbons	320	0.1

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Hughes A #5E.

Analyst Cepterce

Christin m Wallen Review



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Dehy C @ 9'	Date Reported:	06-28-01
Laboratory Number:	20152	Date Sampled:	06-25-01
Chain of Custody:	9288	Date Received:	06-26-01
Sample Matrix:	Soil	Date Analyzed:	06-28-01
Preservative:	Cool	Date Extracted:	06-27-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	319	1.8
Toluene	534	1.7
Ethylbenzene	411	1.5
p,m-Xylene	2,630	2.2
o-Xylene	1,220	1.0
Total BTEX	5,110	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
·	Fluorobenzene	95 %
	1,4-difluorobenzene	95 %
	Bromochlorobenzene	95 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Hughes A #5E.

Analyst

Misting Wallon Review