

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒


Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: _____
Address: 200 Energy Ct, Farmington, NM 87401
Facility or well name: Lackey #1 API #: 30045 23272 U/L or Qtr/Qtr G Sec 23 T 28N R 9W
County: San Juan Latitude _____ Longitude _____ NAD: 1927 ☐ 1983 ☐
Surface Owner: Federal ☐ State ☐ Private ☐ Indian ☐

Pit Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
Ranking Score (Total Points)		

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

See Attached Documentation



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 3

Printed Name/Title

Signature Jerry Ford

Date: DEC 14 2005

3004523272

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80902</u> C.O.C. NO: <u>9571</u>																													
FIELD REPORT: CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																													
LOCATION: NAME: <u>LACKEY</u> WELL #: <u>1</u> PIT: <u>BLOW</u>		DATE STARTED: <u>10-9-01</u> DATE FINISHED: <u>10-9-01</u>																													
QUAD/UNIT: <u>G SEC: 23 TWP: 28N RNG: 9W PM: NM CNTY: SJ ST: NM</u>		ENVIRONMENTAL SPECIALIST: <u>JCB</u>																													
QTR/FOOTAGE: <u>1475N/1450E</u> SW/NE CONTRACTOR: <u>FLINT</u>																															
EXCAVATION APPROX. <u>10</u> FT. x <u>10</u> FT. x <u>2</u> FT. DEEP. CUBIC YARDAGE: <u>0</u>																															
DISPOSAL FACILITY: <u>NA</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>																															
LAND USE: <u>BLM RANGE</u> LEASE: <u>SF 077122</u> FORMATION: <u>DK</u>																															
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>141</u> FT. <u>N77°W</u> FROM WELLHEAD.																															
DEPTH TO GROUNDWATER: <u>>100</u> NEAREST WATER SOURCE: <u>>1000</u> NEAREST SURFACE WATER: <u>>1000</u>																															
NMOC RANKING SCORE: <u>0</u> NMOC TPH CLOSURE STD: <u>5000</u> PPM																															
SOIL AND EXCAVATION DESCRIPTION:		CHECK ONE: <input checked="" type="checkbox"/> PIT ABANDONED <input type="checkbox"/> STEEL TANK INSTALLED <input type="checkbox"/> FIBERGLASS TANK INSTALLED																													
DVM CALIB. READ: <u>130.1</u> ppm DVM CALIB. GAS = <u>250</u> ppm RF = <u>0.52</u> TIME: <u>1100</u> am/pm DATE: <u>10/9</u>																															
SOIL TYPE: SAND / <u>SILTY SAND</u> / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____																															
SOIL COLOR: <u>ORANGE TAN 0'-3'</u> <u>Black 3'-6'</u>																															
COHESION (ALL OTHERS): NON COHESIVE / <u>SLIGHTLY COHESIVE</u> / COHESIVE / HIGHLY COHESIVE																															
CONSISTENCY (NON COHESIVE SOILS): LOOSE / <u>FIRM</u> / DENSE / VERY DENSE																															
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC																															
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD																															
MOISTURE: DRY / SLIGHTLY MOIST / <u>MOIST</u> / WET / SATURATED / SUPER SATURATED																															
DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - <u>Black 3'-6'</u> CLOSED																															
HC ODOR DETECTED: YES / NO EXPLANATION - <u>STRONG 3'-6'</u>																															
SAMPLE TYPE: <u>GRAB</u> / COMPOSITE - # OF PTS. <u>1</u>																															
ADDITIONAL COMMENTS: <u>USE BAKING TO SAMPLE SANDSTONE @ 6'</u> <u>BEDROCK BOTTOM</u>																															
FIELD 418.1 CALCULATIONS																															
SCALE 0 FT	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMPLE I.D.</th> <th>LAB No:</th> <th>WEIGHT (g)</th> <th>mL. FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. ppm</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>		SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																					
SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																								
PIT PERIMETER	PIT PROFILE																														
	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">OVM RESULTS</th> </tr> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE PID (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 6'</td><td>179</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> </tbody> </table> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">LAB SAMPLES</th> </tr> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>606</td><td>TPH</td><td>1030</td></tr> <tr><td> </td><td>BTEX</td><td> </td></tr> <tr><td colspan="3" style="text-align: center;">ROTH PASSED</td></tr> </tbody> </table>		OVM RESULTS		SAMPLE ID	FIELD HEADSPACE PID (ppm)	1 @ 6'	179	2 @		3 @		4 @		5 @		LAB SAMPLES			SAMPLE ID	ANALYSIS	TIME	606	TPH	1030		BTEX		ROTH PASSED		
OVM RESULTS																															
SAMPLE ID	FIELD HEADSPACE PID (ppm)																														
1 @ 6'	179																														
2 @																															
3 @																															
4 @																															
5 @																															
LAB SAMPLES																															
SAMPLE ID	ANALYSIS	TIME																													
606	TPH	1030																													
	BTEX																														
ROTH PASSED																															
TRAVEL NOTES: CALLOUT: <u>10-8-01 0900</u> ONSITE: <u>10-9-01 0830</u>																															

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Blow C @ 6'	Date Reported:	10-11-01
Laboratory Number:	21207	Date Sampled:	10-09-01
Chain of Custody No:	9571	Date Received:	10-09-01
Sample Matrix:	Soil	Date Extracted:	10-10-01
Preservative:	Cool	Date Analyzed:	10-11-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	359	0.2
Diesel Range (C10 - C28)	60.5	0.1
Total Petroleum Hydrocarbons	420	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Lackey #1.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Blow C @ 6'	Date Reported:	10-11-01
Laboratory Number:	21207	Date Sampled:	10-09-01
Chain of Custody:	9571	Date Received:	10-09-01
Sample Matrix:	Soil	Date Analyzed:	10-11-01
Preservative:	Cool	Date Extracted:	10-10-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	951	1.8
Toluene	2,540	1.7
Ethylbenzene	1,440	1.5
p,m-Xylene	1,910	2.2
o-Xylene	2,320	1.0
Total BTEX	9,160	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Lackey #1.


Analyst


Review