

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: _____
Address: 200 Energy Ct, Farmington, NM 87401
Facility or well name: Mudge LS#8 API #: 3004510932 U/L or Qtr/Qtr A Sec 12 T 31N R 11W
County: San Juan Latitude _____ Longitude _____ NAD: 1927 ☐ 1983 ☐
Surface Owner: Federal ☐ State ☐ Private ☐ Indian ☐

Pit	Below-grade tank	
Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
Ranking Score (Total Points)		

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results.
5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

See Attached Documentation

2 of 3

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

DEPUTY OIL & GAS INSPECTOR, DIST. #4

Printed Name/Title

Signature Denny Teert

Date:

DEC 14 2005

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>B0885</u> C.D.C. NO: <u>9413</u>
-------------------	--	---

FIELD REPORT: CLOSURE VERIFICATION

LOCATION: NAME: <u>MUDGE</u> <u>LS</u> WELL #: <u>8</u> PIT: <u>Blow</u>	PAGE No: <u>1</u> of <u>1</u>
QUAD/UNIT: <u>A SEC: 12 TWP: 31N RNG: 11W PM: NM CNTY: ST NM</u>	DATE STARTED: <u>8/16/01</u> DATE FINISHED: _____
QTR/FOOTAGE: <u>990'N/490'E</u> NE/NE CONTRACTOR: <u>FLINT</u>	ENVIRONMENTAL SPECIALIST: <u>NU</u>

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA

DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS IS

LAND USE: RANGE - BLM LEASE: SF-078040 FORMATION: MU

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 114 FT. N83W FROM WELLHEAD

DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'

NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:	DVM CALIB. READ: <u>54.5</u> ppm	CHECK ONE
	DVM CALIB. GAS = <u>100</u> ppm RE = <u>0.52</u>	<input checked="" type="checkbox"/> PIT ABANDONED
TIME: <u>7:30 am</u> DATE: <u>8/16/01</u>		<input type="checkbox"/> STEEL TANK INSTALLED
		<input type="checkbox"/> FIBERGLASS TANK INSTALLED

SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK (SANDSTONE)

SOIL COLOR: DK. YELL. BROWN TO DK. GRAY BEDROCK - LT. TO DK. GRAY

COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / SLIGHTLY MOIST / MOIST WET / SATURATED / SUPER SATURATED CLOSED

DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - SEC SOIL COLOR ABOVE

HC ODOR DETECTED: YES / NO EXPLANATION - W/IN BEDROCK FRAGMENTS & PILE COLLECTED W/ BACKHOE

SAMPLE TYPE: GRAB COMPOSITE - # OF PTS. 1

ADDITIONAL COMMENTS: WATER W/IN TEST HOLE FROM RECENT PRECIP. COLLECTED SAMPLE FROM BEDROCK BOTTOM

BEDROCK FRAGMENT & PULVERIZED W/ SHOVELS

BEDROCK - FRIABLE HARD

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	ML. FREON	DILUTION	READING	CALC. ppm

PIT PERIMETER

T.H. APPROX. 3' BELOW P.D.

P.D. APPROX. 4' B.G.

T.H. = TEST HOLE

P.D. = PIT DEPRESSION B.G. = BELOW GRADE

OVM RESULTS

SAMPLE ID	FIELD HEADSPACE P10 (ppm)
1 @ 7'	419
2 @	
3 @	
4 @	
5 @	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
107	TPH (8015)	0900
"	BTEX (8021)	"
<u>BOTH PASSED</u>		

NOT APPLICABLE

TRAVEL NOTES: CALLOUT: 8/15/01 - AFTER ONSITE: 8/16/01 - MORN.

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 7'	Date Reported:	08-17-01
Laboratory Number:	20664	Date Sampled:	08-16-01
Chain of Custody No:	9413	Date Received:	08-16-01
Sample Matrix:	Soil	Date Extracted:	08-17-01
Preservative:	Cool	Date Analyzed:	08-17-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	34.7	0.2
Diesel Range (C10 - C28)	10.0	0.1
Total Petroleum Hydrocarbons	44.7	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Mudge LS #8 Blow Pit Grab Sample.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 7'	Date Reported:	08-17-01
Laboratory Number:	20664	Date Sampled:	08-16-01
Chain of Custody:	9413	Date Received:	08-16-01
Sample Matrix:	Soil	Date Analyzed:	08-17-01
Preservative:	Cool	Date Extracted:	08-17-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	23.0	1.8
Toluene	ND	1.7
Ethylbenzene	63.9	1.5
p,m-Xylene	581	2.2
o-Xylene	172	1.0
Total BTEX	840	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Mudge LS #8 Blow Pit Grab Sample.


Analyst


Review