

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: \_\_\_\_\_  
Address: 200 Energy Ct, Farmington, NM 87401  
Facility or well name: Mudge Corn B #2A API #: 3004523063 U/L or Qtr/Qtr C Sec 14 T 31N R 11W  
County: San Juan Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD: 1927 ☐ 1983 ☐  
Surface Owner: Federal ☐ State ☐ Private ☐ Indian ☐

<b>Pit</b> Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	<b>Below-grade tank</b> Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)
Ranking Score (Total Points)	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

See Attached Documentation

2 of 2

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 4

Signature Denny Kurt

Date: DEC 14 2005

CLIENT: <u>BP</u>	<b>BLAGG ENGINEERING, INC.</b> P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80893</u> C.D.C. NO: <u>9502</u>																																																																																								
<b>FIELD REPORT: CLOSURE VERIFICATION</b>		PAGE No: <u>1</u> of <u>1</u>																																																																																								
LOCATION: NAME: <u>MUDGE COM</u> WELL #: <u>BZA</u> PIT: <u>SEP</u> QUAD/UNIT: <u>C</u> SEC: <u>14</u> TWP: <u>31N</u> RNG: <u>11W</u> PM: <u>NM</u> CNTY: <u>SJST: NM</u> QTR/FOOTAGE: <u>8002/1580'w</u> NEINW CONTRACTOR: <u>FLINT</u>		DATE STARTED: <u>8-30-01</u> DATE FINISHED: <u>8-30-01</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u>																																																																																								
EXCAVATION-APPROX. <u>15</u> FT. x <u>15</u> FT. x <u>4</u> FT. DEEP. CUBIC YARDAGE: <u>0</u> PIT DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>CLOSE AS IS</u> LAND USE: <u>RANGE-BLM</u> LEASE: <u>CA 14080011170</u> FORMATION: <u>MV</u>																																																																																										
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>115</u> FT. <u>S47°E</u> FROM WELLHEAD. DEPTH TO GROUNDWATER: <u>&lt;100</u> NEAREST WATER SOURCE: <u>&gt;1000</u> NEAREST SURFACE WATER: <u>&gt;1000</u> NMOCD RANKING SCORE: <u>10</u> NMOCD TPH CLOSURE STD: <u>1000</u> PPM																																																																																										
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:30%; vertical-align: top;"> <b>SOIL AND EXCAVATION DESCRIPTION:</b>          SOIL TYPE: SAND / <u>(SILTY SAND)</u> / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____          SOIL COLOR: <u>GRAY</u>          COHESION (ALL OTHERS): <u>(NON COHESIVE)</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE          CONSISTENCY (NON COHESIVE SOILS): LOOSE / <u>(FIRM)</u> / DENSE / VERY DENSE          PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC          DENSITY (COHESIVE CLAYS &amp; SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD          MOISTURE: DRY / <u>(SLIGHTLY MOIST)</u> / MOIST / WET / SATURATED / SUPER SATURATED          DISCOLORATION/STAINING OBSERVED: <u>(YES)</u> / NO EXPLANATION - <u>BLACK 0'-6', GRAY 6'-14'</u>          HC ODOR DETECTED: <u>(YES)</u> / NO EXPLANATION - <u>STRONG 0'-8', WEAK 8'-14'</u>          SAMPLE TYPE: <u>(GRAB)</u> / COMPOSITE - # OF PTS. <u>1</u>          ADDITIONAL COMMENTS: <u>USED BACKHOE TO DIG TEST HOLE &amp; SAMPLE</u> </td> <td style="width:70%; vertical-align: top;"> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2">OVM CALIB. READ. <u>131.2</u> ppm</td> <td rowspan="3">           CHECK ONE:  <input checked="" type="checkbox"/> PIT ABANDONED  <input type="checkbox"/> STEEL TANK INSTALLED  <input type="checkbox"/> FIBERGLASS TANK INSTALLED         </td> </tr> <tr> <td colspan="2">OVM CALIB. GAS = <u>250</u> ppm RF = <u>0.52</u></td> </tr> <tr> <td colspan="2">TIME: <u>1240</u> am/pm DATE: <u>8-30</u></td> </tr> </table> </td> </tr> </table>			<b>SOIL AND EXCAVATION DESCRIPTION:</b> SOIL TYPE: SAND / <u>(SILTY SAND)</u> / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____ SOIL COLOR: <u>GRAY</u> COHESION (ALL OTHERS): <u>(NON COHESIVE)</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE / <u>(FIRM)</u> / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / <u>(SLIGHTLY MOIST)</u> / MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: <u>(YES)</u> / NO EXPLANATION - <u>BLACK 0'-6', GRAY 6'-14'</u> HC ODOR DETECTED: <u>(YES)</u> / NO EXPLANATION - <u>STRONG 0'-8', WEAK 8'-14'</u> SAMPLE TYPE: <u>(GRAB)</u> / COMPOSITE - # OF PTS. <u>1</u> ADDITIONAL COMMENTS: <u>USED BACKHOE TO DIG TEST HOLE &amp; SAMPLE</u>	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2">OVM CALIB. READ. <u>131.2</u> ppm</td> <td rowspan="3">           CHECK ONE:  <input checked="" type="checkbox"/> PIT ABANDONED  <input type="checkbox"/> STEEL TANK INSTALLED  <input type="checkbox"/> FIBERGLASS TANK INSTALLED         </td> </tr> <tr> <td colspan="2">OVM CALIB. GAS = <u>250</u> ppm RF = <u>0.52</u></td> </tr> <tr> <td colspan="2">TIME: <u>1240</u> am/pm DATE: <u>8-30</u></td> </tr> </table>	OVM CALIB. READ. <u>131.2</u> ppm		CHECK ONE: <input checked="" type="checkbox"/> PIT ABANDONED <input type="checkbox"/> STEEL TANK INSTALLED <input type="checkbox"/> FIBERGLASS TANK INSTALLED	OVM CALIB. GAS = <u>250</u> ppm RF = <u>0.52</u>		TIME: <u>1240</u> am/pm DATE: <u>8-30</u>																																																																																
<b>SOIL AND EXCAVATION DESCRIPTION:</b> SOIL TYPE: SAND / <u>(SILTY SAND)</u> / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____ SOIL COLOR: <u>GRAY</u> COHESION (ALL OTHERS): <u>(NON COHESIVE)</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE / <u>(FIRM)</u> / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / <u>(SLIGHTLY MOIST)</u> / MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: <u>(YES)</u> / NO EXPLANATION - <u>BLACK 0'-6', GRAY 6'-14'</u> HC ODOR DETECTED: <u>(YES)</u> / NO EXPLANATION - <u>STRONG 0'-8', WEAK 8'-14'</u> SAMPLE TYPE: <u>(GRAB)</u> / COMPOSITE - # OF PTS. <u>1</u> ADDITIONAL COMMENTS: <u>USED BACKHOE TO DIG TEST HOLE &amp; SAMPLE</u>	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2">OVM CALIB. READ. <u>131.2</u> ppm</td> <td rowspan="3">           CHECK ONE:  <input checked="" type="checkbox"/> PIT ABANDONED  <input type="checkbox"/> STEEL TANK INSTALLED  <input type="checkbox"/> FIBERGLASS TANK INSTALLED         </td> </tr> <tr> <td colspan="2">OVM CALIB. GAS = <u>250</u> ppm RF = <u>0.52</u></td> </tr> <tr> <td colspan="2">TIME: <u>1240</u> am/pm DATE: <u>8-30</u></td> </tr> </table>	OVM CALIB. READ. <u>131.2</u> ppm		CHECK ONE: <input checked="" type="checkbox"/> PIT ABANDONED <input type="checkbox"/> STEEL TANK INSTALLED <input type="checkbox"/> FIBERGLASS TANK INSTALLED	OVM CALIB. GAS = <u>250</u> ppm RF = <u>0.52</u>			TIME: <u>1240</u> am/pm DATE: <u>8-30</u>																																																																																		
OVM CALIB. READ. <u>131.2</u> ppm		CHECK ONE: <input checked="" type="checkbox"/> PIT ABANDONED <input type="checkbox"/> STEEL TANK INSTALLED <input type="checkbox"/> FIBERGLASS TANK INSTALLED																																																																																								
OVM CALIB. GAS = <u>250</u> ppm RF = <u>0.52</u>																																																																																										
TIME: <u>1240</u> am/pm DATE: <u>8-30</u>																																																																																										
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="8">FIELD 418.1 CALCULATIONS</th> </tr> <tr> <th>SAMP. TIME</th> <th>SAMPLE I.D.</th> <th>LAB No:</th> <th>WEIGHT (g)</th> <th>mL. FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. ppm</th> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>			FIELD 418.1 CALCULATIONS								SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																																																																								
FIELD 418.1 CALCULATIONS																																																																																										
SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																																																																																			
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:30%; vertical-align: top;"> <div style="text-align: center;">SCALE</div> <div style="text-align: center;">0  FT</div> <div style="text-align: center;">↑</div> <div style="text-align: center;">PIT PERIMETER</div> </td> <td style="width:30%; vertical-align: top;"> <div style="text-align: center;">OVM RESULTS</div> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE PID (ppm)</th> </tr> <tr><td>1 @ 14'</td><td>94.8</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table> <div style="text-align: center;">LAB SAMPLES</div> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> <tr> <td>C04'</td> <td>TPH</td> <td>1200</td> </tr> <tr> <td colspan="3" style="text-align: center;">(PASSED)</td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table> </td> <td style="width:40%; vertical-align: top;"> <div style="text-align: center;">PIT PROFILE</div> </td> </tr> </table>			<div style="text-align: center;">SCALE</div> <div style="text-align: center;">0  FT</div> <div style="text-align: center;">↑</div> <div style="text-align: center;">PIT PERIMETER</div>	<div style="text-align: center;">OVM RESULTS</div> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE PID (ppm)</th> </tr> <tr><td>1 @ 14'</td><td>94.8</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table> <div style="text-align: center;">LAB SAMPLES</div> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> <tr> <td>C04'</td> <td>TPH</td> <td>1200</td> </tr> <tr> <td colspan="3" style="text-align: center;">(PASSED)</td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>	SAMPLE ID	FIELD HEADSPACE PID (ppm)	1 @ 14'	94.8	2 @		3 @		4 @		5 @														SAMPLE ID	ANALYSIS	TIME	C04'	TPH	1200	(PASSED)															<div style="text-align: center;">PIT PROFILE</div>																																								
<div style="text-align: center;">SCALE</div> <div style="text-align: center;">0  FT</div> <div style="text-align: center;">↑</div> <div style="text-align: center;">PIT PERIMETER</div>	<div style="text-align: center;">OVM RESULTS</div> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE PID (ppm)</th> </tr> <tr><td>1 @ 14'</td><td>94.8</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table> <div style="text-align: center;">LAB SAMPLES</div> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> <tr> <td>C04'</td> <td>TPH</td> <td>1200</td> </tr> <tr> <td colspan="3" style="text-align: center;">(PASSED)</td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>	SAMPLE ID	FIELD HEADSPACE PID (ppm)	1 @ 14'	94.8	2 @		3 @		4 @		5 @														SAMPLE ID	ANALYSIS	TIME	C04'	TPH	1200	(PASSED)															<div style="text-align: center;">PIT PROFILE</div>																																											
SAMPLE ID	FIELD HEADSPACE PID (ppm)																																																																																									
1 @ 14'	94.8																																																																																									
2 @																																																																																										
3 @																																																																																										
4 @																																																																																										
5 @																																																																																										
SAMPLE ID	ANALYSIS	TIME																																																																																								
C04'	TPH	1200																																																																																								
(PASSED)																																																																																										
TRAVEL NOTES: CALLOUT: <u>8-30-01 1100AM</u> ONSITE: <u>8-30-01 1200 Noon</u>																																																																																										

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Sep C @ 14'	Date Reported:	09-04-01
Laboratory Number:	20836	Date Sampled:	08-30-01
Chain of Custody No:	9502	Date Received:	08-30-01
Sample Matrix:	Soil	Date Extracted:	08-31-01
Preservative:	Cool	Date Analyzed:	09-04-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	6.5	0.1
Total Petroleum Hydrocarbons	6.5	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Mudge Com B 2 A.**

  
Analyst

  
Review