


UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
APPLICATION FOR PERMIT TO DRILL OR REENTER



FORM APPROVED
OMB NO. 1004-0136

Expires: January 31, 2004

5. Lease Serial No.

RECEIVED
ESP-047017-B

6. If Indian, Allottee or Tribe Name

1a. Type of Work ☒ DRILL ☐ REENTER

1b. Type of Well ☐ Oil Well ☒ Gas Well ☐ Other ☐ Single Zone ☐ Multiple Zone

2. Name of Operator

Chaparral Oil and Gas, Inc. 4115

3a. c/o Titus Consulting P. O. Box 962

3b. Phone No. (include area code)

Farmington, New Mexico 87499

(505) 486-1701

4. Location of well (Report location clearly and in accordance with any State requirements. *)

At surface

1475' FNL, 1635' FWL, Latitude 36.650987 N, Longitude 107.957944 W

At proposed prod. zone

1475' FNL, 1635' FWL, Latitude 36.650987 N, Longitude 107.957944

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

Approximately 1.8 miles southeast of Bloomfield, New Mexico by air.

15. Distance from proposed*
location to nearest
property or lease line, ft.

(Also to nearest drlg unit line, if any)

1635'

16. No. of Acres in lease

1,894.08

17. Spacing Unit dedicated to this well

W/2 - 320

18. Distance from proposed location*
to nearest well, drilling, completed,
applied for, on this lease, ft.

100'

19. Proposed Depth

1960'

20. BLM/ BIA Bond No. on file

103660301

21. Elevations (Show whether DF, RT, GR, etc.)

5760' GL 5758'

22. Approximate date work will start*

9-Jan-06

23. Estimated Duration

10 Days

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1 shall be attached to this form:

1. Well plat certified by a registered surveyor.

2. A Drilling Plan.

3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).

4. Bond to cover the operations unless covered by existing bond on file(see item 20 above).

5. Operator certification.

6. Such other site specific information and/ or plans as may be required by the authorized officer.

25. Signature

Name (Printed/ Typed)

Date

S. Max Libby

1/18/2006

Agent-Ellis & Associates

Approved By (Signature)

Name (Printed/ Typed)

Date

Title

Office

2/1/06

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to co operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on reverse)

This action is subject to technical and financial review pursuant to 43 CFR 3165.3 and applicable rules of 43 CFR 3165.4

DRILLING OPERATIONS AUTHORIZED ARE SUBJECT TO THE RULES WITH ATTACHED "GENERAL REQUIREMENTS".

NMOCD

State of New Mexico
Energy, Minerals & Mining Resources Department
OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

Form C - 102

RECEIVED

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

APA Number 30-045-33539	Pool Code 71629	Pool Name Basin fruitland coal
Property Code 35414	Property Name SALLY	Well Number 4
OGRID No. 4115	Operator Name CHAPARRAL OIL & GAS INC.	Elevation 5758'

Surface Location


UL or Lot	Sec.	Twp.	Rge.	Lot Idn.	Feet from >	North/South	Feet from >	East/West	County
F	24	28 N.	11 W.		1475'	NORTH	1635'	WEST	SAN JUAN

Bottom Hole Location If Different From Surface

UL or Lot	Sec.	Twp.	Rge.	Lot Idn.	Feet from >	North/South	Feet from >	East/West	County

Dedication 320	Joint ?	Consolidation	Order No.
--------------------------	---------	---------------	-----------

NO ALLOWABLE WILL ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Signature
B.W. Salzman

Printed Name
B.W. SALZMAN

Title
CONSULTANT

Date
11-16-05

SURVEYOR CERTIFICATION

I hereby certify that the well location on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date of Survey **05 27 '05**

Signature and Seal of Professional Surveyor




Exhibit C
TEN-POINT PROGRAM/ OPERATIONS PLAN
CHAPARRAL OIL & GAS, INC.

Well name: Sally #4
Location: 1475' FNL, 1635' FWL, F, Sec. 24, T-28-N, R-11-W
San Juan County, NM
Formation: Basin Fruitland Coal

1. **The geological surface formation is:** Fruitland Coal and Pictured Cliffs
2. **The tops of important geological markers: (based on existing log information)**

Ojo Alamo	820'
Fruitland Coal	1600'
Pictured Cliffs	1812'

3. **Estimated depths of anticipated water, oil, gas, or minerals:**

<u>Substance</u>	<u>Formation</u>	<u>Anticipated Depth</u>
Gas	Fruitland Coal	1960'

4. **The Casing Program:**

<u>Depth</u>	<u>Hole Size</u>	<u>Casing O.D.</u>	<u>Wt.</u>	<u>Grade</u>	<u>Type</u>	<u>New/Used</u>
0-650'	8 3/4"	7"	20#	J-55	ST&C	New
650-1960'	6 1/4"	4 1/2"	10.5#	J-55	ST&C	New

Proposed Cement Program: To effectively isolate and seal off all water, oil, gas and coal bearing strata encountered by the utilization of spacer and centralizers at the base of the Ojo Alamo formation as specified by NTL-FRA 90-1 III.B and API standards; and by using cement volumes as follows: (Exact volumes to be determined from logs):

Surface: 196 Cu Ft(166Sx) Class B w/ 0.25# Flocele/ Sx w/5#/Sk Gilsonite plus 2% CaCl (100% Excess). *Circulate cement to surface*

Production: 85 Cubic Feet (42 Sacks Lite Standard Cement w/ 2% Metasilicate + 0.25 pps Flocele mixed to 12.4 ppg followed by 162 Cubic Feet (134 Sacks) Standard w/ 0.6% Halad-322 mixed to 15.6 ppg w/ caliper plus 25% excess in both slurries. Grand Totals: 247 Cubic Feet (176 Sacks). *Circulate cement to surface*

5. **Operators Minimum Specifications for pressure control:**

Expected bottom hole pressure 300 psi or less.

Exhibit E is a schematic of the blowout preventer used by a local contractor for other wells in the area. The BOP to be used is an annular BOP with screwed connections with high-pressure inlet and outlet hoses, all tested to 750 psi minimum.

Exhibit C
TEN-POINT PROGRAM
CHAPARRAL OIL & GAS, INC.

Well name: Sally #4
Location: 1475' FNL, 1635' FWL, F, Sec. 24, T-28-N, R-11-W
San Juan County, NM
Formation: Basin Fruitland Coal

6. The type and characteristic of the proposed circulating muds:

Surface Casing: Spud flocculating bentonite with lime.

Production Casing: Low solids non- disbursing system.

<u>Interval</u>	<u>Mud Weight</u>	<u>Viscosity</u>	<u>Fluid Loss</u>	<u>Ph</u>	<u>Additives</u>
0-650'	9.0	45		9	Gel, Lime
650'-TD	8.6-9.2	30-50	<15cc	9	Additives as needed to maintain viscosity

7. Auxiliary Equipment to be used is as follows:

- a. Float valve above bit.
- b. Monitoring of mud system will be visual.
- c. A safety valve and subs to fit all drill strings will be used.

8. Testing, logging and coring will be as follows:

- a. Cores: None
- b. Drill stem tests: none anticipated.
- c. Logs will include: High Resolution Induction w/ Gamma Ray, SP, Caliper, Microlog, Spectral Density and Dual Spaced Neutron Microlog; all from Total depth to the surface casing shoe.

9. Anticipated Abnormal Pressures and temperatures:

No abnormal pressures, temperatures, or Hydrogen Sulfide gases are anticipated during the completion of this well.

10. Anticipated starting date and duration of operations:

The anticipated starting date is January 6, 2006. The drilling operations should be completed within 15 days after rig-up date. Completion will be done as equipment availability and weather permit.

Date: 11-16-05 Drilling Engineer: B H Salzman

BLOW OUT PREVENTER (B.O.P.)

