State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure


Is pit or below-grade tank coverage. WF5 CLOSURG Type of action: Registration of a pit or below	ered by a "general plan"? Yes V No U v-grade tank Closure of a pit or below-grade tank	☑
Operator: BURLINGTON RESOURCES OIL & GAS CO Telephone:	e-mail address:	
Address: 801 CHERRY ST FORT WORTH, TX 76102		
Facility or well name: MCGRATH A #001 API #: 30-045-	08712 U/L or Qtr/Qtr <u>I</u> SEC	<u>3</u> T <u>29N</u> R <u>12W</u>
County: <u>SAN JUAN</u> Surface Owner: Federal ☐ State ☐ Private ☑ Indian ☐	Longitude -108.07931	NAD: 1927 ☑ 1983 □
Pit Type: Drilling □ Production ✓ Disposal Workover □ Emergency □ Lined □ Unlined ✓ Liner Type: Synthetic ➡ Thickness mil Clay Pit Volume 77 bbl	Below-grade tank Volume: bbl Type of fluid: Construction Material: Double-walled, with leak detection? Yes	plain why not.
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) 0 0
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)
	Ranking Score (TOTAL POINTS):	<u>0</u>
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationsite box if your are burying in place) onsite ✓ offsite ☐ If offsite, name action taken including remediation start date and end date. (4)Groundwater encour and attach sample results. (5)Attach soil sample results and a diagram of sample lo	ntered: No 🗹 Yes 🗌 If yes, show depth below gr	location: (check the eneral description of remedial ound surface ft.
Additional Comments:	FEB 2006 RECEIVED RECEIVED DIST. 8	Meter: <u>32756</u>
I hereby certify that the information above is true and complete to the best of my k tank has been/will be constructed or closed according to NMOCD guidelines	nowledge and belief. I further certify that the above-describe , a general permit , or an (attached) alternative OC	• •
Date:	Mr Zank, FOR WES	
Printed Name/Title Mark Harvey for Williams Field Services Sig	mature	
Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the op regulations.	ve the operator of liablility should the contents of the pit or ta erator of its responsibility for compliance with any other federator.	ank contaminate ground water eral, state, or local laws and/or
Approval: Printed Name/Title Printed Name/Title Signs	ature Jerry Lory	FEB 0 2 2006

ADDENDUM TO OCD FORM C-144


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

Well Name: MCGRATH A #001 Meter: <u>32756</u>

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Location of Pit Center

Pit ID

API 30-045-08712

12 Ft. Length

Latitude

327561

Width 12 Ft. Longitude -108.07899

36.75262

Pit Type

<u>3</u> Ft. Depth

(NAD 1927)

Separator

Date Closure Started: 1/13/05

Date Closure Completed: 1/13/05

Closure Method:

Excavated, Blended, Treated Soil Returned

Bedrock Encountered?

Sec Wisk Analysis

Cubic Yards Excavated: 64

Vertical Extent of Equipment Reached? ✓

Description Of Closure Action:

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

Vertical extent of excavation limited by equipment

Pit Closure Sampling	z :
----------------------	------------

Sample ID Date

Sample

BTEX Total

Head

Space

Benzene (mg/kg) TPH DRO

Purpose

Location

Depth

(mg/kg) (mg/kg)

100413JAN05 1/13/05 96 1100 EX Confirm Walls 11

101213JAN05 1/13/05 428 이 8.21 280 EX Confirm Flr 12

ASSESS Flr

142016MAR04 3/16/04 279.2 2500



Lab Sample No:

607842143

Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6091105

Project Sample Number: 6091105-004

Client Project ID: N. Mex Pit Program

Date Collected: 01/13/05 10:04

Client Sample ID: 100413JAN05 Matrix: Soil Date Received: 01/21/05 09:10

Parameters GC Semivolatiles Total Extractable Hydrocarbons Mineral Spirits Jet Fuel Kerosene Diesel Fuel Fuel Oil Motor Oil				Matrix: 3011 Date Necested: 01/21/03 03:24					
Parameters CC Somite latiles	Results	Units	Report Limit	_DF	Analyzed	Ву	CAS No.	Qual	RegLmt
	D /M-46-4	040 / 040							
•	•								
Mineral Spirits	ND	mg/kg	11.	1.1	01/25/05 22:39	RMN1			
Jet Fuel	ND	mg/kg	11.	1.1	01/25/05 22:39	RMN1			
Kerosene	ND	mg/kg	11.	1.1	01/25/05 22:39	RMN1			
Diesel Fuel	ND	mg/kg	11.	1.1	01/25/05 22:39	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	11.	1.1	01/25/05 22:39	RMN1	68334-30-5		
Motor 0il	ND	mg/kg	11.	1.1	01/25/05 22:39	RMN1			
Total Petroleum Hydrocarbons	1100	mg/kg	11.	1.1	01/25/05 22:39	RMN1		4	
n-Tetracosane (S)	122	×		1.0	01/25/05 22:39	RMN1	646 • 31 • 1		
p-Terphenyl (S)	115	x		1.0	01/25/05 22:39	RMN1	92-94-4		
Date Extracted	01/24/05				01/24/05				
Organics Prep									
Percent Moisture	Method: SM 2	2540G							
Percent Moisture	12.3	*		1.0	01/25/05	ALJ1			

Date: 01/27/05

Page: 3 of 32

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





607842150

Lab Sample No:

Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6091105

Client Project ID: N. Mex Pit Program

Matrix: Soil Client Sample ID: 101213JAN05

Date Collected: 01/13/05 10:12

Project Sample Number: 6091105-005 Date Received: 01/21/05 09:10

I .			•						
Parameters	Results	Units	Report Limit	DF	Anal yzed	Ву	CAS No.	Qua1	RegLmi
GC Semivolatiles							_		
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2							
Mineral Spirits	ND	mg/kg	11.	1.1	01/25/05 22:57	RMN1			
Jet Fuel	ND	mg/kg	11.	1.1	01/25/05 22:57	RMN1			
Kerosene	ND	mg/kg	11.	1.1	01/25/05 22:57	RMN1			
Diesel Fuel	ND	mg/kg	11.	1.1	01/25/05 22:57	RMN1	68334-30-5		
Fuel 0il	ND	mg/kg	11.	1.1	01/25/05 22:57	RMN1	68334-30-5		
Motor 011	ND	mg/kg	11.	1.1	01/25/05 22:57	RMN1			
Total Petroleum Hydrocarbons	280	mg/kg	11.	1.1	01/25/05 22:57	RMN1		4	
n-Tetracosane (S)	109	*		1.0	01/25/05 22:57	RMN1	646-31-1		
p-Terphenyl (S)	108	*		1.0	01/25/05 22:57	RMN1	92-94-4		
Date Extracted	01/24/05				01/24/05				
Organics Prep		•							
Percent Moisture	Method: SM 2	2540G							
Percent Moisture	5.2	*		1.0	01/25/05	ALJ1			
GC Volatiles							÷		
Aromatic Volatile Organics	Prep/Method:	EPA 5030 I	Medium Soil / E	PA 8021					
Benzene	ND	ug/kg	52.		01/25/05 09:08		71-43-2		
Ethylbenzene	250	ug/kg	52 .	1.0	01/25/05 09:08		100-41-4		
Toluene	360	ug/kg	52.	1.0	01/25/05 09:08		108-88-3		
Xylene (Total)	7600	ug/kg	140	1.0	01/25/05 09:08		1330-20-7	-	
a,a,a-Trifluorotoluene (S)	90	*		1.0	01/25/05 09:08		98-08-8		

Date: 01/27/05

Page: 4 of 32

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

