<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

June 1, 2004

Form C-144

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

## Pit or Below-Grade Tank Registration or Closure Is nit or below-grade tank covered by a "general plan"? Yes No

	or below-grade tank Closure of a pit or below-grade	le tank 🔀
Operator: BP America Production Company Telephor	ne: (505)326-9200 e-mail address:	
Address: 200 Energy Ct. Farmington, NM 87401	to	
Facility or well name: RUSSEL #3 API#: 3	50045 23968 U/L or Qtr/Qtr A	Sec 25 T28N R 8W
	Longitude	
Surface Owner: Federal  State  Private  Indian	Eongitude	NAD. 1921 E 1903 E
	Below-grade tank	
Pit  Type: Drilling Production Disposal		
Workover Emergency	Volume:bbl Type of fluid:  Construction material:	
Lined Unlined	Double-walled, with leak detection? Yes I If not,	avalain why not
<del></del>	Double-waited, with leak detection? Tes [] If not,	explain why hot.
Liner type: Synthetic Thicknessmil Clay		
Pit Volumebbl	1	L (20
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	( 0 points)
	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	( 0 points)
	1000 ICC OF MOTO	( v pouls)
	Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) Indica	te disposal location: (check the onsite box if
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility_	. (3) Attach a general de	escription of remedial action taken including
remediation start date and end date. (4) Groundwater encountered: No 🔲 Y	es If yes, show depth below ground surface	ft. and attach sample results.
(5) Attach soil sample results and a diagram of sample locations and excavat	tions.	
Additional Comments:		
See Attached Documentation		
		-
	V	$-\Theta$ $\leftarrow$
		C
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify that thes <b>X</b> , a general permit, or an (attached) alternat	e above-described pit or below-grade tank ive OCD-approved plan .
	A	
Date: 11/01/2005	ure Jeffy C. Sligz	•
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve to regulations.	oot relieve the operator of liability should the contents of the operator of its responsibility for compliance with an	of the pit or tank contaminate ground water or by other federal, state, or local laws and/or
Approval: JEFUIT CAL & GAS INSPECTOR, DIST. 31	1 Cant Int	DEC 1 4 2005
Printed Name/Title	Signature Signature	Date:

BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	C.D.C. ND: 80855		
FIELD REPORT: CLOSURE VERIFICATION  LOCATION: NAME: RUSSELL WELL #: 3 PIT: 5EP  QUAD/UNIT: A SEC: 25 TWP: 28N RNG: 8W PM: NM CNTY: 5J ST: NM  QTR/FDDTAGE: 1120'N/790'E NEWE CONTRACTOR: FUNT	PAGE No: 1 of 1  DATE STARTED: 5/18/01  DATE FINISHED:  ENVIRONMENTAL NV		
EXCAVATION APPROX. NA FT. X NA FT. X NA FT. DEEP. CUBIC YARDAGE: NA DISPOSAL FACILITY: ON - 5 THE REMEDIATION METHOD: OF FORMATION: OK  FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 107 FT. 5156 FROM WELLHEAD			
DESCRIPTION:  DESCRIPTION:  DESCRIPTION:  DOWN CALIB. READ. 52-6 ppm  TIME: 0800 @pm 5/18/01	CHECK ONE  PIT ABANDONED  STEEL TANK INSTALLED  FIBERGLASS TANK INSTALLED		
DK. GROY BEORDER (SHALE) FRIABLE, SOFT TO HARD, DISCOURED & STAINED (SATURATED) SAND WITHIN TEST HOLE INTERUBL (Z FT.) WITH APPARENT HC DOOR IN PIT BREA. LECOMMEND EXCAUATING CONTAMINATE SOIL & MIXING WITH CLEAN NATIVE SOIL & PLACE BACK INTO EXCAUATING,			
SCALE  O  FIELD 418.1 CALCULATIONS  TIME SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON DII	LUTION READING CALC. ppm		
PIT PERIMETER  OVM  RESULTS  SAMPLE   FELD HEADSPACE     10   6   353   2   0     3   0     4   0     5   0	PROFILE		
TRAVEL NOTES: CALLOUT: 5/17/01-moren. ONSITE: 5/18/01-more	?√ .		



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 6'	Date Reported:	05-21-01
Laboratory Number:	19883	Date Sampled:	05-18-01
Chain of Custody No:	8404	Date Received:	05-18-01
Sample Matrix:	Soil	Date Extracted:	05-18-01
Preservative:	Cool	Date Analyzed:	05-21-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	374	0.2
Diesel Range (C10 - C28)	37.7	0.1
Total Petroleum Hydrocarbons	412	0.1

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Russell #3 Separator Pit.

Analyst L. Que

Mister of Walles



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 6'	Date Reported:	05-21-01
Laboratory Number:	19883	Date Sampled:	05-18-01
Chain of Custody:	8404	Date Received:	05-18-01
Sample Matrix:	Soil	Date Analyzed:	05-21-01
Preservative:	Cool	Date Extracted:	05-18-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
r arameter	(ug/Ng)	(ug/Kg)
Benzene	523	1.8
Toluene	1,540	1.7
Ethylbenzene	475	1.5
p,m-Xylene	2,160	2.2
o-Xylene	1,450	1.0
Total BTEX	6,150	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
•	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Russell #3 Separator Pit.

Alec L. alec

Minter malasters
Review