District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure

	k covered by a "general plan"? Yes 🔀 No or below-grade tank 🗋 Closure of a pit or below-gra		
Operator: BP America Production Company Telephor  Address: 200 Energy Ct, Farmington, NM 87401  Facility or well name: 5TATE GC BQ #\E API#: 3	ne: <u>(505)326-9200</u> e-mail address:		
	Longitude		
Pit Type: Drilling Production Disposal  Workover Emergency  Lined Unlined  Liner type: Synthetic Thicknessmil Clay  Pit Volumebbl	Below-grade tank  Volume:bbl Type of fluid:  Construction material:  Double-walled, with leak detection? Yes If no	-	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) ( 0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points)	
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite  offsite  from the facility  from the facilit			
Additional Comments:			
See Attached Documentation    Continue   Con			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .			
Printed Name/Title			
Approval:  Printed Name/Title  Signature  Signature  Signature  Date  Date  DEC 1 4 2005			

CLIENT: BP	P.O. BOX			•	13		B1240	
FIELD REPORT: PIT CLOSURE VERIFICATION						E No:		
LOCATION: NAME: STATE	GC BQ	WELL #:	E TYPE	DEHY			6/17/03	_
QUAD/UNIT: A SEC: 32	TWP: Z9N RNO	6: 13W PM: 1	OW CULLS 2	T ST: NM		FINISHED:	W.1	=
QTR/FOOTAGE: 810'018	10'E 4	ELNE CONTR	ACTOR: FLIA	T (BEN)		RONMENTAL IALIST:	NV	_
EXCAVATION APPROX	. <u>ພ</u> FT. x	<u>ма</u> FT.	x <u>~A</u> FT	DEEP. CL	BIC YAR	DAGE:	NA	
DISPOSAL FACILITY:	00-51	TE	REMEDIA	TION METHO	DD: _	CLOSE A	2 12	.
LANDUSE: RANGE		LEASE:	チをモ		FORMAT	ION:	DK	
FIELD NOTES & REMAR	KS: PIT LOC	ATED APPROX	IMATELY 12	D FT	N48€	FROM	WELLHEAD.	
DEPTH TO GROUNDWATER: >10	NEAREST W	ATER SOURCE:	>10001	_ NEAREST S	URFACE WA	rer:	10001	ļ
NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD:	5000 pr	М				
SOIL AND EXCAVATION	N DESCRIPT	ION.		OVM CALIB.				
SOIL AND LACAVATIC	N DEGORII I	1014.		OVM CALIB.				<u>52</u>
SOIL TYPE: SANDY SILTY SAN	ID / SILT / SILTY (	CLAY / CLAY /	GRAVEL / OTH				-110103	=
SOIL COLOR VERY PAGE COHESION (ALL OTHERS): NON C	DRANGE TO	LT. GRAY / OUT	if gray	BEORO				
CONSISTENCY (NON COHESIVE SO				CONESIVE				
PLASTICITY (CLAYS): NON PLASTI				HIGHLY PLASTI	С	C	LOZED)	
DENSITY (COHESIVE CLAYS & SILT MOISTURE: DRY / SLIGHTLY MOIS	•					0		
DISCOLORATION/STAINING OBSER	VED: (ES) NO EXP	LANATION	z.5-3.5 'BE		COLIUE GR	BY TO ET.	GRAY)	
HC ODOR DETECTED: YES INO E SAMPLE TYPE: GRAB COMPOSIT		21 HOLE 4	oun sam	put.				
ADDITIONAL COMMENTS: COLL	CTED SAMP						/	
1 1 2 - 1	BLE TO COM			PERATOR T	TO DILLTE	AERATÉ	IMPROTEC	_
38/6	WHAIN PIT		LD 418.1 CALC	ULATIONS				-
SCALE SAMP. TI	ME SAMP. ID	LAB NO.	WEIGHT (g)		DILUTION	READING	CALC. (ppm	n)
								ᅦ
0 FT		<u> </u>						
· PIT PERIMET	ER AN	1 0	\ /\ A		PIT	PROFIL	.E	_
	P. 0, .		VM (DING					}
1	18.6.	SAMPLE	FIELD HEADSPACE (ppm)					
7.H. ~1.5'	_ / 6	1@3.5	632					
8. P. D. 8ERM 3 @								
	7 T	4 @		7				
100	(   17'	5 @		-			<b>,_</b>	
				7 ~	OT AP	PLIC A BL	•	
TO WELL	1 1			-				
HEAD				7				
DEH		A A A A A A A A A A A A A A A A A A A	AMPLES					
		10 1 4	NALYSIS TIME					
			(8021B) "	$\exists$				
P.D. = PIT DEPRESSION; B.G. = BELOV	V CDADE: B - BELCH	(BOTH	PASSED	_				
T.H. = TEST HOLE; ~ = APPROX.; T.B.								
TRAVEL NOTES: CALLOUT	: <u>6/16/03-</u>	AFTER .	_ ONSITE: _	6/17/03	- mol	2∼ .		



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 3.5'	Date Reported:	06-17-03
Laboratory Number:	25920	Date Sampled:	06-17-03
Chain of Custody No:	10890	Date Received:	06-17-03
Sample Matrix:	Soil	Date Extracted:	06-17-03
Preservative:	Cool	Date Analyzed:	06-17-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	260	0.2
Diesel Range (C10 - C28)	299	0.1
Total Petroleum Hydrocarbons	559	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

State GC BQ #1E Dehydrator Pit Grab Sample.

Analyst

Mistine m Walters
Review



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 3.5'	Date Reported:	06-17-03
Laboratory Number:	25920	Date Sampled:	06-17-03
Chain of Custody:	10890	Date Received:	06-17-03
Sample Matrix:	Soil	Date Analyzed:	06-17-03
Preservative:	Cool	Date Extracted:	06-17-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	109	1.8	
Toluene	678	1.7	
Ethylbenzene	546	1.5	
p,m-Xylene	1,780	2.2	
o-Xylene	869	1.0	
Total BTEX	3,980		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99 %
	1,4-difluorobenzene	99 %
	Bromochlorobenzene	99 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

State GC BQ #1E Dehydrator Pit Grab Sample.

Analyst C. Cyl

Mistani M Welters
Review