District I•
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

#### State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

# Pit or Below-Grade Tank Registration or Closure


Is pit or below-grade tank cove	ered by a "general plan"? Yes ☑ No ☐					
WF5 CLOSURE Type of action: Registration of a pit or below	v-grade tank Closure of a pit or below-grade tank	<b>✓</b>				
Operator: <u>BURLINGTON RESOURCES OIL &amp; GAS CO</u> Telephone:	e-mail address:					
Address: 801 CHERRY ST FORT WORTH, TX 76102						
Facility or well name: VANDERSLICE #002Y API #: 30-045-	$20996$ U/L or Qtr/Qtr $\underline{G}$ SEC	<u>18</u> T <u>32N</u> R <u>10W</u>				
County: SAN JUAN Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	284 N Longitude <u>107 55.209 W</u>	NAD: 1927 <b>☑</b> 1983 □				
Pit	Below-grade tank					
Type: Drilling ☐ Production ☑ Disposal ☐ Volume: bbl Type of fluid:						
Workover	Construction Material:  Double-walled, with leak detection? Yes   If not, ex	ulain who not				
Lined Unlined	Double-waned, with leak detection: 1 es 📟 11 not, ex	piani wily not.				
Liner Type: Synthetic Thickness mil Clay						
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)				
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>				
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) (0 points)				
	Ranking Score (TOTAL POINTS):	<u>0</u>				
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationsite box if your are burying in place) onsite ✓ offsite ☐ If offsite, name action taken including remediation start date and end date. (4)Groundwater encour and attach sample results. (5)Attach soil sample results and a diagram of sample lose.	ntered: No 🗹 Yes 🗌 If yes, show depth below gr	location: (check the eneral description of remedial ound surface ft.				
Additional Comments:	FEB 2006 RECEIVED OIL CONS. DIV. DIST. 3	Meter: <u>34377</u>				
I hereby certify that the information above is true and complete to the best of my k tank has been/will be constructed or closed according to NMOCD guidelines	cnowledge and belief. Murther certify that the above describe a general permit (or an lattached) alternative OC	ed pit or below-grade D-approved plan				
Date:	gnature, For WPS	<b>Part 1</b>				
Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the op regulations.	·	ũ .				
Approval: CEUTY CA & GAS INSPECTOR, DIST. SI Printed Name/Title Sign	ature Ley Ferry	FEB 0 2 2006				

#### **ADDENDUM TO OCD FORM C-144**


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

Well Name: VANDERSLICE #002Y Meter: 34377

**Facility Diagram:** 



Sampling Diagram:



API 30-045-20996

Pit Dimensions

Length 15 Ft.

Width 15 Ft.

Depth 1.5 Ft. **Location of Pit Center** 

Latitude 36 59.276 N

Longitude <u>07 55.216 W</u>

(NAD 1927)

Pit ID

343771

Pit Type

Glycol Dehydrator

Date Closure Started: 8/17/05

**Closure Method:** 

Excavated, Blended, Treated Soil Returned

**Date Closure Completed:** 8/17/05

**Bedrock Encountered?** 

See Risk Analysis

Cubic Yards Excavated: 42

Vertical Extent of Equipment Reached ? oxdot

**Description Of Closure Action:** 

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

BEDROCK limited vertical excavation and/or prevented sampling. This condition limits deleterious environmental effects.

Pit Closure Sampling:

Sample ID

Sample Date

Head

Space

**BTEX** Total (mg/kg)

103,0

Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location

Depth

132017AUG05 8/17/05 EX Confirm Walls 28 10

132517AUG05 8/17/05 EX Confirm Flr 600

182009MAR05 3/9/05 0 ASSESS 270.2 420 Flr



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6099307

Client Project ID: N. Mex Pit Program Summer 2005

Lab Sample No: 608514428 Project Sample Number: 6099307-006 Date Collected: 08/17/05 13:20

Client Sample ID: 132017AUG05 Matrix Soil Date Received: 09/02/05 08:30

Cilent Sample ID: 13201/AUGUS			matrix: 5011				Date Received	1: 09/02/05 06:30
Parameters	Results	<u>Units</u>	Report Limit	_DF	Analyzed	Ву	CAS No.	Qual RegLmt
GC Semivolatiles								
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2						
Mineral Spirits	ND	mg/kg	11.	1.1	09/06/05 17:42	CPR		
Jet Fuel	ND	mg/kg	11.	1.1	09/06/05 17:42	CPR	94114-58-6	
Kerosene	ND	mg/kg	11.	1.1	09/06/05 17:42	CPR		
Diesel Fuel	85.	mg/kg	11.	1.1	09/06/05 17:42	CPR	68553-00-4	
Fuel Oil	ND	mg/kg	11.	1.1	09/06/05 17:42	CPR	68553-00-4	
Motor Oil	ND	mg/kg	11.	1.1	09/06/05 17:42	CPR		
n-Tetracosane (S)	81	*		1.0	09/06/05 17:42	CPR	646-31-1	
p-Terphenyl (S)	60	x		1.0	09/06/05 17:42	CPR	92-94-4	1
Date Extracted	09/06/05				09/06/05			
Organics Prep								
Percent Moisture	Method: SM 2	2540G						
Percent Moisture	8.6	*		1.0	09/06/05	JDM		

Date: 09/13/05

Page: 5 of 31

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6099307

Client Project ID: N. Mex Pit Program Summer 2005

Lab Sample No:

608514436

Project Sample Number: 6099307-007

Date Collected: 08/17/05 13:25

Client Sample ID: 132517AUG05			Matrix: Soil				Date Received: 09/02/05 08:30			
Parameters	Results	Units	Report Limit	DF	Analyzed	Ву	CAS No.	Qual	RegLmt	
GC Semivolatiles										
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2								
Mineral Spirits	ND	mg/kg	11.	1.1	09/06/05 18:46	CPR				
Jet Fuel	ND	mg/kg	11.	1.1	09/06/05 18:46	CPR	94114-58-6			
Kerosene	ND	mg/kg	11.	1.1	09/06/05 18:46	CPR				
Diesel Fuel	ND	mg/kg	11.	1.1	09/06/05 18:46	CPR	68553-00-4			
Fuel Oil	ND	mg/kg	11.	1.1	09/06/05 18:46	CPR	68553-00-4			
Motor Oil	ND	mg/kg	11.	+ 1.1	09/06/05 18:46	5 CPR				
Total Petroleum Hydrocarbons	600	mg/kg	11.	1.1	09/06/05 18:46	5 CPR		2		
n-Tetracosane (S)	79	*		1.0	09/06/05 18:46	5 CPR	646-31-1			
p-Terphenyl (S)	60	* .		1.0	09/06/05 18:46	5 CPR	92-94-4	1		
Date Extracted	09/06/05				09/06/05					
Organics Prep										
Percent Moisture	Method: SM 2	2540G								
Percent Moisture	8.6	*		1.0	09/06/05	JDM				
GC Volatiles										
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	ledium Soil / E	PA 802	1					
Benzene	1400	ug/kg	1100		09/06/05 15:32	2 SHF	71-43-2			
Ethylbenzene	5600	ug/kg	1100	21.4	09/06/05 15:32	2 SHF	100-41-4			
Toluene	24000	ug/kg	1100	21.4	09/06/05 15:32	2 SHF	108-88-3			
Xylene (Total)	72000	ug/kg	2800	21.4	09/06/05 15:32	2 SHF	1330-20-7			
a,a,a-Trifluorotoluene (S)	89	*	•	1.0	09/06/05 15:32	2 SHF	98-08-8			

Date: 09/13/05

Page: 6 of 31

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





Pace Analytical Services, Inc. 9608 Loiret Blvd.

> Lenexa, KS 66219 Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6093057

Client Project ID: NM PITS 1st Quarter 2005

Lab Sample No: 60

607994431

Project Sample Number: 6093057-003

Date Collected: 03/09/05 18:20

Client Sample ID: 182009MAR05

Matrix: Soil

Date Received: 03/23/05 08:18

Results	<u>Units</u>	Report Limit	DF	Analyzed	Ву	CAS No.	Qua1	RegLmt
Prep/Method:	OA2 / OA2							
ND	mg/kg	.13.	1.3	03/24/05 21:50	RMN1	•		
ND	mg/kg	13.	1.3	03/24/05 21:50	RMN1			
ND	mg/kg	13.	1.3	03/24/05 21:50	RMN1			
ND	mg/kg	13.	1.3	03/24/05 21:50	RMN1	68334-30-5		
ND	mg/kg	13.	1.3	03/24/05 21:50	RMN1	68334-30-5		
ND	mg/kg	13.	1.3	03/24/05 21:50	RMN1			
420	mg/kg	13.	1.3	03/24/05 21:50	RMN1		2	
91	*		1.0	03/24/05 21:50	RMN1	646-31-1		
105	*		1.0	03/24/05 21:50	RMN1	92-94-4		
03/24/05				03/24/05				
	,							
Method: SM 2	540G							
24.6	*		1.0	03/24/05	CPR			
Prep/Method:	EPA 5030 M	edium Soil / E	PA 8260	1				
, ND	ug/kg	710			JKL	71-43-2		
8200	ug/kg	710	14.1	03/23/05 18:25	JKL	108-88-3		
2000	ug/kg	710	14.1	03/23/05 18:25	JKL	100-41-4		
260000	ug/kg	2100	14.1	03/23/05 18:25	JKL	1330-20-7		
93	×		1.0	03/23/05 18:25	JKL	1868-53-7		
88	×		1.0	03/23/05 18:25	JKL	17060-07-0		
122	X		1.0	03/23/05 18:25	JKL	2037-26-5	3	
103	*		1.0	03/23/05 18:25	JKL.	460-00-4		
	Prep/Method:     ND     ND     ND     ND     ND     ND     A20     91     105 03/24/05  Method: SM 2     24.6  Prep/Method:     ND     8200     2000 260000     93     88     122	Prep/Method: 0A2 / 0A2  ND mg/kg  ND mg/kg  ND mg/kg  ND mg/kg  ND mg/kg  ND mg/kg  A20 mg/kg  420 mg/kg  91 %  105 %  03/24/05  Method: SM 2540G  24.6 %  Prep/Method: EPA 5030 M  ND ug/kg  2000 ug/kg  2000 ug/kg  260000 ug/kg  93 %  88 %  122 %	Prep/Method: OA2 / OA2  ND mg/kg 13.  420 mg/kg 13.  420 mg/kg 13.  91 % 105 % 03/24/05  Method: SM 2540G 24.6 %  Prep/Method: EPA 5030 Medium Soil / E  ND ug/kg 710 8200 ug/kg 710 2000 ug/kg 710 260000 ug/kg 710 260000 ug/kg 2100 93 % 88 % 122 %	Prep/Method: OA2 / OA2  ND mg/kg 13. 1.3  A20 mg/kg 13. 1.3  420 mg/kg 13. 1.3  91 % 1.0  105 % 1.0  O3/24/05  Method: SM 2540G  24.6 % 1.0  Prep/Method: EPA 5030 Medium Soil / EPA 8260  ND ug/kg 710 14.1  8200 ug/kg 710 14.1  2000 ug/kg 710 14.1  2000 ug/kg 710 14.1  260000 ug/kg 710 14.1  260000 ug/kg 2100 14.1  93 % 1.0  88 % 1.0	Prep/Method: OA2 / OA2  ND mg/kg 13. 1.3 03/24/05 21:50  A20 mg/kg 13. 1.3 03/24/05 21:50  420 mg/kg 13. 1.3 03/24/05 21:50  91	Prep/Method: OA2 / OA2  ND mg/kg 13. 1.3 03/24/05 21:50 RMN1  A20 mg/kg 13. 1.3 03/24/05 21:50 RMN1  420 mg/kg 13. 1.3 03/24/05 21:50 RMN1  91	Prep/Method: OA2 / OA2  ND mg/kg 13. 1.3 03/24/05 21:50 RMN1 68334-30-5 ND mg/kg 13. 1.3 03/24/05 21:50 RMN1 68334-30-5 ND mg/kg 13. 1.3 03/24/05 21:50 RMN1 68334-30-5 ND mg/kg 13. 1.3 03/24/05 21:50 RMN1 420 mg/kg 13. 1.3 03/24/05 21:50 RMN1 91	Prep/Method: OA2 / OA2  ND mg/kg 13. 1.3 03/24/05 21:50 RMN1 68334-30-5 ND mg/kg 13. 1.3 03/24/05 21:50 RMN1 2 91

 ${\tt Comments: The \ sample \ was \ received \ and \ analyzed \ outside \ of \ EPA \ recommended \ holding \ time.}$ 

Date: 03/30/05

Page: 3 of 28

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

