

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

WFS CLOSURE

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: MCELVAIN OIL AND GAS PROPERTIES INC Telephone: _____ e-mail address: _____
Address: PO BOX 2148 SANTA FE, NM 87504
Facility or well name: PAYNE #002J API #: 30-045-22962 U/L or Qtr/Qtr E SEC 12 T 29N R 12W
County: SAN JUAN Latitude 36.74253 Longitude -108.056 NAD: 1927 ☒ 1983 ☐
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit

Type: Drilling ☐ Production ☒ Disposal ☐

Workover ☐ Emergency ☐

Lined ☐ Unlined ☒

Liner Type: Synthetic ☒ Thickness _____ mil Clay ☒

Pit Volume 77 bbl

Below-grade tank

Volume: _____ bbl Type of fluid: _____

Construction Material: _____

Double-walled, with leak detection? Yes ☒ If not, explain why not.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet
50 feet or more, but less than 100 feet
100 feet or more

(20 points)
(10 points)
(0 points)

0

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes
No

(20 points)
(0 points)

0

Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet
200 feet to 1,000 feet
Greater than 1,000 feet

(20 points)
(10 points)
(0 points)

0

Ranking Score (TOTAL POINTS):


0

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____. ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

Meter: 34819

Bedrock



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ , or an (attached) alternative OCD-approved plan ☒

Date: 10/3/05

Printed Name/Title Mark Harvey for Williams Field Services

Signature Mark Harvey

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 3

Signature Denny Teut

FEB 02 2006
Date:

ADDENDUM TO OCD FORM C-144


Operator: MCELVAIN OIL AND GAS PROPERTIES INC

API 30-045-22962


Well Name: PAYNE #002J

Meter: 34819

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 12 Ft.

Width 12 Ft.

Depth 3 Ft.

Location of Pit Center

Latitude 36.74269

Longitude -108.05593

(NAD 1927)

Pit ID

348191

Pit Type

Other

Date Closure Started: 1/13/05

Date Closure Completed: 1/13/05

Closure Method: Excavated, Blended, Treated Soil Returned

Bedrock Encountered ? ☒

Cubic Yards Excavated: 21

Vertical Extent of Equipment Reached ? ☐

Description Of Closure Action:

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

BEDROCK limited vertical excavation and/or prevented sampling. This condition limits deleterious environmental effects.

Pit Closure Sampling:

Sample ID	Sample Date	Head Space	BTEX Total (mg/kg)	Benzene (mg/kg)	TPH DRO (mg/kg)	Purpose	Location	Depth
140815MAR04	3/15/04		220	0	540	ASSESS	Flr	3
143013JAN05	1/13/05	125	0.284	0	180	EX Confirm	Walls	4
143513JAN05	1/13/05	210	716	0	550	EX Confirm	Flr	4

See Risk Analysis

See Risk Analysis

Lab Project Number: 6091105
Client Project ID: N. Mex Pit Program

Lab Sample No: 607842184 Project Sample Number: 6091105-008 Date Collected: 01/13/05 14:30
Client Sample ID: 143013JAN05 Matrix: Soil Date Received: 01/21/05 09:10

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	ReqLmt
------------	---------	-------	--------------	----	----------	----	---------	------	--------

GC Semivolatiles

Total Extractable Hydrocarbons	Prep/Method: OA2 / OA2								
Mineral Spirits	ND	mg/kg	11.	1.1	01/25/05 07:41	RMN1			
Jet Fuel	ND	mg/kg	11.	1.1	01/25/05 07:41	RMN1			
Kerosene	ND	mg/kg	11.	1.1	01/25/05 07:41	RMN1			
Diesel Fuel	ND	mg/kg	11.	1.1	01/25/05 07:41	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	11.	1.1	01/25/05 07:41	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	11.	1.1	01/25/05 07:41	RMN1			
Total Petroleum Hydrocarbons	180	mg/kg	11.	1.1	01/25/05 07:41	RMN1		6	
n-Tetracosane (S)	101	%		1.0	01/25/05 07:41	RMN1	646-31-1		
p-Terphenyl (S)	97	%		1.0	01/25/05 07:41	RMN1	92-94-4		
Date Extracted	01/24/05				01/24/05				

Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	9.3	%		1.0	01/25/05	ALJ1			

GC Volatiles

Aromatic Volatile Organics	Prep/Method: EPA 5030 Medium Soil / EPA 8021								
Benzene	ND	ug/kg	54.	1.1	01/24/05 22:01		71-43-2		
Ethylbenzene	54.	ug/kg	54.	1.1	01/24/05 22:01		100-41-4		
Toluene	ND	ug/kg	54.	1.1	01/24/05 22:01		108-88-3		
Xylene (Total)	230	ug/kg	140	1.1	01/24/05 22:01		1330-20-7		
a,a,a-Trifluorotoluene (S)	86	%		1.0	01/24/05 22:01		98-08-8		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 6091105
Client Project ID: N. Mex Pit Program

Lab Sample No: 607842192 Project Sample Number: 6091105-009 Date Collected: 01/13/05 14:35
Client Sample ID: 143513JAN05 Matrix: Soil Date Received: 01/21/05 09:10

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method: OA2 / OA2								
Mineral Spirits	ND	mg/kg	13.	1.3	01/25/05 07:59	RMN1			
Jet Fuel	ND	mg/kg	13.	1.3	01/25/05 07:59	RMN1			
Kerosene	ND	mg/kg	13.	1.3	01/25/05 07:59	RMN1			
Diesel Fuel	ND	mg/kg	13.	1.3	01/25/05 07:59	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	13.	1.3	01/25/05 07:59	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	13.	1.3	01/25/05 07:59	RMN1			
Total Petroleum Hydrocarbons	550	mg/kg	13.	1.3	01/25/05 07:59	RMN1		5	
n-Tetracosane (S)	104	%		1.0	01/25/05 07:59	RMN1	646-31-1		
p-Terphenyl (S)	103	%		1.0	01/25/05 07:59	RMN1	92-94-4		
Date Extracted	01/24/05				01/24/05				

Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	22.6	%		1.0	01/25/05	ALJ1			

GC Volatiles

Aromatic Volatile Organics	Prep/Method: EPA 5030 Medium Soil / EPA 8021								
Benzene	ND	ug/kg	32000	646	01/25/05 18:10		71-43-2		
Ethylbenzene	46000	ug/kg	32000	646	01/25/05 18:10		100-41-4		
Toluene	220000	ug/kg	32000	646	01/25/05 18:10		108-88-3		
Xylene (Total)	450000	ug/kg	84000	646	01/25/05 18:10		1330-20-7		
a,a,a-Trifluorotoluene (S)	104	%		1.0	01/25/05 18:10		98-08-8	3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 6080621

Client Project ID: N.M. Pit Program

Lab Sample No: 606936334
Client Sample ID: 140815MAR04

Project Sample Number: 6080621-004
Matrix: Soil

Date Collected: 03/15/04 14:08
Date Received: 03/23/04 09:00

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method: OA2 / OA2								
Mineral Spirits	ND	mg/kg	12.	1.2	03/27/04 03:04	RMN1			
Jet Fuel	ND	mg/kg	12.	1.2	03/27/04 03:04	RMN1			
Kerosene	ND	mg/kg	12.	1.2	03/27/04 03:04	RMN1			
Diesel Fuel	ND	mg/kg	12.	1.2	03/27/04 03:04	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	12.	1.2	03/27/04 03:04	RMN1	68334-30-5		
Motor Oil	540	mg/kg	12.	1.2	03/27/04 03:04	RMN1		7	
n-Tetracosane (S)	111	%		1.0	03/27/04 03:04	RMN1	646-31-1		
p-Terphenyl (S)	117	%		1.0	03/27/04 03:04	RMN1	92-94-4		
Date Extracted	03/25/04				03/25/04				

Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	16.8	%		1.0	03/25/04	DPB			

GC Volatiles

Aromatic Volatile Organics	Prep/Method: EPA 5030 Medium Soil / EPA 8021								
Benzene	ND	ug/kg	6000	120	03/24/04 19:49		71-43-2		
Ethylbenzene	20000	ug/kg	6000	120	03/24/04 19:49		100-41-4		
Toluene	ND	ug/kg	6000	120	03/24/04 19:49		108-88-3		
Xylene (Total)	200000	ug/kg	15000	120	03/24/04 19:49		1330-20-7		
a,a,a-Trifluorotoluene (S)	0	%		1.0	03/24/04 19:49		98-08-8	4,5	

Date: 03/31/04

Page: 4 of 24

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

