District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank Operator: Burlington Resources Telephone: (505) 326-9841 e-mail address: LHasely@br-inc.com Address: 3401 East 30th Street, Farmington, New Mexico, 87402 Facility or well name: Roelofs E 202 API #: 30045271520000 __ U/L or Qtr/Qtr __C _ Sec __22 _ T __29N _ R <u>8W</u> County: Rio Arriba Latitude 36,715600 Longitude _-107.667383 NAD: 1927 🛛 1983 🔲

Surface Owner: Federal ☑ State ☐ Private ☐ Indian ☐					
<u>Pit</u>	Below-grade tank				
Type: Drilling Production Disposal	Volume: 40 bbl Type of fluid: Produced Water and Incidental Oil				
Workover ☐ Emergency ☐	Construction material: Fiberglass				
Lined Unlined	Double-walled, with leak detection? Yes 🛛 If not, explain why not.				
Liner type: Synthetic Thicknessmil Clay _					
Pit Volumebbl					
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)			
	50 feet or more, but less than 100 feet	(10 points)			
high water elevation of ground water.)	100 feet or more	(0 points) 0			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
inigation canais, diteries, and perchinal and epitemeral watercourses.)	1000 feet or more	(0 points) 10			
	Ranking Score (Total Points)	10			
date. (4) Groundwater encountered: No 🖾 Yes 🗌 If yes, show depth bel (5) Attach soil sample results and a diagram of sample locations and excava Additional Comments: BGT A The soils tested clean and no soil remediation was required.		FEB 2006 OL COMS DIV.			
		CONTRACTOR OF THE CONTRACTOR O			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: 2/16/66 Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Approval: Printed Name/Title Signature	Tenf Date: FEB 2 1 2	<u>2006</u>			

CLIENT: & Birtington Resources	ENVIRONME! 5796 FARMIN	IROTECH NTAL SCIENTISTS U.S. HIGHWAY (IGTON, NEW MEX ONE: (505) 632-	& ENGINEERS 54-3014 ICO 87401		ſ	ON NO:	
FIELD REPOR	T: CLOSU	RE VI	ERIFIC	ATION	PAGE N	o: _\ of _(
LOCATION: <u>NAME: Roe lof</u> QUAD/UNIT: <u>C</u> SEC:					- 5.75 50.00	TED: 215 06 SHED: 215 06	
QTR/FOOTAGE:		RACTOR:		_	ENVIRONME SPECIALIST	MPM/GW	sC
EXCAVATION APPROX DISPOSAL FACILITY: LAND USE:	NA	R	EMEDIATIO	ON METH	DD:		-
FIELD NOTES & REMARI	NEAREST WATER SI	DURCE: >100	Ć NE				AD.
NMOCD RANKING SCORE: 10 SOIL AND EXCAVATION BOT A	N DESCRIPTION:			义	CHECK PIT ABA STEEL		.ED
BOT A Soil tester clenn		FIEL	D_418.1_CAL		NULTION DE	ADING CALC.	
SCALE	TIME SAMPLE 1.D.	LAB No:	S.O	ZO		ADING CALC. ppn	
SCALE							
O FT		OVM			DDOI		
PIT PERIME		RESULTS		PIT	PROF	1LL	
10/ 12 Deny (86T 2)	SAMPID 1 3 b. 1 2 3 4 5 SAMPLE ID	AB SAMPL	ADSPACE (ppm) P P M E S TIME	6'		3'	
TRAVEL NOTES: CALLOUT:		01	NSITE:		•		



CONTINUOUS CALIBRATION EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Cal. Date:

15-Feb-06

Parameter	Standard Concentration mg/L	Concentration Reading mg/L	
TPH	100		
	200	194	
	500		
	1000		

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

May Craft
Analyst

2/15/06

Review

2/15/04 Date



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-046-118

Sample No.:

1

Date Reported:

2/15/2006

Sample ID:

Discrete sample 3' below BGT

Date Reported:

2/15/2006

Sample Matrix:

Soil

Date Analyzed:

2/15/2006

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

16.0

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Roelofs E No. 202, BGT A

Instrument calibration checked against 200 ppm standard. Zeroed before each sample

Analyst

Review