1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

## State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

# Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Ves V No


Type of action: Registration of a pit or below	y-grade tank Closure of a pit or below-grade tank	✓							
Operator: BURLINGTON RESOURCES OIL & GAS CO Telephone:	e-mail address:								
Address: 801 CHERRY ST FORT WORTH, TX 76102									
Facility or well name: HARPER #003 API #: 30-045-2	24675 U/L or Qtr/Qtr P SEC	<u>14</u> T <u>31N</u> R <u>12W</u>							
County: <u>SAN JUAN</u> Latitude Surface Owner: Federal □ State □ Private ✔ Indian □	Longitude	NAD: 1927 🗹 1983 🗌							
Pit Type: Drilling □ Production ☑ Disposal □  Workover □ Emergency □  Lined □ Unlined ☑  Liner Type: Synthetic □ Thickness mil Clay □  Pit Volume 77 bbl	Below-grade tank  Volume: bbl Type of fluid:  Construction Material:  Double-walled, with leak detection? Yes If not, explain why not.								
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)							
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>							
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)							
	Ranking Score (TOTAL POINTS):	<u>0</u>							
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite if offsite, name of facility (3)Attach a general description of remedial action taken including remediation start date and end date. (4)Groundwater encountered: No very yes if yes, show depth below ground surface ft. and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.									
Additional Comments:  FEB 2006  OIST. 3									
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan									
Date:	inature MIZJUG, FOR WES								
Your certification and NMOCD approval of this application/closure does not relieve or otherwise endanger public health or the environment. Nor does it relieve the operegulations.	•	•							
Approval: Printed Name/Title Signa	ature 1 Jerry Feery	Date: EB 0 2 200							

### **ADDENDUM TO OCD FORM C-144**


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

Well Name: <u>HARPER #003</u> Meter: <u>39300</u>

**Facility Diagram:** 



Sampling Diagram:



Pit Dimensions

**Location of Pit Center** 

Pit ID

API 30-045-24675

Length 12 Ft.

Latitude

393001

Width 12 Ft.

Longitude

Pit Type

Depth 3 Ft.

(NAD 1927)

Glycol Dehydrator

**Date Closure Started:** 1/21/05

**Date Closure Completed:** <u>1/21/05</u>

**Closure Method:** 

Excavated, Blended, Treated Soil Returned

Bedrock Encountered?

\_\_\_

Cubic Yards Excavated: 16

Vertical Extent of Equipment Reached?

#### **Description Of Closure Action:**

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

BEDROCK limited vertical excavation and/or prevented sampling. This condition limits deleterious environmental effects.

Pit	Closure	Sampling:	
111	Ciosuic	Samping.	

Sample ID Sample Head BTEX Benzene TPH Purpose Location Depth Date Space Total (mg/kg) DRO

(mg/kg) (mg/kg)

083021JAN05 1/21/05 22.5 0 2000 EX Confirm Walls 2

083521JAN05 1/21/05 215 10.09 0 420 LF Confirm Flr



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6091205

Client Project ID: N. Mex. Pit Program Winter 05

Solid results are reported on a dry weight basis

Lab Sample No: 607850336 Project Sample Number: 6091205-001 Date Collected: 01/21/05 08:30

ient Sample ID: 083021JAN05 Matrix: Soil Date Received: 01/26/05 09:00

Client Sample ID: 083021JAN05				Matrix: Soil			- (	Date Receive	d: 01/26/05 09	01/26/05 09:00	
Parameters	Results	Unit:	s Report Limit	DF	Anal	yzed	Ву	CAS No.	Qual RegLmt	:	
GC Semivolatiles											
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2	2								
Mineral Spirits	ND	mg/kg	12.	1.2	01/29/05	16:50	RMN1				
Jet Fuel	ND	mg/kg	12.	1.2	01/29/05	16:50	RMN1				
Kerosene	ND	mg/kg	12.	1.2	01/29/05	16:50	RMN1				
Diesel Fuel	ND	mg/kg	12.	1.2	01/29/05	16:50	RMN1	68334-30-5			
Fuel Oil	ND	mg/kg	12.	1.2	01/29/05	16:50	RMN1	68334-30-5			
Motor 0il	ND	mg/kg	12.	1.2	01/29/05	16:50	RMN1				
Total Petroleum Hydrocarbons	2000	mg/kg	12.	1.2	01/29/05	16:50	RMN1		1		
n-Tetracosane (S)	268	X		1.0	01/29/05	16:50	RMN1	646-31-1	2		
p-Terphenyl (S)	109	*		1.0	01/29/05	16:50	RMN1	92-94-4			
Date Extracted	01/28/05				01/28/05						
Organics Prep											
Percent Moisture	Method: SM 2	540G									
Percent Moisture	21.0	*		1.0	01/31/05		ALJ1				
GC Volatiles											
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soil / (	EPA 802	1						
Benzene	ND	ug/kg	470		01/30/05	09:50		71-43-2			
Ethylbenzene	1100	ug/kg	470	9.3	01/30/05	09:50		100-41-4			
Toluene	1400	ug/kg	470	9.3	01/30/05	09:50		108-88-3			
Xylene (Total)	20000	ug/kg	1200	9.3	01/30/05	09:50		1330-20-7			
a,a,a-Trifluorotoluene (S)	79	*		1.0	01/30/05	09:50		98-08-8			

Date: 02/02/05

Page: 1 of 12

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6091205

Client Project ID: N. Mex. Pit Program Winter 05

Lab Sample No: 607850344 Project Sample Number: 6091205-002

Date Collected: 01/21/05 08:35

Date Received: 01/26/05 09:00

Client Sample ID: 083521JAN05				Matrix: Soil				Date Received: 01/26/05 09:0			
Parameters	Results	Units	Report Limit	_DF	Analy	zed	Ву	CAS No.	Qua1	RegLmt	
GC Semivolatiles								-			
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2									
Mineral Spirits	ND	mg/kg	11.	1.1	01/29/05	11:17	RMN1				
Jet Fuel	ND	mg/kg	11.	1.1	01/29/05	11:17	RMN1				
Kerosene	ND	mg/kg	11.	1.1	01/29/05	11:17	RMN1				
Diesel Fuel	ND	mg/kg	11.	1.1	01/29/05	11:17	RMN1	68334-30-5			
Fuel Oil	ND	mg/kg	11.	1.1	01/29/05	11:17	RMN1	68334-30-5			
Motor Oil	ND	mg/kg	11.	1.1	01/29/05	11:17	RMN1				
Total Petroleum Hydrocarbons	420	mg/kg	11.	1.1	01/29/05	11:17	RMN1		1.		
n-Tetracosane (S)	139	*		1.0	01/29/05	11:17	RMN1	646-31-1			
p-Terphenyl (S)	127	*		1.0	01/29/05	11:17	RMN1	92-94-4			
Date Extracted	01/28/05				01/28/05						
Organics Prep											
Percent Moisture	Method: SM 2	540G									
Percent Moisture	11.7	. <b>x</b>		1.0	01/31/05		ALJ1				
GC Volatiles											
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soil / E	PA 802:	1						
Benzene	ND	ug/kg	500	10.0	01/30/05	10:18		71-43-2			
Ethylbenzene	890	ug/kg	500	10.0	01/30/05	10:18		100-41-4			
Toluene	1100	ug/kg	500	10.0	01/30/05	10:18		108-88-3			
Xylene (Total)	8100	ug/kg	1300	10.0	01/30/05	10:18		1330-20-7			
a,a,a·Trifluorotoluene (S)	84	*		1.0	01/30/05	10:18		98-08-8			

Date: 02/02/05

Page: 2 of 12

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

