

District I.
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

WFS CLOSURE

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: DEVON ENERGY PRODUCTION COMPAN Telephone:

e-mail address:

Address: 20 N BROADWAY OKLAHOMA CITY, OK 73102

Facility or well name: NORTHEAST BLANCO UNIT #048 API #: 30-045-60249

U/L or Qtr/Qtr H SEC 32 T 31N R 7W

County: SAN JUAN

Latitude 36 51.529 N

Longitude 107 35.310 W

NAD: 1927 ☒ 1983 ☐

Surface Owner: Federal ☐ State ☒ Private ☐ Indian ☐

Pit

Type: Drilling ☐ Production ☒ Disposal ☐

Workover ☐ Emergency ☐

Lined ☐ Unlined ☒

Liner Type: Synthetic ☒ Thickness mil Clay ☐

Pit Volume 40 bbl

Below-grade tank

Volume: bbl Type of fluid:

Construction Material:

Double-walled, with leak detection? Yes ☒ If not, explain why not.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet
50 feet or more, but less than 100 feet
100 feet or more

(20 points)
(10 points)
(0 points)

0

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes
No

(20 points)
(0 points)

0

Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet
200 feet to 1,000 feet
Greater than 1,000 feet

(20 points)
(10 points)
(0 points)

0


Ranking Score (TOTAL POINTS):

0

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

Meter: 71844



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ , or an (attached) alternative OCD-approved plan ☒

Date: 10/3/05

Printed Name/Title Mark Harvey for Williams Field Services

Signature Mr. Harvey FOR WFS

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. IV

Signature [Signature]

FEB 02 2006
Date:

ADDENDUM TO OCD FORM C-144


Operator: DEVON ENERGY PRODUCTION COMPANY, LP

API 30-045-60249


Well Name: NORTHEAST BLANCO UNIT #048

Meter: 71844

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 15 Ft.

Width 15 Ft.

Depth 1 Ft.

Location of Pit Center

Latitude 36 51.540 N

Longitude 07 35.315 W

(NAD 1927)

Pit ID

718441

Pit Type

Glycol Dehydrator

Date Closure Started: 7/20/05

Date Closure Completed: 7/20/05

Closure Method: Excavated, Blended, Treated Soil Returned

Bedrock Encountered ? ☒

Cubic Yards Excavated: 67

Vertical Extent of Equipment Reached ? ☐

Description Of Closure Action:

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

BEDROCK limited vertical excavation and/or prevented sampling. This condition limits deleterious environmental effects.

Pit Closure Sampling:

Sample ID	Sample Date	Head Space	BTEX Total (mg/kg)	Benzene (mg/kg)	TPH DRO (mg/kg)	Purpose	Location	Depth	
124626APR05	4/26/05		146.8	0	5900	ASSESS	Flr	3	
150220JUL05	7/20/05	113	4.58	0	4200	EX Confirm	Walls	7	See Risk Analysis
151020JUL05	7/20/05	155	0.24	0	220	EX Confirm	Flr	8	See Risk Analysis

Lab Project Number: 6094420
Client Project ID: N. Mex Pit Program

Lab Sample No: 608110789 Project Sample Number: 6094420-008 Date Collected: 04/26/05 12:46
Client Sample ID: 124626APR05 Matrix: Soil Date Received: 04/28/05 09:10

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method: OA2 / OA2								
Mineral Spirits	ND	mg/kg	12.		1.2 05/05/05 06:11	RMN1			
Jet Fuel	ND	mg/kg	12.		1.2 05/05/05 06:11	RMN1			
Kerosene	ND	mg/kg	12.		1.2 05/05/05 06:11	RMN1			
Diesel Fuel	ND	mg/kg	12.		1.2 05/05/05 06:11	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	12.		1.2 05/05/05 06:11	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	12.		1.2 05/05/05 06:11	RMN1			
Total Petroleum Hydrocarbons	5900	mg/kg	12.		1.2 05/05/05 06:11	RMN1		1	
n-Tetracosane (S)	124	%			1.0 05/05/05 06:11	RMN1	646-31-1		
p-Terphenyl (S)	99	%			1.0 05/05/05 06:11	RMN1	92-94-4		
Date Extracted	05/04/05				05/04/05				

Organics Prep

Percent Moisture Method: SM 2540G
Percent Moisture 19.5 % 1.0 04/29/05 ALJ1

GC Volatiles

Aromatic Volatile Organics Prep/Method: EPA 5030 Medium Soil / EPA 8021

Benzene	ND	ug/kg	2400	48.3 05/03/05 17:55	SHF	71-43-2
Ethylbenzene	4800	ug/kg	2400	48.3 05/03/05 17:55	SHF	100-41-4
Toluene	22000	ug/kg	2400	48.3 05/03/05 17:55	SHF	108-88-3
Xylene (Total)	120000	ug/kg	6300	48.3 05/03/05 17:55	SHF	1330-20-7
a,a,a-Trifluorotoluene (S)	96	%		1.0 05/03/05 17:55	SHF	98-08-8

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 6098435
Client Project ID: N MEX PIT PROGRAM

Lab Sample No: 608444667 Project Sample Number: 6098435-015 Date Collected: 07/20/05 15:02
Client Sample ID: 150220JUL05 Matrix: Soil Date Received: 08/11/05 09:00

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	RegLmt
------------	---------	-------	--------------	----	----------	----	---------	------	--------

GC Semivolatiles

Total Extractable Hydrocarbons Prep/Method: OA2 / OA2									
Mineral Spirits	ND	mg/kg	23.	2.3	08/17/05 00:03	CPR			
Jet Fuel	ND	mg/kg	23.	2.3	08/17/05 00:03	CPR	94114-58-6		
Kerosene	ND	mg/kg	23.	2.3	08/17/05 00:03	CPR			
Diesel Fuel	ND	mg/kg	23.	2.3	08/17/05 00:03	CPR	68553-00-4		
Fuel Oil	ND	mg/kg	23.	2.3	08/17/05 00:03	CPR	68553-00-4		
Motor Oil	ND	mg/kg	23.	2.3	08/17/05 00:03	CPR			
Total Petroleum Hydrocarbons	4200	mg/kg	23.	2.3	08/17/05 00:03	CPR		2	
n-Tetracosane (S)	117	%		1.0	08/17/05 00:03	CPR	646-31-1		
p-Terphenyl (S)	120	%		1.0	08/17/05 00:03	CPR	92-94-4		
Date Extracted	08/11/05				08/11/05				

Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	14.4	%		1.0	08/11/05	JDM			

GC Volatiles

Aromatic Volatile Organics Prep/Method: EPA 5030 Medium Soil / EPA 8021									
Benzene	ND	ug/kg	290	5.8	08/16/05 09:17	SHF	71-43-2		
Ethylbenzene	ND	ug/kg	290	5.8	08/16/05 09:17	SHF	100-41-4		
Toluene	580	ug/kg	290	5.8	08/16/05 09:17	SHF	108-88-3		
Xylene (Total)	4000	ug/kg	750	5.8	08/16/05 09:17	SHF	1330-20-7		
a,a,a-Trifluorotoluene (S)	94	%		1.0	08/16/05 09:17	SHF	98-08-8	6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 6098435
Client Project ID: N MEX PIT PROGRAM

Lab Sample No: 608444675 Project Sample Number: 6098435-016 Date Collected: 07/20/05 15:10
Client Sample ID: 151020JUL05 Matrix: Soil Date Received: 08/11/05 09:00

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method: OA2 / OA2								
Mineral Spirits	ND	mg/kg	11.	1.1	08/12/05 19:58	CPR			
Jet Fuel	ND	mg/kg	11.	1.1	08/12/05 19:58	CPR	94114-58-6		
Kerosene	ND	mg/kg	11.	1.1	08/12/05 19:58	CPR			
Diesel Fuel	ND	mg/kg	11.	1.1	08/12/05 19:58	CPR	68553-00-4		
Fuel Oil	ND	mg/kg	11.	1.1	08/12/05 19:58	CPR	68553-00-4		
Motor Oil	ND	mg/kg	11.	1.1	08/12/05 19:58	CPR			
Total Petroleum Hydrocarbons	220	mg/kg	11.	1.1	08/12/05 19:58	CPR		2	
n-Tetracosane (S)	86	%		1.0	08/12/05 19:58	CPR	646-31-1		
p-Terphenyl (S)	81	%		1.0	08/12/05 19:58	CPR	92-94-4		
Date Extracted	08/11/05				08/11/05				

Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	8.2	%		1.0	08/11/05	JDM			

GC Volatiles

Aromatic Volatile Organics	Prep/Method: EPA 5030 Medium Soil / EPA 8021								
Benzene	ND	ug/kg	54.	1.1	08/16/05 11:21	SHF	71-43-2		
Ethylbenzene	ND	ug/kg	54.	1.1	08/16/05 11:21	SHF	100-41-4		
Toluene	ND	ug/kg	54.	1.1	08/16/05 11:21	SHF	108-88-3		
Xylene (Total)	240	ug/kg	140	1.1	08/16/05 11:21	SHF	1330-20-7		
a,a,a-Trifluorotoluene (S)	93	%		1.0	08/16/05 11:21	SHF	98-08-8		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.