

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

WFS CLOSURE

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BURLINGTON RESOURCES OIL & GAS CO Telephone: _____ e-mail address: _____
Address: 801 CHERRY ST FORT WORTH, TX 76102
Facility or well name: HANKS #025 API #: 30-045-24683 U/L or Qtr/Qtr B SEC 6 T 27N R 9W
County: SAN JUAN Latitude 36.60926 Longitude -107.82431 NAD: 1927 ☒ 1983 ☐
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit

Type: Drilling ☐ Production ☒ Disposal ☐

Workover ☐ Emergency ☐

Lined ☐ Unlined ☒

Liner Type: Synthetic ☒ Thickness _____ mil Clay ☐

Pit Volume 38 bbl

Below-grade tank

Volume: _____ bbl Type of fluid: _____

Construction Material: _____

Double-walled, with leak detection? Yes ☒ If not, explain why not.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet
50 feet or more, but less than 100 feet
100 feet or more

(20 points)
(10 points)
(0 points)

0

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes
No

(20 points)
(0 points)

0

Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet
200 feet to 1,000 feet
Greater than 1,000 feet

(20 points)
(10 points)
(0 points)

0


Ranking Score (TOTAL POINTS):

0

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

Meter: 39376



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐, or an (attached) alternative OCD-approved plan ☒

Date: 10/3/05

Printed Name/Title Mark Harvey for Williams Field Services Signature Mark Harvey

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 3

Printed Name/Title _____ Signature Denny Koff

FEB 02 2006
Date: _____

ADDENDUM TO OCD FORM C-144


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

API 30-045-24683


Well Name: HANKS #025

Meter: 39376

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 12 Ft.

Width 12 Ft.

Depth 1.5 Ft.

Location of Pit Center

Latitude 36.6094

Longitude -107.82411

(NAD 1927)

Pit ID

393761

Pit Type

Other

Date Closure Started: 8/9/05

Date Closure Completed: 8/9/05

Closure Method: Excavated, Blended, Treated Soil Returned

Bedrock Encountered ? ☐

Cubic Yards Excavated: 64

Vertical Extent of Equipment Reached ? ☒

Description Of Closure Action:

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

Vertical extent of excavation limited by equipment

Pit Closure Sampling:

Sample ID	Sample Date	Head Space	BTEX Total (mg/kg)	Benzene (mg/kg)	TPH DRO (mg/kg)	Purpose	Location	Depth	
132009AUG05	8/9/05	111	0	0	37	EX Confirm	Walls	9	See Risk Analysis
132509AUG05	8/9/05	5			0	EX Confirm	Flr	12	
141515JUL04	7/15/04		485	13	1300	ASSESS	Flr	3.5	

Lab Project Number: 6098435
Client Project ID: N MEX PIT PROGRAM

Lab Sample No: 608444626 Project Sample Number: 6098435-011 Date Collected: 08/09/05 13:20
Client Sample ID: 132009AUG05 Matrix: Soil Date Received: 08/11/05 09:00

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	RegLmt
------------	---------	-------	--------------	----	----------	----	---------	------	--------

GC Semivolatiles

Total Extractable Hydrocarbons Prep/Method: OA2 / OA2

Mineral Spirits	ND	mg/kg	11.	1.1	08/13/05 02:03	CPR			
Jet Fuel	ND	mg/kg	11.	1.1	08/13/05 02:03	CPR	94114-58-6		
Kerosene	ND	mg/kg	11.	1.1	08/13/05 02:03	CPR			
Diesel Fuel	ND	mg/kg	11.	1.1	08/13/05 02:03	CPR	68553-00-4		
Fuel Oil	ND	mg/kg	11.	1.1	08/13/05 02:03	CPR	68553-00-4		
Motor Oil	ND	mg/kg	11.	1.1	08/13/05 02:03	CPR			
Total Petroleum Hydrocarbons	37.	mg/kg	11.	1.1	08/13/05 02:03	CPR			1
n-Tetracosane (S)	88	%		1.0	08/13/05 02:03	CPR	646-31-1		
p-Terphenyl (S)	83	%		1.0	08/13/05 02:03	CPR	92-94-4		
Date Extracted	08/11/05				08/11/05				

Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	6.8	%		1.0	08/11/05	JDM			

GC Volatiles

Aromatic Volatile Organics Prep/Method: EPA 5030 Medium Soil / EPA 8021

Benzene	ND	ug/kg	53.	1.1	08/16/05 12:42	SHF	71-43-2		
Ethylbenzene	ND	ug/kg	53.	1.1	08/16/05 12:42	SHF	100-41-4		
Toluene	ND	ug/kg	53.	1.1	08/16/05 12:42	SHF	108-88-3		
Xylene (Total)	ND	ug/kg	140	1.1	08/16/05 12:42	SHF	1330-20-7		
a,a,a-Trifluorotoluene (S)	94	%		1.0	08/16/05 12:42	SHF	98-08-8		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 6098435
Client Project ID: N MEX PIT PROGRAM

Lab Sample No: 608444634 Project Sample Number: 6098435-012 Date Collected: 08/09/05 13:25
Client Sample ID: 132509AUG05 Matrix: Soil Date Received: 08/11/05 09:00

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	ReqLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method: OA2 / OA2								
Mineral Spirits	ND	mg/kg	10.	1.0	08/13/05 02:24	CPR			
Jet Fuel	ND	mg/kg	10.	1.0	08/13/05 02:24	CPR	94114-58-6		
Kerosene	ND	mg/kg	10.	1.0	08/13/05 02:24	CPR			
Diesel Fuel	ND	mg/kg	10.	1.0	08/13/05 02:24	CPR	68553-00-4		
Fuel Oil	ND	mg/kg	10.	1.0	08/13/05 02:24	CPR	68553-00-4		
Motor Oil	ND	mg/kg	10.	1.0	08/13/05 02:24	CPR			
n-Tetracosane (S)	89	%		1.0	08/13/05 02:24	CPR	646-31-1		
p-Terphenyl (S)	86	%		1.0	08/13/05 02:24	CPR	92-94-4		
Date Extracted	08/11/05				08/11/05				

Organics Prep

Percent Moisture	Method: SM 2540G					
Percent Moisture	4.6	%		1.0	08/11/05	JDM

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 6084968
Client Project ID: N.M. Pitts

Lab Sample No: 607318334 Project Sample Number: 6084968-005 Date Collected: 07/15/04 14:15
Client Sample ID: 141515JUL04 Matrix: Soil Date Received: 07/23/04 09:10

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	RegLmt
------------	---------	-------	--------------	----	----------	----	---------	------	--------

GC Semivolatiles

Total Extractable Hydrocarbons	Prep/Method: OA2 / OA2								
Mineral Spirits	ND	mg/kg	12.		1.2 07/27/04 21:23	RMN1			
Jet Fuel	ND	mg/kg	12.		1.2 07/27/04 21:23	RMN1			
Kerosene	ND	mg/kg	12.		1.2 07/27/04 21:23	RMN1			
Diesel Fuel	ND	mg/kg	12.		1.2 07/27/04 21:23	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	12.		1.2 07/27/04 21:23	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	12.		1.2 07/27/04 21:23	RMN1			
Total Petroleum Hydrocarbons	1300	mg/kg	12.		1.2 07/27/04 21:23	RMN1		2	
n-Tetracosane (S)	105	%			1.0 07/27/04 21:23	RMN1	646-31-1		
p-Terphenyl (S)	121	%			1.0 07/27/04 21:23	RMN1	92-94-4		
Date Extracted	07/27/04				07/27/04				

Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	17.3	%			1.0 07/27/04	DPB			

GC Volatiles

Aromatic Volatile Organics	Prep/Method: EPA 5030 Medium Soil / EPA 8021								
Benzene	13000	ug/kg	3000		59.3 07/28/04 10:58		71-43-2		
Ethylbenzene	32000	ug/kg	3000		59.3 07/28/04 10:58		100-41-4		
Toluene	130000	ug/kg	3000		59.3 07/28/04 10:58		108-88-3		
Xylene (Total)	310000	ug/kg	7500		59.3 07/28/04 10:58		1330-20-7		
a,a,a-Trifluorotoluene (S)	0	%			1.0 07/28/04 10:58		98-08-8	4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.