

RECEIVED

In Lieu of
Form 3160-4
(July 1992)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN
DUPLICATE

(See other instructions on
reverse side)

FORM APPROVED
OMB NO. 1004-0137
Expires: February 28, 1995

Farmington Field Office
Bureau of Land Management

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: ☐ OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER		7. UNIT AGREEMENT NAME NMNM 132829	
b. TYPE OF COMPLETION: ☒ NEW WELL ☐ WORKOVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF RESVR ☐ OTHER		8. FARM OR LEASE NAME, WELL NO. NE Chaco Com #254H	
2. NAME OF OPERATOR WPX Energy Production, LLC.		9. API WELL NO. 30-039-31289 -0051	
3. ADDRESS AND TELEPHONE NO. P.O. Box 640, Aztec, NM 87410 (505) 333-1808		10. FIELD AND POOL, OR WILDCAT Chaco Unit NE HZ	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* SHL: 1325' FSL & 250' FWL SEC 5 T23N R6W BHL: 2206' FNL & 246' FEL SEC 1 T23N R7W		11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA SEC 5 23N 6W	
14. PERMIT NO.		DATE ISSUED	
15. DATE SPUDDED 1/21/15		16. DATE T.D. REACHED 5/13/15	
17. DATE COMPLETED (READY TO PRODUCE) 7/21/15		18. ELEVATIONS (DK, RKB, RT, GR, ETC.)* 6830' GR	
20. TOTAL DEPTH, MD & TVD 11587' MD 5494' TVD		21. PLUG, BACK T.D., MD & TVD 11537' MD 5494' TVD	
22. IF MULTICOMP., HOW MANY		23. INTERVALS DRILLED BY	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION - TOP, BOTTOM, NAME (MD AND TVD)* Chaco Unit NE HZ: 6034'-11346' MD		25. WAS DIRECTIONAL SURVEY MADE YES	
26. TYPE ELECTRIC AND OTHER LOGS RUN		27. WAS WELL CORED No	

28. CASING REPORT (Report all strings set in well)					
CASING SIZE/GRADE	WEIGHT, LB./FT	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
9-5/8"	36#, J-55	409' MD	12-1/4"	245sx - surface	
7"	26#, P-110	6000' MD	8-3/4"	1147sx- surface	
4-1/2"	11.6#, P-110	11585' MD	6-1/8"	755sx- surface Includes sidetrack	

29. LINER RECORD				30. TUBING RECORD			
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
4-1/2"	5838.9'				2-3/8", 4.7#, J-55 EUE 8rd	6026'	5791'

31. PERFORATION RECORD (Interval, size, and number) Chaco Unit NE HZ 6034'-11346' MD	32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED
---	--

Gallup 78th - 6, 0.38" holes

OIL CONS. DIV DIST. 3

Gallup 77th - 6, 0.38" holes

AUG 04 2015

Gallup 76th - 6, 0.38" holes

ACCEPTED FOR RECORD

Gallup 75th - 6, 0.38" holes

JUL 31 2015

Gallup 74th - 6, 0.38" holes

FARMINGTON FIELD OFFICE
BY: William Tambekou

Gallup 73rd - 6, 0.38" holes

Gallup 72nd - 6, 0.38" holes

Gallup 71st - 6, 0.38" holes

Gallup 70th - 6, 0.38" holes

6034'-6035'	48,026#, 20/40 PSA Sand
6106'-6107'	53,819#, 20/40 PSA Sand
6176'-6177'	53,891#, 20/40 PSA Sand
6245'-6246'	53,777#, 20/40 PSA Sand
6317'-6318'	53,882# 20/40 PSA Sand
6386'-6387'	53,877#, 20/40 PSA Sand
6456'-6457'	53,969#, 20/40 PSA Sand
6527'-6528'	53,641#, 20/40 PSA Sand
6599'-6600'	54,150# 20/40 PSA Sand

NMCOB
PV

5

Gallup 69th - 6, 0.38" holes

Gallup 68th - 6, 0.38" holes

Gallup 67th - 6, 0.38" holes

Gallup 66th - 6, 0.38" holes

Gallup 65th - 6, 0.38" holes

Gallup 64th - 6, 0.38" holes

Gallup 63rd - 6, 0.38" holes

Gallup 62nd - 6, 0.38" holes

Gallup 61st - 6, 0.38" holes

Gallup 60th - 6, 0.38" holes

Gallup 59th - 6, 0.38" holes

Gallup 58th - 6, 0.38" holes

Gallup 57th - 6, 0.38" holes

Gallup 56th - 6, 0.38" holes

Gallup 55th - 6, 0.38" holes

Gallup 54th - 6, 0.38" holes

Gallup 53rd - 6, 0.38" holes

Gallup 52nd - 6, 0.38" holes

Gallup 51st - 6, 0.38" holes

Gallup 50th - 6, 0.38" holes

Gallup 49th - 6, 0.38" holes

Gallup 48th - 6, 0.38" holes

Gallup 47th - 6, 0.38" holes

Gallup 46th - 6, 0.38" holes

Gallup 45th - 6, 0.38" holes

Gallup 44th - 6, 0.38" holes

Gallup 43rd - 6, 0.38" holes

Gallup 42nd - 6, 0.38" holes

6672'-6673'	53,896#, 20/40 PSA Sand
6743'-6744'	53,349#, 20/40 PSA Sand
6816'-6817'	53,349#, 20/40 PSA Sand
6885'-6886'	53,469#, 20/40 PSA Sand
6954'-6955'	53,712#, 20/40 PSA Sand
7017'-7018'	53,574#, 20/40 PSA Sand
7087'-7088'	53,313#, 20/40 PSA Sand
7160'-7161'	54,036#, 20/40 PSA Sand
7231'-7232'	53,556#, 20/40 PSA Sand
7301'-7302'	53,409#, 20/40 PSA Sand
7367'-7368'	53,476#, 20/40 PSA Sand
7438'-7439'	53,817#, 20/40 PSA Sand
7508'-7509'	53,246# 20/40 PSA Sand
7579'-7580'	52,932#, 20/40 PSA Sand
7649'-7650'	53,033#, 20/40 PSA Sand
7719'-7720'	53,137#, 20/40 PSA Sand
7791'-7792'	54,009#, 20/40 PSA Sand
7860'-7861'	53,660#, 20/40 PSA Sand
7933'-7934'	53,763#, 20/40 PSA Sand
8006'-8007'	54,087#, 20/40 PSA Sand
8077'-8078'	53,891#, 20/40 PSA Sand
8143'-8144'	53,495#, 20/40 PSA Sand
8216'-8217'	53,794#, 20/40 PSA Sand
8289'-8290'	53,767#, 20/40 PSA Sand
8356'-8357'	53,422#, 20/40 PSA Sand
8426'-8427'	53,790# 20/40 PSA Sand
8499'-8500'	54,673#, 20/40 PSA Sand
8571'-8572'	53,851#, 20/40 PSA Sand

Gallup 41st - 6, 0.38" holes

Gallup 40th - 6, 0.38" holes

Gallup 39th - 6, 0.38" holes

Gallup 38th - 6, 0.38" holes

Gallup 37th - 6, 0.38" holes

Gallup 36th - 6, 0.38" holes

Gallup 35th - 6, 0.38" holes

Gallup 34th - 6, 0.38" holes

Gallup 33rd - 6, 0.38" holes

Gallup 32nd - 6, 0.38" holes

Gallup 31st - 6, 0.38" holes

Gallup 30th - 6, 0.38" holes

Gallup 29th - 6, 0.38" holes

Gallup 28th - 6, 0.38" holes

Gallup 27th - 6, 0.38" holes

Gallup 26th - 6, 0.38" holes

Gallup 25th - 6, 0.38" holes

Gallup 24th - 6, 0.38" holes

Gallup 23rd - 6, 0.38" holes

Gallup 22nd - 6, 0.38" holes

Gallup 21st - 6, 0.38" holes

Gallup 20th - 6, 0.38" holes

Gallup 19th - 6, 0.38" holes

Gallup 18th - 6, 0.38" holes

Gallup 17th - 6, 0.38" holes

Gallup 16th - 6, 0.38" holes

Gallup 15th - 6, 0.38" holes

Gallup 14th - 6, 0.38" holes

8642'-8643'	54,033#, 20/40 PSA Sand
8712'-8713'	53,976#, 20/40 PSA Sand
8785'-8786'	55,335#, 20/40 PSA Sand
8858'-8859'	54,955#, 20/40 PSA Sand
8932'-8933'	54,199#, 20/40 PSA Sand
9005'-9006'	54,592#, 20/40 PSA Sand
9078'-9079'	54,622#, 20/40 PSA Sand
9149'-9150'	57,110#, 20/40 PSA Sand
9221'-9222'	53,579#, 20/40 PSA Sand
9289'-9290'	53,621#, 20/40 PSA Sand
9362'-9363'	53,629#, 20/40 PSA Sand
9435'-9436'	53,688#, 20/40 PSA Sand
9507'-9508'	53,565#, 20/40 PSA Sand
9578'-9579'	58,798#, 20/40 PSA Sand
9649'-9650'	58,660#, 20/40 PSA Sand
9719'-9720'	55,480#, 20/40 PSA Sand
9793'-9794'	56,418#, 20/40 PSA Sand
9865'-9866'	53,759#, 20/40 PSA Sand
9933'-9934'	54,154#, 20/40 PSA Sand
10006'-10007'	54,367#, 20/40 PSA Sand
10076'-10077'	53,698#, 20/40 PSA Sand
10144'-10145'	54,032#, 20/40 PSA Sand
10218'-10219'	54,020#, 20/40 PSA Sand
10291'-10292'	54,125#, 20/40 PSA Sand
10363'-10364'	53,421#, 20/40 PSA Sand
10431'-10432'	53,968#, 20/40 PSA Sand
10502'-10503'	54,327#, 20/40 PSA Sand
10572'-10573'	54,519#, 20/40 PSA Sand

Gallup 13th - 6, 0.38" holes

Gallup 12th - 6, 0.38" holes

Gallup 11th - 6, 0.38" holes

Gallup 10th - 6, 0.38" holes

Gallup 9th - 6, 0.38" holes

Gallup 8th - 6, 0.38" holes

Gallup 7th - 6, 0.38" holes

Gallup 6th - 6, 0.38" holes

Gallup 5th - 6, 0.38" holes

Gallup 4th - 6, 0.38" holes

Gallup 3rd - 6, 0.38" holes

10644'-10645'	53,708#, 20/40 PSA Sand
10712'-10713'	54,106#, 20/40 PSA Sand
10780'-10781'	54,582#, 20/40 PSA Sand
10851'-10852'	54,253#, 20/40 PSA Sand
10924'-10925'	54,986#, 20/40 PSA Sand
10992'-10993'	55,180#, 20/40 PSA Sand
11062'-11063'	54,114#, 20/40 PSA Sand
11135'-11136'	54,122#, 20/40 PSA Sand
11207'-11208'	53,601#, 20/40 PSA Sand
11274'-11275'	53,640#, 20/40 PSA Sand
11345'-11346'	54,721#, 20/40 PSA Sand

33. PRODUCTION

DATE OF FIRST PRODUCTION 7/24/15		PRODUCTION METHOD (Flowing, gas lift, pumping-size and type of pump) Flowing				WELL STATUS (PRODUCING OR SI) Producing	
DATE OF TEST 7/26/15	TESTED 24hrs	CHOKE SIZE 1"	PROD'N FOR TEST PERIOD	OIL - BBL. 358bbbls	GAS - MCF 4,015mcf/d	WATER - BBL. 320bbbls	GAS-OIL RATIO
FLOW TBG PRESS 593psi	CASING PRESSURE 646psi	CALCULATED 24-HOUR RATE		OIL - BBL.	GAS - MCF	WATER - BBL.	OIL GRAVITY-API (CORR.)


34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.): non flaring

TEST WITNESSED BY:

35. LIST OF ATTACHMENTS: SUMMARY OF POROUS ZONES, WELLBORE DIAGRAM, Directional EOW report

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

PRINTED NAME Marie E. Jaramillo SIGNED



TITLE Permit Tech III DATE 7/30/15

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38.GEOLOGIC MARKERS

FORMATION	TOP		BOTTOM		DESCRIPTION, CONTENTS, ETC.	NAME	NAME
	MD	TVD					
Ojo Alamo	1414	1407			OIL CONS. DIV DIST. 3 AUG 04 2015		
Kirtland	1704	1694					
Picture Cliffs	2007	1993					
Lewis	2112	2097					
Chacra	2451	2432					
Cliff House	3562	3533					
Menefee	3592	3563					
Point Lookout	4294	4258					
Mancos	4522	4484					
Gallup	4927	4886					