

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesa, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
AS-DRILLED PLAT

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-35689	² Pool Code 71629	³ Pool Name Basin Fruitland Coal
⁴ Property Code 314987	⁵ Property Name Johnson 1	⁶ Well Number 1H
⁷ OGRID No. 000778	⁸ Operator Name BP America Production Company	⁹ Elevation 5831

10 Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	02	30N	11W		1587	South	1484	East	San Juan

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	02	30N	11W		1369	South	711	West	San Juan

¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



LEGEND

FOUND MONUMENT O

AS-DRILLED SURFACE HOLE LOCATION

AS-DRILLED BOTTOM HOLE LOCATION X

AS-DRILLED DATA SHOWN IS BASED ON AS-DRILLED REPORT PROVIDED BY SCIENTIFIC DRILLING DATED AUGUST 31, 2015.

JOHNSON 1-1H	NMWZ NAD'83	NAD'83	TIES
AS-DRILLED SURFACE HOLE LOCATION (SHL)	N (Y) = 2,124,361.38' E (X) = 2,687,073.47'	LAT. = 36.83795510°N LON. = 107.95641916°W	FSL = 1587' FEL = 1484'
AS-DRILLED ENTRY POINT (EP)	N (Y) = 2,124,169.23' E (X) = 2,687,075.28'	LAT. = 36.83742731°N LON. = 107.95641213°W	FSL = 1395' FEL = 1480'
AS-DRILLED BOTTOM HOLE LOCATION (BHL)	N (Y) = 2,124,179.03' E (X) = 2,683,951.96'	LAT. = 36.83744270°N LON. = 107.96708547°W	FSL = 1369' FWL = 711'

17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature *Toya Colvin* Date *9/24/15*

Toya Colvin

Printed Name

Toya.Colvin@bp.com

E-mail Address

18 SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date of Survey *9-11-15*


Signature and Seal of Professional Surveyor

17078
Certificate Number





LEGEND	
FOUND MONUMENT	O
AS-DRILLED SURFACE HOLE LOCATION	⊗
AS-DRILLED BOTTOM HOLE LOCATION	×



JOHNSON 1-1H	NMWS NAD'83	NAD'83	TIES
AS-DRILLED SURFACE HOLE LOCATION (SHL)	N (Y) = 2,124,361.38' E (X) = 2,687,073.47'	LAT. = 36.83795510°N LON. = 107.95641916°W	FSL = 1587' FEL = 1484'
AS-DRILLED ENTRY POINT (EP)	N (Y) = 2,124,169.23' E (X) = 2,687,075.28'	LAT. = 36.83742731°N LON. = 107.95641213°W	FSL = 1395' FEL = 1480'
AS-DRILLED BOTTOM HOLE LOCATION (BHL)	N (Y) = 2,124,179.03' E (X) = 2,683,951.96'	LAT. = 36.83744270°N LON. = 107.96708547°W	FSL = 1369' FWL = 711'

SURVEY NOTES

1. BEARING BASIS FOR THIS SURVEY IS BASED ON THE NORTH AMERICAN DATUM OF 1983, NEW MEXICO STATE PLANE COORDINATE SYSTEM, NEW MEXICO WEST, ZONE 3003.
2. ELEVATION BASIS FOR THIS SURVEY IS BASED ON THE NORTH AMERICAN VERTICAL DATUM OF 1988 (GEOID12A).
3. SURVEYED IN THE FIELD ON 09/11/2015.
4. BEARINGS AND DISTANCE SHOWN ARE MEASURED IN THE FIELD UNLESS OTHERWISE NOTED.
5. ALL MEASURED DISTANCES SHOWN ARE GRID USING A COMBINED SCALE FACTOR 0.99964240.
6. AS-DRILLED DATA SHOWN IS BASED ON AS-DRILLED REPORT PROVIDED BY SCIENTIFIC DRILLING DATED AUGUST 31, 2015.

SURVEYOR'S CERTIFICATE

I, MARSHALL LINDEEN, A PROFESSIONAL LAND SURVEYOR IN THE STATE OF NEW MEXICO, DO HEREBY CERTIFY THAT THE WELL LOCATION SHOWN ON THIS PLAT WAS PLOTTED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME IS TRUE AND CORRECT TO THE BEST OF MY BELIEF.



BP AMERICA
PRODUCTION COMPANY
US LOWER 48 ONSHORE

AS-DRILLED PLAT

JOHNSON 1-1H
PART OF
SECTION 02, TOWNSHIP 30N, RANGE 11W,
N.M.P.M.
SAN JUAN COUNTY, NEW MEXICO

DRAWN BY CFW/RLM	CHECKED BY MWL	SCALE 1"=1000'	DATE 09/21/2015	SHEET 1 OF 1	REVISION
---------------------	-------------------	-------------------	--------------------	-----------------	----------

BP

SURVEY REPORT

JOHNSON 1-1H

AZTEC 507

8/22/2015



The **Ultimate Partner** In Wellbore Placement

OIL CONS. DIV DIST. 3

OCT 19 2015

SURVEY REPORT

JOHNSON 1-1H

JOHNSON 1 -1H

Customer Name **BP**
 Site Name **Johnson Unit**
 Well Name **Johnson 1-1H**
 Survey Name **Johnson 1 -1H**
 Survey Date **8/22/2015**
 North Reference **Grid North**

VERTICAL SECTION REFERENCE

+N/-S **0 ft**
 +E/-W **0 ft**
 Proposal Direction **266.33°**
 Calculation Method **Minimum Curvature**

GEOMAGNETIC REFERENCE INFORMATION

Local Gravity: **998.666 mG** [computed]

MD	MODEL	DATE	DECLINATION	TRUE TO GRID	MAG TO GRID
0-5240 ft	HDGM2014	22 Aug 2015	9.31°	add 0.07°	add 9.38°

MD	INC	AZIM	TVD	+N/-S	+E/-W	VS	DLS	COURSE LENGTH
ft	deg	deg	ft	ft	ft	ft	"/100ft	ft
0.00	0.00	0.00	0.00	0.00	0.00	0.00	Invalid	Invalid
50.45	0.74	306.11	50.45	0.19	-0.26	0.25	1.47	50.45
74.31	0.76	306.71	74.31	0.38	-0.51	0.49	0.09	23.86
99.35	0.64	307.19	99.34	0.56	-0.76	0.72	0.48	25.04
123.79	0.78	306.97	123.78	0.74	-1.00	0.95	0.57	24.44
148.99	0.82	310.81	148.98	0.96	-1.27	1.21	0.27	25.20
174.45	0.80	310.18	174.44	1.20	-1.55	1.47	0.09	25.46
198.89	0.93	314.37	198.88	1.45	-1.82	1.72	0.59	24.44
223.94	1.04	310.02	223.92	1.74	-2.14	2.02	0.53	25.05
249.71	1.24	309.19	249.69	2.06	-2.53	2.40	0.78	25.77
274.60	1.34	307.26	274.57	2.41	-2.98	2.81	0.44	24.89
285.17	1.34	311.81	285.14	2.57	-3.17	2.99	1.01	10.57
351.00	1.49	317.96	350.95	3.72	-4.31	4.07	0.33	65.83
361.00	1.68	307.96	360.94	3.90	-4.52	4.26	3.31	10.00
393.00	1.71	300.80	392.93	4.44	-5.30	5.00	0.67	32.00
424.00	1.35	269.32	423.92	4.67	-6.06	5.75	2.90	31.00
455.00	1.23	235.96	454.91	4.48	-6.70	6.40	2.42	31.00
486.00	1.72	205.90	485.90	3.87	-7.18	6.92	2.90	31.00
517.00	2.20	184.81	516.88	2.86	-7.43	7.23	2.77	31.00
549.00	2.90	173.29	548.85	1.45	-7.39	7.28	2.71	32.00
580.00	3.88	163.03	579.80	-0.34	-6.99	7.00	3.70	31.00
612.00	4.83	159.16	611.70	-2.63	-6.19	6.35	3.12	32.00
643.00	5.88	152.98	642.57	-5.27	-5.01	5.33	3.85	31.00
675.00	7.37	151.79	674.35	-8.54	-3.29	3.83	4.68	32.00

MD	INC	AZIM	TVD	+N/-S	+E/-W	VS	DLS	COURSE LENGTH
ft	deg	deg	ft	ft	ft	ft	"/100ft	ft
707.00	8.80	152.29	706.04	-12.51	-1.18	1.98	4.48	32.00
739.00	10.59	152.80	737.58	-17.30	1.30	-0.19	5.60	32.00
771.00	12.21	153.48	768.94	-22.95	4.16	-2.68	5.08	32.00
802.00	13.19	155.63	799.18	-29.10	7.08	-5.20	3.50	31.00
833.00	13.63	155.80	829.34	-35.65	10.04	-7.73	1.42	31.00
865.00	14.38	155.18	860.39	-42.70	13.25	-10.49	2.39	32.00
896.00	14.80	155.45	890.39	-49.79	16.51	-13.29	1.36	31.00
927.00	15.09	154.57	920.34	-57.04	19.89	-16.20	1.20	31.00
958.00	15.19	154.72	950.26	-64.36	23.36	-19.19	0.33	31.00
989.00	15.22	157.20	980.18	-71.78	26.67	-22.02	2.10	31.00
1020.00	15.04	158.67	1010.10	-79.28	29.71	-24.57	1.37	31.00
1052.00	13.89	161.11	1041.09	-86.78	32.46	-26.84	4.07	32.00
1084.00	13.08	159.17	1072.21	-93.80	34.99	-28.92	2.91	32.00
1115.00	13.22	158.09	1102.39	-100.37	37.56	-31.06	0.92	31.00
1147.00	13.51	158.24	1133.53	-107.24	40.32	-33.37	0.92	32.00
1178.00	13.78	159.95	1163.65	-114.07	42.92	-35.54	1.56	31.00
1210.00	13.87	159.60	1194.72	-121.25	45.57	-37.71	0.40	32.00
1241.00	14.16	159.52	1224.80	-128.28	48.19	-39.88	0.93	31.00
1273.00	14.09	159.56	1255.83	-135.60	50.92	-42.14	0.22	32.00
1305.00	13.31	159.39	1286.92	-142.70	53.58	-44.34	2.44	32.00
1337.00	12.29	162.08	1318.13	-149.38	55.92	-46.25	3.70	32.00
1368.00	10.98	161.59	1348.49	-155.32	57.87	-47.81	4.24	31.00
1400.00	10.46	163.36	1379.93	-161.00	59.67	-49.24	1.90	32.00
1431.00	9.34	164.18	1410.47	-166.11	61.16	-50.40	3.67	31.00
1463.00	8.23	164.53	1442.09	-170.82	62.48	-51.41	3.46	32.00
1494.00	7.29	160.29	1472.81	-174.81	63.73	-52.41	3.54	31.00
1526.00	6.42	157.47	1504.58	-178.37	65.10	-53.55	2.92	32.00
1557.00	5.69	156.41	1535.41	-181.38	66.38	-54.63	2.38	31.00
1589.00	5.21	156.50	1567.26	-184.17	67.59	-55.67	1.50	32.00
1620.00	4.45	155.89	1598.15	-186.56	68.65	-56.56	2.47	31.00
1651.00	3.25	158.44	1629.08	-188.47	69.46	-57.25	3.88	31.00
1682.00	2.29	167.05	1660.05	-189.89	69.92	-57.62	3.39	31.00

MD	INC	AZIM	TVD	+N/-S	+E/-W	VS	DLS	COURSE LENGTH
ft	deg	deg	ft	ft	ft	ft	"/100ft	ft
1713.00	1.46	180.02	1691.03	-190.89	70.06	-57.70	2.99	31.00
1744.00	0.73	227.78	1722.02	-191.41	69.92	-57.52	3.57	31.00
1775.00	2.19	265.73	1753.01	-191.59	69.18	-56.77	5.41	31.00
1806.00	4.64	271.65	1783.96	-191.60	67.34	-54.93	7.99	31.00
1837.00	7.30	274.80	1814.79	-191.40	64.12	-51.74	8.63	31.00
1867.00	9.92	272.39	1844.44	-191.13	59.64	-47.28	8.84	30.00
1897.00	13.00	268.88	1873.84	-191.09	53.68	-41.34	10.50	30.00
1928.00	15.70	267.26	1903.87	-191.36	46.00	-33.66	8.83	31.00
1958.00	18.58	266.97	1932.54	-191.80	37.17	-24.82	9.60	30.00
1989.00	21.03	268.82	1961.70	-192.18	26.68	-14.32	8.14	31.00
2019.00	24.08	271.03	1989.40	-192.18	15.17	-2.84	10.57	30.00
2050.00	27.00	270.68	2017.37	-191.98	1.81	10.48	9.41	31.00
2080.00	29.72	269.03	2043.77	-192.03	-12.44	24.70	9.45	30.00
2111.00	32.47	267.69	2070.31	-192.49	-28.44	40.70	9.16	31.00
2141.00	35.55	266.26	2095.18	-193.39	-45.19	57.48	10.60	30.00
2172.00	38.63	266.02	2119.90	-194.64	-63.84	76.17	9.95	31.00
2202.00	41.12	268.33	2142.93	-195.58	-83.05	95.40	9.65	30.00
2232.00	43.97	268.43	2165.02	-196.15	-103.33	115.67	9.50	30.00
2263.00	47.60	268.75	2186.64	-196.70	-125.53	137.87	11.72	31.00
2294.00	50.32	268.20	2206.99	-197.32	-148.91	161.23	8.89	31.00
2324.00	53.40	268.70	2225.52	-197.96	-172.49	184.81	10.32	30.00
2355.00	54.84	269.59	2243.69	-198.33	-197.60	209.89	5.21	31.00
2385.00	55.71	267.94	2260.78	-198.86	-222.25	234.53	5.38	30.00
2415.00	56.78	267.86	2277.44	-199.78	-247.18	259.46	3.57	30.00
2445.00	61.54	267.66	2292.82	-200.79	-272.91	285.20	15.86	30.00
2476.00	67.33	267.93	2306.19	-201.86	-300.84	313.15	18.69	31.00
2506.00	71.14	269.44	2316.82	-202.50	-328.88	341.17	13.54	30.00
2536.00	75.18	269.72	2325.51	-202.70	-357.59	369.83	13.50	30.00
2567.00	78.52	269.36	2332.56	-202.95	-387.77	399.96	10.85	31.00
2597.00	81.51	269.09	2337.76	-203.35	-417.31	429.47	10.00	30.00
2619.00	83.75	269.02	2340.58	-203.71	-439.12	451.26	10.16	22.00
2696.00	90.23	268.88	2344.62	-205.11	-515.96	528.03	8.42	77.00

MD	INC	AZIM	TVD	+N/-S	+E/-W	VS	DLS	COURSE LENGTH
ft	deg	deg	ft	ft	ft	ft	°/100ft	ft
2728.00	90.03	268.45	2344.55	-205.85	-547.95	560.01	1.49	32.00
2760.00	90.64	268.09	2344.36	-206.82	-579.94	591.99	2.20	32.00
2792.00	91.17	267.82	2343.85	-207.96	-611.91	623.97	1.88	32.00
2823.00	91.47	267.75	2343.14	-209.16	-642.88	654.95	0.99	31.00
2855.00	91.64	267.33	2342.27	-210.53	-674.84	686.93	1.41	32.00
2887.00	91.65	267.11	2341.35	-212.08	-706.79	718.92	0.71	32.00
2919.00	91.41	267.56	2340.50	-213.57	-738.74	750.90	1.60	32.00
2952.00	91.80	267.25	2339.57	-215.06	-771.70	783.88	1.52	33.00
2984.00	91.71	267.60	2338.59	-216.50	-803.65	815.86	1.13	32.00
3016.00	90.74	267.87	2337.91	-217.77	-835.62	847.84	3.17	32.00
3048.00	90.23	269.34	2337.63	-218.55	-867.61	879.82	4.87	32.00
3080.00	90.20	269.47	2337.51	-218.88	-899.60	911.77	0.41	32.00
3112.00	89.78	269.88	2337.52	-219.06	-931.60	943.71	1.84	32.00
3144.00	89.87	270.59	2337.62	-218.92	-963.60	975.64	2.23	32.00
3176.00	89.50	271.70	2337.79	-218.28	-995.60	1007.53	3.63	32.00
3207.00	89.53	272.20	2338.06	-217.23	-1026.58	1038.38	1.64	31.00
3237.00	89.73	272.17	2338.25	-216.09	-1056.55	1068.22	0.68	30.00
3268.00	89.93	272.46	2338.34	-214.84	-1087.53	1099.05	1.14	31.00
3299.00	89.50	273.40	2338.50	-213.25	-1118.49	1129.84	3.35	31.00
3330.00	89.50	274.66	2338.77	-211.07	-1149.41	1160.56	4.07	31.00
3360.00	90.57	275.16	2338.75	-208.51	-1179.30	1190.23	3.95	30.00
3390.00	91.51	274.69	2338.21	-205.93	-1209.18	1219.88	3.49	30.00
3421.00	91.80	273.66	2337.31	-203.68	-1240.09	1250.58	3.45	31.00
3451.00	92.08	273.88	2336.29	-201.70	-1270.00	1280.31	1.16	30.00
3482.00	92.33	272.70	2335.10	-199.93	-1300.93	1311.06	3.89	31.00
3513.00	91.51	271.30	2334.06	-198.85	-1331.89	1341.89	5.23	31.00
3543.00	90.30	269.56	2333.59	-198.62	-1361.89	1371.81	7.05	30.00
3574.00	89.08	269.36	2333.76	-198.92	-1392.88	1402.76	4.01	31.00
3604.00	89.25	269.01	2334.19	-199.34	-1422.88	1432.72	1.31	30.00
3635.00	89.46	268.90	2334.54	-199.91	-1453.87	1463.68	0.75	31.00
3665.00	89.80	269.08	2334.74	-200.44	-1483.86	1493.65	1.26	30.00
3696.00	89.97	269.31	2334.80	-200.88	-1514.86	1524.61	0.92	31.00

MD	INC	AZIM	TVD	+N/-S	+E/-W	VS	DLS	COURSE LENGTH
ft	deg	deg	ft	ft	ft	ft	"/100ft	ft
3727.00	90.13	268.84	2334.77	-201.38	-1545.86	1555.58	1.62	31.00
3758.00	90.20	268.59	2334.68	-202.07	-1576.85	1586.55	0.81	31.00
3789.00	90.67	268.37	2334.45	-202.89	-1607.84	1617.53	1.67	31.00
3820.00	90.64	268.52	2334.09	-203.73	-1638.82	1648.50	0.48	31.00
3851.00	90.47	269.86	2333.79	-204.17	-1669.82	1679.46	4.37	31.00
3881.00	90.47	270.21	2333.55	-204.15	-1699.82	1709.40	1.14	30.00
3912.00	89.70	271.26	2333.50	-203.76	-1730.81	1740.31	4.21	31.00
3943.00	90.27	271.57	2333.51	-202.99	-1761.80	1771.19	2.09	31.00
3974.00	90.54	271.82	2333.29	-202.08	-1792.79	1802.05	1.20	31.00
4005.00	90.47	272.54	2333.02	-200.90	-1823.77	1832.89	2.31	31.00
4036.00	90.91	272.88	2332.65	-199.43	-1854.73	1863.69	1.79	31.00
4067.00	91.58	274.27	2331.98	-197.50	-1885.66	1894.44	4.98	31.00
4098.00	91.17	276.01	2331.23	-194.73	-1916.53	1925.06	5.75	31.00
4128.00	90.60	275.65	2330.77	-191.68	-1946.37	1954.65	2.23	30.00
4159.00	90.17	275.24	2330.56	-188.74	-1977.23	1985.25	1.94	31.00
4190.00	90.17	273.91	2330.47	-186.27	-2008.13	2015.93	4.28	31.00
4221.00	89.87	272.71	2330.46	-184.47	-2039.08	2046.70	3.99	31.00
4252.00	90.77	272.50	2330.29	-183.07	-2070.04	2077.52	3.00	31.00
4283.00	91.31	273.07	2329.72	-181.56	-2101.00	2108.31	2.53	31.00
4313.00	91.85	272.92	2328.90	-180.00	-2130.95	2138.10	1.87	30.00
4344.00	91.91	272.43	2327.88	-178.55	-2161.90	2168.89	1.58	31.00
4375.00	91.17	273.15	2327.05	-177.04	-2192.85	2199.68	3.32	31.00
4406.00	90.77	272.22	2326.52	-175.59	-2223.81	2230.49	3.25	31.00
4437.00	90.20	272.15	2326.26	-174.41	-2254.79	2261.33	1.86	31.00
4468.00	90.23	271.03	2326.14	-173.55	-2285.77	2292.20	3.63	31.00
4498.00	90.54	271.35	2325.94	-172.93	-2315.77	2322.09	1.49	30.00
4529.00	90.67	271.50	2325.61	-172.15	-2346.76	2352.96	0.63	31.00
4559.00	90.66	270.94	2325.26	-171.52	-2376.75	2382.85	1.86	30.00
4590.00	90.22	269.53	2325.03	-171.39	-2407.74	2413.78	4.75	31.00
4621.00	90.30	268.23	2324.88	-171.99	-2438.74	2444.75	4.22	31.00
4652.00	90.67	268.30	2324.62	-172.94	-2469.72	2475.73	1.21	31.00
4682.00	90.91	267.71	2324.21	-173.98	-2499.70	2505.71	2.10	30.00

MD	INC	AZIM	TVD	+N/-S	+E/-W	VS	DLS	COURSE LENGTH
ft	deg	deg	ft	ft	ft	ft	%/100ft	ft
4712.00	91.07	268.36	2323.69	-175.01	-2529.68	2535.69	2.23	30.00
4745.00	90.80	267.99	2323.15	-176.06	-2562.66	2568.67	1.39	33.00
4777.00	90.30	268.65	2322.84	-177.00	-2594.64	2600.65	2.61	32.00
4808.00	90.30	268.68	2322.68	-177.72	-2625.63	2631.62	0.10	31.00
4840.00	90.48	268.83	2322.46	-178.42	-2657.62	2663.59	0.73	32.00
4872.00	90.30	268.75	2322.24	-179.10	-2689.62	2695.56	0.62	32.00
4903.00	90.03	268.49	2322.15	-179.84	-2720.61	2726.54	1.22	31.00
4935.00	90.97	268.54	2321.87	-180.67	-2752.59	2758.51	2.94	32.00
4967.00	91.58	268.51	2321.15	-181.50	-2784.58	2790.48	1.89	32.00
4999.00	91.71	268.42	2320.24	-182.36	-2816.55	2822.45	0.51	32.00
5031.00	91.61	268.31	2319.31	-183.27	-2848.52	2854.41	0.47	32.00
5063.00	90.97	269.75	2318.59	-183.81	-2880.51	2886.37	4.92	32.00
5095.00	90.81	269.98	2318.09	-183.89	-2912.51	2918.31	0.90	32.00
5127.00	90.37	269.87	2317.76	-183.93	-2944.51	2950.24	1.41	32.00
5159.00	89.70	270.67	2317.74	-183.78	-2976.50	2982.16	3.26	32.00
5191.00	89.73	270.39	2317.90	-183.49	-3008.50	3014.08	0.88	32.00
5222.00	90.03	270.35	2317.97	-183.28	-3039.50	3045.00	0.98	31.00
5240.00	90.17	270.34	2317.93	-183.17	-3057.50	3062.96	0.75	18.00