Form 3160-5 (June 1990)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT 21

FORM APPROVED Budget Bureau No. 1004-0135

Expires: March 31, 1993 1 1 5. Lease Designation and Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS MINGTON NOTICES AND FOR PERMIT -7 for such proposals  SUBMIT IN TRIPLICATE  7. If Unit or CA. Agreement Designation  S. Well Name and No.  S. Well Name and No.  Ben Jones No. 1R  9. API Well No.  30-045-31732  10. Field and Pool, or Exploratory Area Action of Well (Foolage, Sec., T., R., M., or Survey Description)  11. Country or Parish, State  Section 13, T29N, RILW  12. CHECK APPROPRIATE BOX(6) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TOP Grain g Recompletion  Subsequent Report  Pinal Abandonment Notice  Altering Casing  Other Ran Production Casing  Conversion or Recompletion and Log Irms  Non-Routine Fracturing  Water Shate-off  Conversion to Injection  Dispose Water  Conversion or Recompletion and Log Irms  Altering Casing  Other Ran Production Casing  Conversion to Injection  Dispose Water  Conversion or Recompletion for all markers and zones pertinent to this work.)*  WAR SMAL-Off  Pressure tested surface casing and BOP to 1000 psi for 30 min - held OK.  Drilled 6 1/4" hole to 2185" KB. Ran 57 jts of 4 1/2", 10.5#, 3-55 casing.  Casing landed at 2176' KB. Cemented with 104 sx (292 cf) of Class B cement containing 3% sodium metasilicate and 1/4 #/sk cello flakes. Circulated 9 bbls of cement to surface. PBD 2137' KB.		RECEIVED	NMNM03717A	
Do not use this form for proposals to drill or to deepen or recentry to a different reservoir.    Use "APPLICATION FOR PERMIT" for such proposals	SUNDRY NOTICES AN	ND REPORTS ON WELLSMINGTON NA	6. If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE  1. Type of Well   Gas   Well   Well   Other				
1. Type of Well   Substitution   Other	Use "APPLICATION FO	OR PERMIT" for such proposals		
Section 13, T29N, R11W   Subsequent Report   Subsequent Report   Plagsing Back   Conversion to Injection   Subsequent Report   Plagsing Back   Conversion to Injection   Dispose Water Shut-off   Casing Ianded at 2176 KB. Ran 57 jts of 4 1/2", 10.5#, J-55 casing.   Casing landed at 2176 KB. Cemented with 104 sx (292 cf) of Class B cement   Caston Mark 2008	SUBMIT I	7. If Unit or CA, Agreement Designation		
Well   X   Well   Other	1. Type of Well		]	
Norman L. Gilbreath  3. Address and Telephone No. P. O. Box 208 Aztec, NM 87410 (505) 320-3216  4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  667' FNL & 670' FEL Section 13, T29N, R11W  TYPE OF SUBMISSION  TYPE OF ACTION  Notice of Intent  Abandonment  Recompletion  Norman L. Gilbreath  Abandonment  Recompletion  Plugging Back  Casing Repair  Final Abandonment Notice  Altering Casing  Other Ran Production Casing  Conversion to Injection  To Spoose Water  Completion or Racompletion Report and Log form)  To Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*  Pressure tested surface casing and BOP to 1000 psi for 30 min - held OK. Drilled 6 1/4'' hole to 2185' KB. Ran 57 jts of 4 1/2'', 10.5#, J-55 casing.  Casing landed at 2176' KB. Cemented with 104 sx (292 cf) of Class B cement  Conversion to Injection or Racompletion Report and Log form.)  Altering Casing Repair  Conversion to Injection Dispose Water  Completion or Racompletion Report and Log form.)  Casing landed at 2176' KB. Cemented with 104 sx (292 cf) of Class B cement  Casing landed at 2176' KB. Cemented with 104 sx (292 cf) of Class B cement  Conversion to this control of the control of Class B cement  Casing landed at 2176' KB. Cemented with 104 sx (292 cf) of Class B cement		8. Well Name and No.		
3. Address and Telephone No.  P. O. Box 208 Aztec, NM 87410 (505) 320-3216  4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  667' FNL & 670' FEL Section 13, T29N, R11W  12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION  Notice of Intent  Abandonment  Recompletion  Plugging Back  Casing Repair  Other Ran Production Casing  Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*  Non Routine Fracturing  Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*  Pressure tested surface casing and BOP to 1000 psi for 30 min - held OK.  Drilled 6 1/4" hole to 2185' KB. Ran 57 jts of 4 1/2", 10.5#, J-55 casing.  Casing landed at 2176' KB. Cemented with 104 sx (292 cf) of Class B cement containing 39% so diversions and measured and lates. To filed in with	2. Name of Operator	Ben Jones No. 1R		
P. O. Box 208 Aztec, NM 87410 (505) 320-3216  4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  667' FNL & 670' FEL Section 13, T29N, R11W  12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF SUBMISSION  Notice of Intent  Abandonment  Recompletion  Plugging Back Casing Repair  Altering Casing Other  Ran Production Casing  Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*  Pressure tested surface casing and BOP to 1000 psi for 30 min - held OK. Drilled 6 1/4" hole to 2185' KB. Ran 57 jts of 4 1/2", 10.5#, J-55 casing.  Casing landed at 2176' KB. Cemented with 104 sx (292 cf) of Class B cement  Conversion to Recompletion Report  WARR 2006  WARR 2006  WARR 2006  WARR 2006  WARR 2006  To Field and Pool, or Exploratory Area  Aztec Pictured Cliffs  11. County or Parish, State  San Juan County, New Mexico  12. Change of Plans  New Construction  New Construction  Non-Routine Fracturing  Water Shut-off  Conversion to Injection  Dispose Water  Completion or Recompletion Report and Log form.)  Completion or Recompletion Report and Log form.)  Pressure tested surface casing and BOP to 1000 psi for 30 min - held OK.  Drilled 6 1/4" hole to 2185' KB. Ran 57 jts of 4 1/2", 10.5#, J-55 casing.  Casing landed at 2176' KB. Cemented with 104 sx (292 cf) of Class B cement	Norman L. Gilbreath	9. API Well No.		
Aztec Pictured Cliffs  11. County or Parish, State  Section 13, T29N, R11W  12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION  Notice of Intent  Abandonment  Recompletion  Subsequent Report  Pinal Abandonment Notice  Altering Casing  Other  Altering Casing  Other  Ran Production Casing  Completion or Recompletion Report and Log form.)  Tompletion or Recompletion Report and Log form.)  Tompletion or Recompletion and measured and true vertical depths for all markers and zones pertinent to this work.)*  Pressure tested surface casing and BOP to 1000 psi for 30 min - held OK.  Drilled 6 1/4" hole to 2185' KB. Ran 57 jts of 4 1/2", 10.5#, J-55 casing.  Casing landed at 2176' KB. Cemented with 104 sx (292 cf) of Class B cement	3. Address and Telephone No.	30-045-31732		
11. County or Parish, State  Section 13, T29N, R11W  12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION    Notice of Intent	P. O. Box 208 Aztec, NM 87410 (50	10. Field and Pool, or Exploratory Area		
San Juan County, New Mexico  12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION    Notice of Intent	4. Location of Well (Footage, Sec., T., R., M., or Survey	Aztec Pictured Cliffs		
Section 13, T29N, R11W  12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION    Notice of Intent	7771 ENIL 9 7701 EET	11. County or Parish, State		
TYPE OF SUBMISSION    Notice of Intent		San Juan County, New Mexico		
Notice of Intent	12. CHECK APPROPRIATE BOX(s) T	O INDICATE NATURE OF NOTICE, REPORT, OR OTHER DAT	'A	
Recompletion   New Construction   Non-Routine Fracturing   Non-Routine Fracturing   Water Shut-off   Conversion to Injection   Completion or Recompletion Report and Log form.)    13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*    Pressure tested surface casing and BOP to 1000 psi for 30 min - held OK.   Drilled 6 1/4" hole to 2185' KB. Ran 57 jts of 4 1/2", 10.5#, J-55 casing.   Casing landed at 2176' KB. Cemented with 104 sx (292 cf) of Class B cement   Contact   Contact	TYPE OF SUBMISSION	TYPE OF SUBMISSION TYPE OF ACTION		
Subsequent Report    Plugging Back   Water Shut-off   Conversion to Injection   Dispose Water	Notice of Intent		== *	
Casing Repair  Altering Casing Other  Ran Production Casing  Conversion to Injection Dispose Water  Completion or Recompletion Report and Log form.)  13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*  Pressure tested surface casing and BOP to 1000 psi for 30 min - held OK. Drilled 6 1/4" hole to 2185' KB. Ran 57 jts of 4 1/2", 10.5#, J-55 casing.  Casing landed at 2176' KB. Cemented with 104 sx (292 cf) of Class B cement  Conversion to Injection  Water Shut-off Conversion to Injection Dispose Water  Completion or Recompletion Report and Log form.)	Subsequent Report	-		
Other Ran Production Casing    Dispose Water			<u></u>	
Completion or Recompletion Report and Log form.)  13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*  Pressure tested surface casing and BOP to 1000 psi for 30 min - held OK.  Drilled 6 1/4" hole to 2185' KB. Ran 57 jts of 4 1/2", 10.5#, J-55 casing.  Casing landed at 2176' KB. Cemented with 104 sx (292 cf) of Class B cement  Containing 39% sodium metasilicate and 1/4 #/sk calls flakes. Tailed in with	Final Abandonment Notice		Conversion to Injection	
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*  Pressure tested surface casing and BOP to 1000 psi for 30 min - held OK.  Drilled 6 1/4" hole to 2185' KB. Ran 57 jts of 4 1/2", 10.5#, J-55 casing.  Casing landed at 2176' KB. Cemented with 104 sx (292 cf) of Class B cement		X Other Ran Production Casing	Dispose Water	
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*  Pressure tested surface casing and BOP to 1000 psi for 30 min - held OK.  Drilled 6 1/4" hole to 2185' KB. Ran 57 jts of 4 1/2", 10.5#, J-55 casing.  Casing landed at 2176' KB. Cemented with 104 sx (292 cf) of Class B cement containing 3% sodium metasilicate and 1/4 #/sk calls flakes. Tailed in with				
Pressure tested surface casing and BOP to 1000 psi for 30 min - held OK.  Drilled 6 1/4" hole to 2185' KB. Ran 57 jts of 4 1/2", 10.5#, J-55 casing.  Casing landed at 2176' KB. Cemented with 104 sx (292 cf) of Class B cement  containing 3% sodium metasilicate and 1/4 #/sk calls flakes. Tailed in with			- · · · · · · · · · · · · · · · · · · ·	
Drilled 6 1/4" hole to 2185' KB. Ran 57 jts of 4 1/2", 10.5#, J-55 casing.  Casing landed at 2176' KB. Cemented with 104 sx (292 cf) of Class B cement  containing 3% sodium metasilicate and 1/4 #/sk collections. Toiled in with		national need to the state of t	A CO	
Drilled 6 1/4" hole to 2185' KB. Ran 57 jts of 4 1/2", 10.5#, J-55 casing.  Casing landed at 2176' KB. Cemented with 104 sx (292 cf) of Class B cement containing 3% sodium metasilicate and 1/4 #/sk cello flakes. Tailed in with 65 sx (76.7 cf) of Class B containing 1/4 #/sk cello flakes. Circulated 9 bbls of cement to surface. PBD 2137' KB.	Pressure tested surface	casing and BOP to 1000 psi for 30 min - held O	K. DRAD 2008	
Casing landed at 2176' KB. Cemented with 104 sx (292 cf) of Class B cement containing 3% sodium metasilicate and 1/4 #/sk cello flakes. Tailed in with 65 sx (76.7 cf) of Class B containing 1/4 #/sk cello flakes. Circulated 9 bbls of cement to surface. PBD 2137' KB.	Drilled 6 1/4" hole to 21	85' KB. Ran 57 jts of 4 1/2", 10.5#, J-55 casing	WIAN 2000	
containing 3% sodium metasilicate and 1/4 #/sk cello flakes. Tailed in with 65 sx (76.7 cf) of Class B containing 1/4 #/sk cello flakes. Circulated 9 bbls of cement to surface. PBD 2137' KB.	Casing landed at 2176' I	KB. Cemented with 104 sx (292 cf) of Class B of	ement E OF CUIS DOW	
65 sx (76.7 cf) of Class B containing 1/4 #/sk cello flakes. Circulated 9 bbls of cement to surface. PBD 2137' KB.	containing 3% sodium r	netasilicate and 1/4 #/sk cello flakes. Tailed in	with	
of cement to surface. PBD 2137' KB.	65 sx (76.7 cf) of Class B	bbls		
	of cement to surface. Pl	BD 2137' KB.	3.00.11.15.13.19.5°	

				STIPS BY	
14. I hereby certify that the foregoing is true and correct  Signed Agent  Title Agent			Date	20-Mar-06	
(This space for Federal or State office)			ACCEPT	DFORKEGO	
Approved by	Title		Date		1
Conditions of approval, if any:			MAR	2 4 2006	
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly fictitious or fraudulent statements or representations as to any matter wi		o any department or agency of t	he United <b>Sta</b> tes any	false 19	_