District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

## Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:

| Permit of a pit. closed-loop system, below-grade tank, or proposed alternative method
| Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
| Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

i. Operator: Chevron Midcontinent, LP	OGRID #: 241333	OIL CONS. DIV DIST. 3
Address: P.O. Box 36366 Houston, TX 77236		
Facility or well name: Rincon Unit No. 129R		FEB 1 9 2016
API Number: 30-039-27322	OCD Permit Number:	
U/L or Qtr/Qtr Otr/Qtr L Section 29 Township 27N	Range 6W County: R	io Arriba
Center of Proposed Design: Latitude 36 544072° Le	ongitude 107 499689°	NAD: □1927 ⊠ 1983
Surface Owner: 🛛 Federal 🗌 State 🗎 Private 🔲 Tribal Trust or Indian Alle	otment	
2.	Updated Cod	ordinates ====
☐ Pit: Subsection F or G of 19.15.17.11 NMAC	Accepted fo	r Record
Temporary: ☐ Drilling ☐ Workover	Frank Size	
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A		
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE	☐ HDPE ☐ PVC ☐ Other	
☐ String-Reinforced		
Liner Seams:  Welded Factory Other	Volume:bbl Dimension	s: L x W x D
☐ Closed-loop System:       Subsection H of 19.15.17.11 NMAC         Type of Operation:       ☐ P&A ☐ Drilling a new well ☐ Workover or Drillin intent)         ☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other         ☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLD         Liner Seams: ☐ Welded ☐ Factory ☐ Other	PE  HDPE PVC Other	
Below-grade tank: Subsection I of 19.15,17.11 NMAC		
Volume: 95 bbl Type of fluid: Produced Water		
Tank Construction material: _Steel		
Secondary containment with leak detection  Visible sidewalls, liner,		
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other		
Liner type: Thicknessmil	Other	- District
5.		
Alternative Method:		

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify Four foot, pipe frame with wire mesh.	hospital.
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC  ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  ☐ Signed in compliance with 19.15.3.103 NMAC	
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.  Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	priate district pproval.
<ul> <li>Please reference hydrogeologic report and printout from iWATERS database.</li> <li>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</li> <li>Please reference the attached topographic map with distance rings. In addition, a field visit was conducted by Envirotech in July 2008 certifying that, at the time, there were no watercourses within the distance specified above.</li> </ul>	☐ Yes ⊠ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Please reference the attached aerial photo. In addition, a field visit was conducted by Envirotech in July 2008 certifying that, at the time, there were no referenced buildings within the distance specified above.	☐ Yes ☒ No ☐ NA
<ul> <li>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>(Applies to permanent pits)</li> <li>Please reference the attached aerial photo. In addition, a field visit was conducted by Envirotech in July 2008 certifying that, at the time, there were no referenced buildings within the distance specified above.</li> </ul>	☐ Yes ☐ No ☑ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - Please reference the attached iWATERS printout. In addition, a field visit was conducted by Envirotech in July 2008 certifying that, at the time, there were no wells or springs within the distances specified above.	☐ Yes ☑ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  The site is not within any known incorporated municipal boundaries, please reference the attached topographic map.	☐ Yes ☒ No
Within 500 feet of a wetland.  - Please reference the attached topographic map with distance rings. In addition, a field visit was conducted by Envirotech in July 2008 certifying that, at the time, there were no wetlands within the distance specified above	Yes No
Within the area overlying a subsurface mine.  - Please reference the attached topographic map	☐ Yes ☑ No
Within an unstable area.  - Please reference the attached topographic map which includes FEMA flood map data. The map indicates the well site is outside of any known 100 year floodplains.	☐ Yes ☑ No
Within a 100-year floodplain.	


Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC  Previously Approved Design (attach copy of design) API Number:  or Permit Number:
Trestously Approved Design (indicatedby of design) Art (dambet)
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
☐ Previously Approved Design (attach copy of design) API Number:
☐ Previously Approved Operating and Maintenance Plan API Number:
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Climatological Factors Assessment   Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Nuisance or Hazardous Odors, including H <sub>2</sub> S. Prevention Plan   Emergency Response Plan   Oil Field Waste Stream Characterization   Monitoring and Inspection Plan   Erosion Control Plan   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative  Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  ☑ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  ☑ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  ☑ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  ☑ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  ☑ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC


Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13 Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.	
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future so Yes (If yes, please provide the information below) No	rvice and operations?
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	AC
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sort provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate disconsidered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Just demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	strict office or may be
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database: Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map: Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design: NM Bureau of Geology &amp; Mineral Resources: USGS: NM Geological Society; Topographic map</li> </ul>	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure by a check mark in the box, that the documents are attached.    Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC   Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC   Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC   Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC   Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC   Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC   Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards car   Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC   Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	).15.17.11 NMAC

- A		
Operator Application Certification  I hereby certify that the information	<del>-</del> *	and complete to the best of my knowledge and belief.
Name (Print): April E Pohl		Title:Permitting Specialist
Signature: April E F	The Date: 2/18/1	16
e-mail address: April.Pohl/a chevron	n.com	Telephone: (505) 333-
1941		
OCD Approval: Permit Appl	Updated Coordinates	nly) OCD Conditions (see attachment)
OCD Representative Signature:	Accepted for Record	Approval Date:
Title:	19	D Permit Number:
Instructions: Operators are require The closure report is required to be	submitted to the division within 60 days of the coed closure plan has been obtained and the closur	plementing any closure activities and submitting the closure report, ompletion of the closure activities. Please do not complete this
22. Closure Method: Waste Excavation and Removal If different from approved plan,		Closure Method  Waste Removal (Closed-loop systems only)
Instructions: Please indentify the f two facilities were utilized.  Disposal Facility Name:  Disposal Facility Name:  Were the closed-loop system operati  Yes (If yes, please demonstrated for impacted areas which to sold Backfilling and Cover Inc.)	Di  Di  one and associated activities performed on or in a te compliance to the items below)   No will not be used for future service and operations: umentation)  stallation	isposal Facility Permit Number:isposal Facility Permit Number:ireas that will not be used for future service and operations?
mark in the box, that the document Proof of Closure Notice (surfa Proof of Deed Notice (require Plot Plan (for on-site closures Confirmation Sampling Analy Waste Material Sampling Analy Disposal Facility Name and P Soil Backfilling and Cover In Re-vegetation Application Ra Site Reclamation (Photo Documents)	klist: Instructions: Each of the following items is are attached. ace owner and division) ad for on-site closure) and temporary pits) sytical Results (if applicable) alytical Results (required for on-site closure) Dermit Number istallation attes and Seeding Technique	must be attached to the closure report. Please indicate, by a check  NAD:   1927  1983
25. Operator Closure Certification:		
I hereby certify that the information		rt is true, accurate and complete to the best of my knowledge and s and conditions specified in the approved closure plan.
Name (Print):		Title:
Signature:		Date:
e-mail address;		Telephone:

Site inventory Sheet

•	Well Name & Number: KINCON UNIT #129R
	API#: 300 3927322
	Lease #: <u>SF 079364</u>
	Quarter/Quarter: L Section: 29 Township: 27N Range: 4W
	Lat: N 36.544232 Long: W107.499529
	Pit Tank #1: Manufacturer: NA 95
1	Serial#: NA DOM: NA Size bbl
-	Serial #: NA DOM: NA Size Size bbl  o If N/A - Dimensions: Diameter 11 6" Height 5 7"
	2
•	
•	Tank Configuration: Double Wall (Buried or Exposed Walls)
•	Contents: Produced Water Condensate Recycled Oil
•	Tank Top Covering: Solid/Cone-top Netting X (Solid X Fiber_)
•	Secondary Containment: Yes No
•	Fencing around berm: Yes No
	o Fence Type: Cattle Panel Field Fence Barbwire Barbwire
	Pit Tank #2: Manufacturer:
	Serial #: bbl
	o If N/A – Dimensions: Diameter Height
	Material: Steel Galvanized Fiberglass
	Tank Configuration: Double Wall Single Wall (Buried or Exposed Walls)
	Contents: Produced Water Condensate Recycled Oil
	Tank Top Covering: Solid/Cone-top Netting (Solid Fiber)
Ī	Secondary Containment: Yes No
•	Fencing around berm: Yes No
	o Fence Type: Cattle Panel Field Fence Barbwire
	Above-Ground Tank #1: Manufacturer: Enertech Ind., INC
:	Above-Ground Tank #1: Manufacturer: Enertech Ind., Inc  Serial #: 3630 DOM: 2003 Size 400 bbl
:	Above-Ground Tank #1: Manufacturer: Enertech Ind., Inc  Serial #: 3630 DOM: Zoo3 Size 400 bbl  o If N/A - Dimensions: Diameter Height
	Above-Ground Tank #1: Manufacturer: Enertech Ind., Inc  Serial #: 3630 DOM: 2003 Size 400 bbl  o If N/A - Dimensions: Diameter Height  Material: Steel X Galvanized Fiberglass
:	Above-Ground Tank #1: Manufacturer: Enertech Ind., Inc  Serial #: 3630 DOM: Zoo3 Size 400 bbl  o If N/A - Dimensions: Diameter Height  Material: Steel X Galvanized Fiberglass  Contents: Produced Water Condensate (State #61-10200) Recycled Oil
:	Above-Ground Tank #1: Manufacturer: Enertech Ind., Inc  Serial #: 3630 DOM: 2003 Size 400 bbl  o If N/A - Dimensions: Diameter Height  Material: Steel X Galvanized Fiberglass
:	Above-Ground Tank #1: Manufacturer: Enertech Ind., Inc  Serial #: 3630 DOM: Zoo3 Size 400 bbl  o If N/A - Dimensions: Diameter Height  Material: Steel X Galvanized Fiberglass  Contents: Produced Water Condensate (State #61-10200) Recycled Oil
	Above-Ground Tank #1: Manufacturer: Enertech Ind., Inc  Serial #: 3630 DOM: Zoo3 Size 400 bbl  o If N/A - Dimensions: Diameter Height  Material: Steel X Galvanized Fiberglass  Contents: Produced Water Condensate (State #61-10200) Recycled Oil
	Above-Ground Tank #1: Manufacturer: Enertech Ind., Inc  Serial #: 3630 DOM: Zoo3 Size 400 bbl  o If N/A - Dimensions: Diameter Height  Material: Steel X Galvanized Fiberglass  Contents: Produced Water Condensate (State #61-10200) Recycled Oil  Secondary Containment: Yes X No
	Above-Ground Tank #1: Manufacturer: Enertech Ind., Inc  Serial #: 3630 DOM: 2003 Size 400 bbl  o If N/A - Dimensions: Diameter Height  Material: Steel X Galvanized Fiberglass  Contents: Produced Water Condensate (State #61-10200) Recycled Oil  Secondary Containment: Yes X No  Above-Ground Tank #2: Manufacturer:
	Above-Ground Tank #1: Manufacturer: Enertech Ind., Inc  Serial #: 3630 DOM: Zoo3 Size 400 bbl  o If N/A - Dimensions: Diameter Height  Material: Steel X Galvanized Fiberglass  Contents: Produced Water Condensate (State #61-10200) Recycled Oil  Secondary Containment: Yes X No  Above-Ground Tank #2: Manufacturer:  Serial #: DOM: Size bbl
	Above-Ground Tank #1: Manufacturer: Enertech Ind., Inc  Serial #: 3630 DOM: Zoo3 Size 400 bbl  o If N/A - Dimensions: Diameter Height  Material: Steel X Galvanized Fiberglass  Contents: Produced Water Condensate (State #61-10200) Recycled Oil  Secondary Containment: Yes X No  Above-Ground Tank #2: Manufacturer:  Serial #: DOM: Size bbl  o If N/A - Dimensions: Diameter Height  Material: Steel Galvanized Fiberglass
	Above-Ground Tank #1: Manufacturer: Enertech Ind., Inc.  Serial #: 3630 DOM: 2003 Size 400 bbl  o If N/A - Dimensions: Diameter Height  Material: Steel X Galvanized Fiberglass  Contents: Produced Water Condensate (State #61-10200) Recycled Oil  Secondary Containment: Yes X No  Above-Ground Tank #2: Manufacturer:  Serial #: DOM: Size bbl  o If N/A - Dimensions: Diameter Height  Material: Steel Galvanized Fiberglass  Contents: Produced Water Condensate (State # Recycled Oil Necycled Oil Necycled Oil Necycled Oil Necycled Oil Necycled Oil
	Above-Ground Tank #1: Manufacturer: Enertech Ind., Inc  Serial #: 3630 DOM: Zoo3 Size 400 bbl  o If N/A - Dimensions: Diameter Height  Material: Steel X Galvanized Fiberglass  Contents: Produced Water Condensate (State #61-10200) Recycled Oil  Secondary Containment: Yes X No  Above-Ground Tank #2: Manufacturer:  Serial #: DOM: Size bbl  o If N/A - Dimensions: Diameter Height  Material: Steel Galvanized Fiberglass
	Above-Ground Tank #1: Manufacturer: Enertech Ind., Inc.  Serial #: 3630 DOM: Zoo3 Size 400 bbl  o If N/A - Dimensions: Diameter Height  Material: Steel X Galvanized Fiberglass  Contents: Produced Water Condensate (State #61-10200) Recycled Oil_  Secondary Containment: Yes X No
	Above-Ground Tank #1: Manufacturer: Enechech Lod., Inc  Serial #: 3630 DOM: 2003 Size 400 bbl  o If N/A - Dimensions: Diameter Height  Material: Steel Galvanized Fiberglass  Contents: Produced Water Condensate (State #61-10200) Recycled Oil  Secondary Containment: Yes No  Above-Ground Tank #2: Manufacturer:  Serial #: DOM: Size bbl  o If N/A - Dimensions: Diameter Height  Material: Steel Galvanized Fiberglass  Contents: Produced Water Condensate (State # Recycled Oil Secondary Containment: Yes No  Above-Ground Tank #3: Manufacturer:
	Above-Ground Tank #1: Manufacturer: Enechech Ind., Inc.  Serial #: 3630 DOM: 2003 Size 400 bbl  o If N/A - Dimensions: Diameter Height  Material: Steel Galvanized Fiberglass  Contents: Produced Water Condensate (State #61-10200) Recycled Oil  Secondary Containment: Yes No  Above-Ground Tank #2: Manufacturer:  Serial #: DOM: Size bbl  o If N/A - Dimensions: Diameter Height  Material: Steel Galvanized Fiberglass  Contents: Produced Water Condensate (State # Piberglass Recycled Oil Secondary Containment: Yes No  Above-Ground Tank #3: Manufacturer:  Serial #: DOM: Size bbl
	Above-Ground Tank #1: Manufacturer: Enertech Ind., Ind.  Serial #: 3630 DOM: 2003 Size 400 bbl  O If N/A - Dimensions: Diameter Height  Material: Steel X Galvanized Fiberglass  Contents: Produced Water Condensate (State #GI-10200) Recycled Oil  Secondary Containment: Yes X No  Above-Ground Tank #2: Manufacturer:  Serial #: DOM: Size bbl  O If N/A - Dimensions: Diameter Height  Material: Steel Galvanized Fiberglass  Contents: Produced Water Condensate (State # Recycled Oil Secondary Containment: Yes No  Above-Ground Tank #3: Manufacturer:  Serial #: DOM: Size bbl  O If N/A - Dimensions: Diameter Height  Above-Ground Tank #3: Manufacturer: Height  Height Height
	Above-Ground Tank #1: Manufacturer: Exected Ind., Inc.  Serial #: 3630
	Above-Ground Tank #1: Manufacturer: Enertech Ind., Ind.  Serial #: 3630 DOM: 2003 Size 400 bbl  O If N/A - Dimensions: Diameter Height  Material: Steel X Galvanized Fiberglass  Contents: Produced Water Condensate (State #GI-10200) Recycled Oil  Secondary Containment: Yes X No  Above-Ground Tank #2: Manufacturer:  Serial #: DOM: Size bbl  O If N/A - Dimensions: Diameter Height  Material: Steel Galvanized Fiberglass  Contents: Produced Water Condensate (State # Recycled Oil Secondary Containment: Yes No  Above-Ground Tank #3: Manufacturer:  Serial #: DOM: Size bbl  O If N/A - Dimensions: Diameter Height  Above-Ground Tank #3: Manufacturer: Height  Height Height





Measure any distance 1000ft or less of the following:

- From wellhead to any continuous flowing or significant water course.\_\_\_\_\_\_\_
- From below-grade tanks to any permanent residence, school, church, hospital, etc.\_\_\_\_