1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

## State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

## Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes V No

WFS CLOSIRE Type of action: Registration of a pit or below	r-grade tank Closure of a pit or below-grade tank	₹						
Operator: CAULKINS OIL CO Telephone:	e-mail address:							
Address: 1409 W AZTEC BLVD AZTEC, NM 87410								
Facility or well name: BREECH F #008 API #: 30-039-	06835 U/L or Qtr/Qtr <u>A</u> SEC	EC <u>34</u> T <u>27N</u> R <u>6W</u>						
County: RIO ARRIBA Latitude 36 31.9	<u>948 N</u> Longitude <u>107 26.948 W</u>	NAD: 1927 🗹 1983 🗌						
Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐								
<u>Pit</u>	Below-grade tank							
Type: Drilling Production 🗹 Disposal 🗀	Volume: bbl Type of fluid:							
Workover	Construction Material:  Double-walled, with leak detection? Yes  If not, ex	plain why not						
Lined Unlined	Bounts-walled, with leak detection. 165	plain why not.						
Liner Type: Synthetic Thickness mil Clay								
Pit Volume 107 bbl								
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)						
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) $\underline{0}$						
	100 feet or more	(0 points)						
Wellhead protection area: (Less than 200 feet from a private domestic water	Yes	(20 points)						
source, or less than 1000 feet from all other water sources.)	No	$(0 \text{ points})$ $\underline{0}$						
Distance to surface water: (Horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)						
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet to 1,000 feet	(10 points) $\underline{0}$						
	Greater than 1,000 feet	(0 points)						
	Ranking Score (TOTAL POINTS):	<u>0</u>						
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the								
onsite box if your are burying in place) onsite offsite if offsite, name of facility action taken including remediation start date and end date. (4)Groundwater encountered:  No Verify Yes if yes, show depth below ground surface if the standard of the sta								
action taken including remediation start date and end date. (4)Groundwater encountered: No 🗹 Yes 🗌 If yes, show depth below ground surfaceft. and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.								
Additional Community		0.00000						
Additional Comments:		Meter: OE2238						
FEB 2000								
The state of the s								
AS TILLER B								
I hereby certify that the information above is true and complete to the best of my k								
tank has been/will be constructed or closed according to NMOCD guidelines . , a general permit . , or an attached) alternative OCD-approved plan								
Date:								
Printed Name/Title Mark Harvey for Williams Field Services Sig	nature							
Your certification and NMOCD approval of this application/closure does not relie	ve the operator of liablility should the contents of the pit or ta	ink contaminate ground water						
or otherwise endanger public health or the environment. Nor does it relieve the op regulations.	erator of its responsibility for compliance with any other fede	eral, state, or local laws and/or						
Approval:		FEB 0 2 2006						
Printed Name/Title Signs	ature Deny Lory	Date:						

## **ADDENDUM TO OCD FORM C-144**


Operator: CAULKINS OIL CO

Well Name: BREECH F #008


API 30-039-06835

Meter: OE2238

**Facility Diagram:** 



Sampling Diagram:



**Pit Dimensions** 

Length 20 Ft.

Width 15 Ft.

Depth 2 Ft. **Location of Pit Center** 

Latitude 36 31.947 N

Longitude <u>07 26.943 W</u>

(NAD 1927)

Pit ID

OE22381

Pit Type

Other

Date Closure Started: 8/29/05

**Closure Method:** 

Pushed In

**Date Closure Completed:** 8/29/05

**Bedrock Encountered?** 

**Cubic Yards Excavated:** 

Vertical Extent of Equipment Reached?

**Description Of Closure Action:** 

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

Head Space

**BTEX** Total

Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location

Depth

ASSESS

3.5

124817MAY05

5/17/05

(mg/kg)

Fir



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6095256

Client Project ID: NM PITS - 2ND QUARTER 05

Lab Sample No: 608179552 Project Sample Number: 6095256-008 Date Collected: 05/17/05 12:48
Client Sample ID: 124817MAY05 Matrix: Soil Date Received: 05/19/05 08:45

orient cample 15. 12 lo1/18/105				11001 171. 001.		•			
Parameters	Results	Units	Report Limit	DF	Analyzed	Ву_	CAS No.	Qua1	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2							
Mineral Spirits	ND	mg/kg	12.	1.2	05/24/05 11:54	RMN1			
Jet Fuel	ND	mg/kg	12.	1.2	05/24/05 11:54	RMN1	4		
Kerosene	ND	mg/kg	12.	1.2	05/24/05 11:54	RMN1			
Diesel Fuel	ND	mg/kg	12.	1.2	05/24/05 11:54	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	12.	1.2	05/24/05 11:54	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	12.	1.2	05/24/05 11:54	RMN1			
Total Petroleum Hydrocarbons	51.	mg/kg	12.	1.2	05/24/05 11:54	RMN1		3	
n-Tetracosane (S)	111	*		1.0	05/24/05 11:54	RMN1	646-31-1		
p-Terphenyl (S)	102	*		1.0	05/24/05 11:54	RMN1	92-94-4		
Date Extracted	05/21/05				05/21/05				
Organics Prep									
Percent Moisture	Method: SM 2	540G							
Percent Moisture	18.9	*		1.0	05/20/05	JMF1			
GC Volatiles									
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soi1 / E	PA 802	1				
Benzene	ND	ug/kg	62.		05/21/05 12:56	SHF	71-43-2		
Ethylbenzene	ND	ug/kg	62.	1.2	05/21/05 12:56	SHF	100-41-4		
Toluene	ND	ug/kg	62.	1.2	05/21/05 12:56	SHF	108-88-3		
Xylene (Total)	ND	ug/kg	160	1.2	05/21/05 12:56	SHF	1330-20-7		
a,a,a-Trifluorotoluene (S)	107	*		1.0	05/21/05 12:56	SHF	98-08-8		

Date: 05/25/05

Page: 7 of 15

## **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

