1625 N. French Dr., Hobbs, NM 88240 District II

1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes 🗹 No 🗌

WFS CLOSURE Type of action: Registration of a pit or below	v-grade tank Closure of a pit or below-grade tank	<u> </u>						
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:							
Address: PO BOX 2197 HOUSTON, TX 77252								
Facility or well name: SAN JUAN 31 6 UNIT #019 API #: 30-039-07938 U/L or Qtr/Qtr A SEC 32 T 31N R 6								
County: RIO ARRIBA Latitude 36 51.	645 N Longitude 107 28.850 W	NAD: 1927 🗹 1983 🗌						
Surface Owner: Federal State Private Indian								
Pit Type: Drilling Production Disposal Workover Emergency Lined Unlined Liner Type: Synthetic Thickness mil Clay	Below-grade tank Volume: bbl Type of fluid: Construction Material: Double-walled, with leak detection? Yes If not, explain why not.							
Pit Volume 107 bbl								
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)						
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>						
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)						
	Ranking Score (TOTAL POINTS):	<u>0</u>						
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite. If offsite, name of facility								
Additional Comments: Meter: 72661 FEB 2006 DIV								
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above described pit or below-grade								
tank has been/will be constructed or closed according to NMOCD guidelines ., a general permit ., or an (attached) alternative OCD-approved plan								
Date: 10/3/05 Printed Name/Title No. 1 VY C. WYTH. Dill C.								
Printed Name/Title Mark Harvey for Williams Field Services Signal	enature							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.								
Approval:		FEB 0 2 200s						
Printed Name/Title Co-VIV (Cas INSTECTICA, UST. A Signal	ature Derry Lety	Date:						
								

ADDENDUM TO OCD FORM C-144


Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 31 6 UNIT #019


API 30-039-07938

Meter: 72661

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 15 Ft.

Width

20 Ft.

2 Ft. Depth

Location of Pit Center

Latitude 36 51.653 N

Longitude 07 28.836 W

(NAD 1927)

Pit ID

<u>726611</u>

Pit Type

Glycol Dehydrator

Date Closure Started: 5/11/05

Closure Method:

Pushed In

Date Closure Completed: 5/11/05

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

Head

Space

BTEX Total (mg/kg)

Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location Depth

143324JAN05

1/24/05

ASSESS

Flr

3.5



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6091199 Client Project ID: NM Pits

Date Collected: 01/24/05 14:33 Project Sample Number: 6091199-018 Lab Sample No: 607850120

Date Received: 01/26/05 09:00 Client Sample ID: 143324JAN05 Matrix: Soil

. Total Gamp to 15 1 1 1002 to mice						

Citett Sample ID. 1433243AN03			1100 17. 3011						
Parameters	<u>Results</u>	<u>Units</u>	Report Limit	_DF	Analyzed	Ву	CAS No.	Qua1	RegLmt
GC Semivolatiles							•		
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2							
Mineral Spirits	ND	mg/kg	12.	1.2 (02/02/05 07:32	RMN1			
Jet Fuel	ND	mg/kg	12.	1.2 (02/02/05 07:32	RMN1			
Kerosene	ND	mg/kg	12.	1.2 (02/02/05 07:32	RMN1			
Diesel Fuel	ND	mg/kg	12.	1.2 (02/02/05 07:32	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	12.	1.2 (02/02/05 07:32	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	12.	1.2 (02/02/05 07:32	RMN1			
n-Tetracosane (S)	101	*		1.0	02/02/05 07:32	RMN1	646-31-1		
p-Terphenyl (S)	115	*		1.0	02/02/05 07:32	RMN1	92-94-4		
Date Extracted	01/31/05			. (01/31/05				,
Organics Prep									
Percent Moisture	Method: SM 2	2540G							
Percent Moisture	19.4	*		1.0	01/31/05	ALJ1			
GC Volatiles									
Aromatic Volatile Organics	Prep/Method	: EPA 5030 N	Medium Soil / E	PA 8021					
Benzene	ND	ug/kg	62.		01/28/05 11:05	,	71-43-2		
Ethylbenzene	ND	ug/kg	62.	1.2	01/28/05 11:05	,	100-41-4		
Toluene	ND	ug/kg	62.	1.2	01/28/05 11:05	5	108-88-3		
Xylene (Total)	ND	ug/kg	160	1.2	01/28/05 11:05	5	1330-20-7		
a,a,a-Trifluorotoluene (S)	103	*		1.0	01/28/05 11:05	5	98-08-8		

Date: 02/02/05

Page: 18 of 29

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

