District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources**

Form C-144 June 1, 2004 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

office

<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No [
faction: Registration of a pit or below-grade tank \(\bigcap\) Closure of a pit or below-grade tank

Type of action: Registration of a pit of	or below-grade tank U Closure of a pit or below-grade	de tank 🔯				
Operator: BP AMERICA PROD. CO.	Telephone: (505-326-9200 e-ma	il address:				
Address: 200 ENERGY COURT. FARMINGTON.						
	API#: 30-045- 29226 U/L or Qtr/C	otr F Sec 12	2 T 29N R 13W			
County: SAN JUAN Latitude 36.74409 Longitude 10						
Pit	Below-grade tank					
Type: Drilling Production Disposal SEPARATOR II	Volume:bbl_Type of fluid: /					
Workover ☐ Emergency ☐	Construction material:					
Lined Unlined STEEL TANK	Double-walled, with leak detection? Yes I If the explain why not.					
Liner type: Synthetic Thicknessmil Clay _			_			
Pit Volumebbl						
	Less than 50 feet	(20 points)				
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)	20			
high water elevation of ground water.)	100 feet or more	(0 points)				
	Yes	(20 points)				
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)	0			
water source, or less than 1000 feet from all other water sources.)		(o points)				
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)				
rigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)	10			
igation outlant, criones, and personnel and opinional materioral	1000 feet or more	(0 points)	~~			
	Ranking Score (Total Points)		30			
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) Indica	te disposal location:	(check the onsite box if			
your are burying in place) onsite \(\square\) offsite \(\square\) If offsite, name of facility_		=				
remediation start date and end date. (4) Groundwater encountered: No 🖾						
Attach soil sample results and a diagram of sample locations and excavation			(2)			
Additional Comments: PIT LOCATED APPROXIMATEL		LL HEAD.	6202120233			
PIT EXCAVATION: WIDTH n/a ft., LENGTH n/a ft., DEPTH n/a ft.						
989						
PIT REMEDIATION: CLOSE AS IS: \(\text{A}, LANDFARM: \(\text{L}, COMPOST: \(\text{L}, STOCKPILE: \(\text{L}, OTHER \(\text{L} \) (explain) \(\text{L} \) \(\text{FEB 2000} \)						
Cubic vards: N/A		(O)	THE PART CO			
			LCOMB. DIV. S			
Thomship parties that the information of the information of the same and a smallest to the best	of many description of the second of the sec		12			
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline						
02/08/05			4. E. B. B. C.			
Date: 02/03/03						
PrintedName/Title Jeff Blagg - P.E. # 11607	Jeffy a s	engy				
	Signature		_			
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve to regulations.	not relieve the operator of liability should the contents the operator of its responsibility for compliance with a	of the pit or tank con ny other federal, state	taminate ground water or , or local laws and/or			
						
pproval:	110 11		EB 2 1 2006			
Printed Name/Title Title CAL & GAS INSPECTOR, DIST. Si	gnature Dung 700	Date:	D ~ T FAAA			

30-045-29226 LOCATION NO: B1485 BLAGG ENGINEERING, INC. BP P.O. BOX 87, BLOOMFIELD, NM 87413 CLIENT: HALL COCR NO: (505) 632-1199 FIELD REPORT: PIT CLOSURE VERIFICATION PAGE NO: 1 _ of ___ LOCATION: NAME: BURNHAM GC A DATE STARTED: 2-1.05 TYPE:SEP # Z WELL#: DATE FINISHED: 2-1.05 QUAD/UNIT: F SEC: 12 TWP: 29N RNG: 13W PM: NM CNTY: SJ ST: NM ENVIRONMENTAL QTR/FOOTAGE: 1450 FUL > 15 20 FWL SELOW CONTRACTOR: HD (ONOFICE) JGB SPECIALIST: EXCAVATION APPROX. WA FT. X A FT. X FT. DEEP. CUBIC YARDAGE: DISPOSAL FACILITY: ____ REMEDIATION METHOD: LLUSE AS LAND USE: FARM FEE FORMATION: LEASE: FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 168 FT. 575E FROM WELLHEAD. DEPTH TO GROUNDWATER: < SO NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: _ NMOCD RANKING SCORE: 20 + NMOCD TPH CLOSURE STD: 100 PPM OVM CALIB. READ. = 4600 ppm 53.3 SOIL AND EXCAVATION DESCRIPTION: OVM CALIB. GAS = ________ ppm /00 RF = 0.52 TIME: 1600 am/6m DATE: 2/1/05 SOIL TYPE: SAND (SILTY SAND) SILT / SILTY CLAY / CLAY (GRAVEL) OTHER SOIL COLOR: DARK YAN COHESION (ALL OTHERS): (NON COHESIVE) SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): (LOOSE) FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: YES (NO) EXPLANATION -HC ODOR DETECTED: YES (NO EXPLANATION -SAMPLE TYPE: (GRAB COMPOSITE - # OF PTS. _ 95 BBL STEEL TANT Set below GRADE. ADDITIONAL COMMENTS: BACKhoe to Runder & Collect Soil SAMPLE. FIELD 418.1 CALCULATIONS SCALE DILUTION READING CALC. (ppm) SAMP, TIME SAMP, ID WEIGHT (g) mL FREON LAR NO. FT PIT PERIMETER PIT PROFILE ÖVM READING TANK FIELD HEADSPACE SAMPLE FOUT 1@ PRINT 0.0 (4'Bb) 3@ 4@ NOT APPLICABLE 13 LAB SAMPLES TH (7'BG) ANALYSIS TIME 1515 Souple

C.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

CALLOUT:

ONSITE: 2/1/05 1400

Hall Environmental Analysis Laboratory

Date: 09-Feb-05

CLIENT:

Blagg Engineering

Lab Order:

0502026

C. II. di D. di

Client Sample ID: Separator #2 1@7'

0302020

Collection Date: 2/1/2005 3:15:00 PM

Project: Lab ID: Burnham GC A#1

0502026-02

Matrix: SOIL.

Analyses	Result	PQL Qu	ual Units	DF	Date Analyzed
EPA METHOD 8015B: DIESEL RANG	GE ORGANICS				Analyst: JMP
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	2/8/2005 3:43:46 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	2/8/2005 3:43:46 PM
Surr: DNOP	92.7	60-124	%REC	1	2/8/2005 3:43:46 PM
EPA METHOD 8015B: GASOLINE R	ANGE				Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	2/4/2005 12:14:12 PM
Surr: BFB	99.7	78.3-120	%REC	1	2/4/2005 12:14:12 PM

B - Analyte detected in the associated Method Blank

^{* -} Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range