State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

David Martin Cabinet Secretary

David R. Catanach, Division Director Oil Conservation Division



Tony Delfin Deputy Cabinet Secretary

New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.7.11 and are in addition to the actions approved by BLM on the following 3160-5 form.

Operator Signature Date: Original APD 4/2/2014 Sundry Extension Date 5/25/16

| API WELL# | Well Name | Well # | Operator Name | Туре | Stat | County | Surf_Owner | UL | Sec | Twp | N/S | Rng W/F |
|------------------------|---------------------|-----------|--------------------------------|------|------|-------------|------------|----|-----|-----|-----|---------|
| 30-045-35536-00- 00 | ESCRITO E07 2407 | | ENCANA OIL & GAS (USA) INC. | 0 | N | San Juan | F | Н | 12 | 24 | N | 8 W |

Conditions of Approval: (See the below checked and handwritten conditions) Notify Aztec OCD 24hrs prior to casing & cement. Hold C-104 for directional survey & "As Drilled" Plat O Hold C-104 for NSL, NSP, DHC, O Spacing rule violation. Operator must follow up with change of status notification on other well to be shut Regarding the use of a pit, closed loop system or below grade tank, the operator must comply with the following as applicable: A pit requires a complete C-144 be submitted and approved prior to the construction or use of the pit, pursuant to 19.15.17.8.A A closed loop system requires notification prior to use, pursuant to 19.15.17.9.A A below grade tank requires a registration be filed prior to the construction or use of the below grade tank, pursuant to 19.15.17.8.C Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string Submit Gas Capture Plan form prior to spudding or initiating recompletions operations. Regarding Hydraulic Fracturing, review EPA Underground Injection Control Guidance 84 Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in

a steel closed loop system.

Well-bore communication is regulated under 19.15.29 NMAC. This requires well-bore Communication to be reported in accordance with 19.15.29.8.

Comply with current regulations at time of spud Prior to production operator needs to be in compliance with RULE 19.15.5.9

Koheric Brelow NMOCD Approved by Signature

5/19/16

RECEIVED

FORM APPROVED OMB No. 1004-0137

Form 3160-5 MAY 2 6 2019 UNITED STATES (June 2015) Expires: January 31, 2018 DEPARTMENT OF THE INTERIOR 5. Lease Serial No BUREAU OF LAND MANAGEMENT NMNM 0557389 SUNDRY NOTICES AND REPORTS ON WELLS Farmington Fie Do not use this form for proposals to drill or to re-enter an Land Management abandoned well. Use Form 3160-3 (APD) for such proposals. 7. If Unit of CA/Agreement, Name and/or No. SUBMIT IN TRIPLICATE - Other instructions on page 2 N/A 1. Type of Well 8. Well Name and No. ✓ Oil Well Gas Well Other Escrito E07-2407 04H 2. Name of Operator 9 API Well No. Encana Oil & Gas (USA) Inc 30-045-35536 10. Field and Pool or Exploratory Area 3a. Address 3b. Phone No. (include area code) 370 17th Street, Suite 1700 (720) 876-3533 Dufers Point-Gallup Dakota Denver, CO 80202 4. Location of Well (Footage, Sec., T.R., M., or Survey Description) 11. Country or Parish, State SHL: 1301' FNL and 12' FEL Section 12, T24N, R8W San Juan County, NM BHL: 430' FNL and 330' FWL Section 12, T24N, R8W 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Deepen Production (Start/Resume) Water Shut-Off Acidize Notice of Intent Alter Casing Hydraulic Fracturing Reclamation Well Integrity Other APD Extension Casing Repair New Construction Recomplete ✓ Subsequent Report Change Plans Plug and Abandon Temporarily Abandon Final Abandonment Notice Convert to Injection Plug Back Water Disposal 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.) Encana Oil & Gas (USA) Inc. (Encana) was issued an approved APD for this well on 07/16/2014. Encana requests a 2-year APD extension for the Escrito E07-2407 04H well (API 30-045-35536). OIL CONS. DIV DIST. 3 JUN 1 0 2016

reved to: 07/15/2018 (Find approved 14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) Katie Wegner Title Senior Regulatory Analyst 05/25/2016 Signature Date SPACE FOR FEDERAL OR STATE OFICE USE reved by Title Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease Office which would entitle the applicant to conduct operations thereon. Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.