



Marquez, Cynthia <cmarquez@blm.gov>

OIL CONS. DIV DIST. 3

Unapproved APD's

7 messages

JUN 30 2016

Salyers, Troy <tsalyers@blm.gov> Mon, Jun 27, 2016 at 11:50 AM
To: "Johnson, Dee" <Dee_Johnson@xtoenergy.com>
Cc: Maureen Joe <mjoe@blm.gov>, Cynthia Marquez <cmarquez@blm.gov>, Abdelgadir Elmadani <aelmadani@blm.gov>

Dee,

Below is a list of wells we currently have on file from XTO Energy. These permits have been pending for an extended period of time. Please advise this office if your company is still interested in pursuing drilling these wells. If so, please provide a response to this message by 7/27/2016. If no response is received by the aforementioned date, the BLM will return your APD's with no further action taken. Thank you.

Troy Salyers
BLM-FDO

Well name	Well #	Township	Range	Section	Received date
Martin C Federal	1F	27N	10W	3	8/8/2007
Evensen	2F	27N	10W	19	8/5/2008
Federal F	2F	27N	10W	4	8/8/2007
Bolack	4B	27N	8W	12	1/23/2008
Bolack	4A	27N	8W	12	1/23/2008
Blanco	20	27N	8W	1	11/9/2007

NMOED-1A

Johnson, Dee <Dee_Johnson@xtoenergy.com>

Mon, Jun 27, 2016 at 1:23 PM

To: "Salyers, Troy" <tsalyers@blm.gov>, "Weston, Cherylene" <Cherylene_Weston@xtoenergy.com>, "Kardos, Kelly" <Kelly_Kardos@xtoenergy.com>

Cc: Maureen Joe <mjoe@blm.gov>, Cynthia Marquez <cmarquez@blm.gov>, Abdelgadir Elmadani <aelmadani@blm.gov>

Troy,

Kelly and Cherylene handle the permitting side for XTO. I've included them in this email and they should be getting back to you with an answer. Please let us know if you have any other questions.

Thanks,

~ Dee Johnson ~

Sr. Regulatory Analyst

XTO Energy Inc.

San Juan District, Western Division

382 CR 3100 - Aztec, NM 87410

Office (505)333-3164

iPhone (505)386-8348

dee_johnson@xtoenergy.com

An ExxonMobil Subsidiary

From: Salyers, Troy [mailto:tsalyers@blm.gov]

Sent: Monday, June 27, 2016 11:50 AM

To: Johnson, Dee

Cc: Maureen Joe; Cynthia Marquez; Abdelgadir Elmadani

Subject: Unapproved APD's

[Quoted text hidden]

Kardos, Kelly <Kelly_Kardos@xtoenergy.com>

Mon, Jun 27, 2016 at 1:32 PM

To: "Johnson, Dee" <Dee_Johnson@xtoenergy.com>, "Salyers, Troy" <tsalyers@blm.gov>, "Weston, Cherylene" <Cherylene_Weston@xtoenergy.com>

Cc: Maureen Joe <mjoe@blm.gov>, Cynthia Marquez <cmarquez@blm.gov>, Abdelgadir Elmadani <aelmadani@blm.gov>

Troy,

Do you have any notes to why these APDs were never processed?

Kelly K. Kardos

Permitting Supervisor

XTO ENERGY a subsidiary of ExxonMobil

PO Box 6501 | Englewood, CO 80155

9193 South Jamaica St. | Englewood, CO 80112

Office: 303.397.3727 | Cell: 505.787.7784

From: Johnson, Dee
Sent: Monday, June 27, 2016 1:23 PM
To: Salyers, Troy; Weston, Cherylene; Kardos, Kelly
Cc: Maureen Joe; Cynthia Marquez; Abdelgadir Elmadani
Subject: RE: Unapproved APD's

[Quoted text hidden]

Salyers, Troy <tsalyers@blm.gov> Mon, Jun 27, 2016 at 1:55 PM
To: "Kardos, Kelly" <Kelly_Kardos@xtoenergy.com>
Cc: "Johnson, Dee" <Dee_Johnson@xtoenergy.com>, "Weston, Cherylene" <Cherylene_Weston@xtoenergy.com>, Maureen Joe <mjoe@blm.gov>, Cynthia Marquez <cmarquez@blm.gov>, Abdelgadir Elmadani <aelmadani@blm.gov>

Hi Kelly.

I do not have any information on why these permits are still in pending status. I would assume environmental and/or tribal concerns. I just need an update from your side to see if XTO wants to pursue the permits. Thank you.

Troy Salyers
[Quoted text hidden]

Kardos, Kelly <Kelly_Kardos@xtoenergy.com> Tue, Jun 28, 2016 at 7:52 AM
To: "Salyers, Troy" <tsalyers@blm.gov>
Cc: "Johnson, Dee" <Dee_Johnson@xtoenergy.com>, "Weston, Cherylene" <Cherylene_Weston@xtoenergy.com>, Maureen Joe <mjoe@blm.gov>, Cynthia Marquez <cmarquez@blm.gov>, Abdelgadir Elmadani <aelmadani@blm.gov>

Troy,

At this time XTO would like to rescind the APDs. We will re-permit in the future if XTO decides to drill. Thank you.

Kelly K. Kardos

Permitting Supervisor

XTO ENERGY a subsidiary of ExxonMobil

PO Box 6501 | Englewood, CO 80155

9193 South Jamaica St. | Englewood, CO 80112

Office: 303.397.3727 | Cell: 505.787.7784

From: Salyers, Troy [mailto:tsalyers@blm.gov]

Sent: Monday, June 27, 2016 1:56 PM

To: Kardos, Kelly

Cc: Johnson, Dee; Weston, Cherylene; Maureen Joe; Cynthia Marquez; Abdelgadir Elmadani

Subject: Re: Unapproved APD's

[Quoted text hidden]

Salyers, Troy <tsalyers@blm.gov>

Tue, Jun 28, 2016 at 7:54 AM

To: "Kardos, Kelly" <Kelly_Kardos@xtoenergy.com>

Cc: "Johnson, Dee" <Dee_Johnson@xtoenergy.com>, "Weston, Cherylene" <Cherylene_Weston@xtoenergy.com>, Maureen Joe <mjoe@blm.gov>, Cynthia Marquez <cmarquez@blm.gov>, Abdelgadir Elmadani <aelmadani@blm.gov>

Kelly,

Thank you for the update. The BLM will rescind the mentioned permits.

Troy Salyers

[Quoted text hidden]

RECEIVED

JAN 23 2008

Form 3160-3
(February 2005)

Bureau of Land Management
Farmington Field Office

FORM APPROVED
OMB No. 1004-0137
Expires March 31, 2007

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR REENTER

5. Lease Serial No. NMNM 103799	
6. If Indian, Allottee or Tribe Name N/A	
7. If Unit or CA Agreement, Name and No. N/A	
8. Lease Name and Well No. BOLACK #4A	
9. API Well No. 30-045- 34575	
1a. Type of work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER	10. Field and Pool, or Exploratory DK/MC/MV/CH
1b. Type of Well: <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> Single Zone <input checked="" type="checkbox"/> Multiple Zone	11. Sec., T. R. M. or Blk. and Survey or Area (L) SEC 12, T27N, R8W
2. Name of Operator XTO Energy, Inc.	12. County or Parish San Juan
3a. Address 382 CR 3100 AZTEC, NM 87410	13. State NM
3b. Phone No. (include area code) 505-333-3100	14. Distance in miles and direction from nearest town or post office* Approximately 21 miles Southeast of Bloomfield, NM post office
4. Location of Well (Report location clearly and in accordance with any State requirements.)* At surface 1880' FSL x 765' FWL At proposed prod. zone same	15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 765'
16. No. of acres in lease 320	17. Spacing Unit dedicated to this well S/2DK 320, SW/4MC 160, S/2MV 320, SW/4CH
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. 914'	19. Proposed Depth 7600'
20. BLM/BIA Bond No. on file UTB-000138	21. Elevations (Show whether DF, KDB, RT, GL, etc.) 6612' Ground Elevation
22. Approximate date work will start* 03/03/2008	23. Estimated duration 2 weeks

This application is subject to technical and procedural review pursuant to 43 CFR 3165.4 and appeal pursuant to 43 CFR 3165.4

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, must be attached to this form:

DRILLING OPERATIONS AUTHORIZED ARE SUBJECT TO COMPLIANCE WITH ATTACHED "GENERAL REQUIREMENTS".

- Well plat certified by a registered surveyor.
- A Drilling Plan.
- A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office).
- Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- Operator certification
- Such other site specific information and/or plans as may be required by the BLM.

25. Signature <i>Kyla Vaughan</i>	Name (Printed/Typed) Kyla Vaughan	Date 01/22/2008
Title Regulatory Compliance		

Approved by (Signature)	Name (Printed/Typed)	Date
	Office	

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on page 2)

APD/ROW

NMOCD

Operator Certification:

a. Permitting and Compliance:

Kyla Vaughan
Regulatory Compliance
XTO ENERGY INC.
382 CR 3100
AZTEC, NM 87410
505-333-3100

b. Drilling and Completions:

Justin Neiderhofer
XTO Energy Inc.
382 CR 3100
Aztec, NM 87410
505-333-3100

c. Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by XTO Energy Inc. and its contractors and subcontractors in conformity with this APD package and the terms and conditions under which it is approved. I also certify responsibility for the operations conducted on that portion of the leased lands associated with this application, with bond coverage being provided by XTO Energy Inc. This statement is subject to provisions of 18 U.S.C. § 1001 for the filing of a false statement.

Signature: _____

Kyla Vaughan 1/22/08
Kyla Vaughan

DISTRICT I
1625 N. French Dr., Hobbs, N.M. 88240

DISTRICT II
1301 W. Grand Ave., Artesia, N.M. 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410

DISTRICT IV
1220 South St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED

JAN 23 2008

Bureau of Land Management
Farmington Field Office

Form C-102

Revised October 12, 2005

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number		² Pool Code 71599	³ Pool Name Basin Dakota
⁴ Property Code 30310	⁵ Property Name BOLACK		⁶ Well Number 4A
⁷ OGRID No. 5380	⁸ Operator Name XTO ENERGY INC.		⁹ Elevation 6612

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	12	27-N	8-W		1880	SOUTH	765	WEST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres 5/2 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--	-------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: Stich Date: 10/29/07

Printed Name: Stich

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date of Survey: SEPTEMBER 12, 2007

Signature and Seal of Professional Surveyor: [Signature]

Certificate Number: 8894

DISTRICT I
1625 N. French Dr., Hobbs, N.M. 88240

DISTRICT II
1301 W. Grand Ave., Artesia, N.M. 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410

DISTRICT IV
1220 South St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised October 12, 2005
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number	² Pool Code 97232	³ Pool Name Basin Mancos
⁴ Property Code 30310	⁵ Property Name BOLACK	⁶ Well Number 4A
⁷ OGRID No. 5380	⁸ Operator Name XTO ENERGY INC.	⁹ Elevation 6612

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	12	27-N	8-W		1880	SOUTH	765	WEST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres Sw/4 160	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: S. Johnson Date: 10/29/07

Printed Name: S. Johnson

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date of Survey: SEPTEMBER 12, 2007

Signature and Seal of Professional Surveyor: [Signature]

Certificate Number: 8894

DISTRICT I
1625 N. French Dr., Hobbs, N.M. 88240

DISTRICT II
1301 W. Grand Ave., Artesia, N.M. 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410

DISTRICT IV
1220 South St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised October 12, 2005

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number		² Pool Code 72319	³ Pool Name Blanco Mesa Verde
⁴ Property Code 30310	⁵ Property Name BOLACK		⁶ Well Number 4A
⁷ OGRID No. 5380	⁸ Operator Name XTO ENERGY INC.		⁹ Elevation 6612

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	12	27-N	8-W		1880	SOUTH	765	WEST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres 5/2	¹³ Joint or Infill 320	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	--------------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: *[Signature]* Date: 10/29/07
Printed Name: JOHNSON

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date of Survey: SEPTEMBER 12, 2007
Signature and Seal of Professional Surveyor: *[Signature]*
Certificate Number: 8894

DISTRICT I
1625 N. French Dr., Hobbs, N.M. 88240

DISTRICT II
1301 W. Grand Ave., Artesia, N.M. 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410

DISTRICT IV
1220 South St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised October 12, 2005

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number		² Pool Code 82329	³ Pool Name Otero Chacra
⁴ Property Code 30310	⁵ Property Name BOLACK		⁶ Well Number 4A
⁷ OGRID No. 5380	⁸ Operator Name XTO ENERGY INC.		⁹ Elevation 6612

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	12	27-N	8-W		1880	SOUTH	765	WEST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres Sw/4	¹³ Joint or Infill 160	¹⁴ Consolidation Code	¹⁵ Order No.
---------------------------------------	--------------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: John Johnson Date: 10/29/07

Printed Name: Johnson

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date of Survey: SEPTEMBER 12, 2007

Signature and Seal of Professional Surveyor: RUFUS RUSH

Certificate Number: 8894

SURFACE USE PLAN

**XTO Energy Inc.
Bolack #4A
1880' FSL x 765' FWL
Section 12, T27N, R8W
San Juan County, New Mexico**

THIRTEEN POINT SURFACE USE PLAN

The dirt contractor will be provided with an approved copy of the surface use plan of operations before initiating construction.

1. Existing Roads:
 - a. Proposed route to location is shown on the USGS quadrangle map:
See Exhibit "A".
 - b. Location of proposed well in relation to town or other reference point:
From the intersection of HWY 64 and US 550 in Bloomfield, Head East on HWY 64 for 10.5 miles. Turn right on Road 4450 and go 4.25 miles, turning left onto Road 4990. On Road 4990, go 0.6 mile and right onto CR 7007. Follow road 0.3 mile and turn right onto Road 4990. Follow Road 4990 for 0.6 miles to Creek 4450. Follow road 12.1 miles and turn left. Follow road 0.5 miles to location.
 - c. All existing roads within 1 mile of the drill site are shown on Exhibit "A". **If necessary, all existing roads that will be used for access to the well location will be maintained to their current condition or better unless BLM approval or consent is given to upgrade the existing road(s).**

2. Planned Access Roads:
 - a. Location (centerline): **Starting from a point along an existing road in the SW/4 of sec 12, T27N, R8W.**
 - b. Length of new access to be constructed: **Approx 1150 feet of new access will be constructed in order to gain safe access to the wellpad. See Exhibit "A"**
 - c. Length of existing roads to be upgraded: **No additional upgrades should be necessary to existing oilfield service roads.**
 - d. Maximum total disturbed width: **Typically both existing roads and new access roads require up to 40' of disturbed width in order to obtain a 20' driving surface. If both the road and pipeline are capable of sharing the ROW, then only 50' of disturbed width may be needed.**
 - e. Maximum travel surface width: **25' or less**
 - f. Maximum grades: **Maximum grades will not exceed 10% after construction.**
 - g. Turnouts: **No turnouts are planned at this time. Turnouts may be specified in the approved APD.**

- h. Surface materials: **Only native materials will be used during construction. If necessary, gravel or rock maybe purchased and used to improve road conditions and travel.**
- i. Drainage (crowning, ditching, culverts, etc): **Roads will be crowned and bar ditches will be located along either side. 18-24" dia CMP culverts will be installed as necessary.**
- j. Cattleguards: **No cattle guards are planned at this time. Cattle guards will be specified in the stipulations if necessary.**
- k. Length of new and/or existing roads which lie outside the lease or unit boundary for which a BLM/state/fee right-of-way is required: **None**
- l. Other: **See general information below.**

Surface disturbance and vehicular travel will be limited to the approved location and access road only. Any additional surface area needed must be approved by BLM in advance.

If any additional right-of-way is necessary, no surface disturbing activities shall take place on the subject right-of-way until the associated APD is approved. The holder will adhere to conditions of approval in the Surface Use Program of the approved APD, relevant to any right-of-way facilities.

If a right-of-way is secured, boundary adjustments in the lease or unit shall automatically amend this right-of-way to include that portion of the facility no longer contained within the lease or unit. In the event of an automatic amendment to this right-of-way grant, the prior on-lease/unit conditions of approval of this facility will not be affected even though they would now apply to facilities outside of the lease/unit as a result of a boundary adjustment. Rental fees, if appropriate shall be recalculated based on the conditions of this grant and the regulations in effect at the time of an automatic amendment.

If at any time the facilities located on public lands authorized by the terms of the lease are no longer included in the lease (due to a contraction in the unit or other lease or unit boundary change) the BLM will process a change in authorization to the appropriate statute. The authorization will be subject to appropriate rental, or other financial obligations as determined by the BLM.

If the well is productive, the access road will be rehabilitated as needed and brought to Resource (Class III) Road Standards within a time period specified by the BLM. If upgraded, the access road must be maintained at these standards until the well is properly abandoned. If this time frame cannot be met, the Field Office Manager will be notified so that temporary drainage control can be installed along the access road.

3. Location of Existing Wells within a one mile radius of the proposed well:

See attached Exhibit "B".

4. Location of Production Facilities:

- a. On-site facilities: **Typical on-site facilities will consist of a wellhead, flow lines (typ 3" dia.), artificial lifting system (if necessary), wellhead compression (if necessary), gas/oil/water separator (3 phase), gas measurement and water measurement equipment, and a heated enclosure/building for weather and environmental protection. The tank battery will typically be constructed and surrounded by a berm of sufficient capacity to contain 1½ times the storage capacity of the largest tank(s).**

The tanks typically necessary for the production of this well will be 1 – 210 bbl steel, above ground tank for oil/condensate and 1 – 100 bbl steel, below grade tank for produced water. All loading lines and valves for these tanks will be placed inside the berm surrounding the tank battery. All oil/condensate production and measurement shall conform to the provisions of 43 CFR § 3162.7 and Onshore Oil and Gas Order No. 4, if applicable. Other on-site equipment and system may include methonal injection and winter weather protection.

All permanent (in place for six months or longer) structures constructed or installed on the well site location will be painted a flat, nonreflective color to match the standard environmental colors, as specified by the COA's in the APD. All facilities will be painted within six months of installation. Facilities required by comply with the Occupational Safety and Health Act (OSHA) may be excluded.

- b. Off-site facilities: **N/A**
- c. Pipelines: **The well will be produced into a 4" steel gas pipeline and transported to either an existing pipeline ROW (3rd party transporter) or gas gathering facility. See Exhibit "C" for the proposed pipeline route.**
- d. Powerlines: **There are no plans to include powerlines in this application. In the event power is required, a ROW application will be submitted to the appropriate agencies.**

5. Location and Type of Water Supply:

All water needed for drilling purposes will be obtained from (describe location and/or show on a map): **Water will be purchased from a commercial water source and trucked via third party to the location over approved access roads.**

Water obtained on private land, or land administered by another agencies, will require approval from the owner or agency for use of said water.

6. Source of Construction Material:

Pad construction material will be obtained from (if the material source is Federally owned, a map will be included showing the location of the material): **All construction material will be purchased from private landowners and or from a commercial gravel/materials pit. All material will be trucked to location via third party trucking using only approved access roads.**

The use of materials under BLM jurisdiction will conform to 43 CFR § 3610.2-3, if applicable.

7. Methods of Handling Waste Disposal:

Describe the methods and locations proposed for safe containment and disposal of waste material, e.g. cuttings, produced water, garbage, sewage, chemicals, etc.

The reserve pit will typically be lined with a synthetic material, ±12 mils in thickness. The reserve pit shall be located in cut material, with at least 50% of the pit volume being below original ground level. Three sides of the reserve pit will be fenced before drilling starts. The fourth side will be fenced as soon as drilling is completed, and shall remain until the pit is dry.

The amount of time the pit may remain open will typically be specified by the COA's in the APD. Once dry, the pit liner will be cut and removed at the mud line and the pit will be covered and buried in place.

Trash must be contained in a trash cage and hauled away to an approved disposal site as necessary but no later than at the completion of drilling operations.

Sewage from trailers and chemical portable toilets will be removed on a regular basis by a third party contractor and disposed of at an authorized sanitary waste facility.

Any and all chemicals used during the drilling and completion of the well will be kept to a minimum and stored within the boundaries of the well pad. The third party chemical contractor will be responsible for containment and clean-up and removal of all spilled chemicals on location.

8. Ancillary Facilities: No ancillary facilities will be required during the drilling or completion of the well.

The State of New Mexico Sundry form C-103 (used for reserve pit information) is attached. See Exhibit "D".

9. Well Site Layout -depict the pit, rig, cut and fill, topsoil, etc. on a plat with a scale of at least 1"=50'. See Exhibit "E".

All equipment and vehicles that will be used to drill and complete this well will remain within the boundaries of the approved wellpad. Any equipment and or vehicles park or stored off of the location will be considered trespassing on federal lands and will NOT be tolerated.

Materials obtained from the construction of location, like topsoil and vegetation will be stock piled as indicated and permitted by the approved APD. The stock piles themselves may be outside the approved boundaries of the wellpad.

10. Plans for Restoration of the Surface:

The top 6 inches of topsoil material will be removed from the location and stockpiled separately on: **Typically as specified by the approved APD.**

Topsoil along the access road will be reserved in place adjacent to the road as indicted by the approved APD.

Within 30-45 days after completion of well, all equipment that is not necessary for production shall be removed.

The reserve pit and that portion of the location not needed for production will be reclaimed in a given time period as specified by the BLM in the approved APD.

Before any dirt work to restore the location takes place, the reserve pit must be dry and ready for burial. If necessary, any approvals needed to commence the burial operation will be obtained.

All road surfacing will be removed prior to the rehabilitation of roads, if necessary.

Reclaimed roads will have the berms and cuts reduced and will be closed to vehicle use.

All disturbed areas will be recontoured to replicate the natural slope.

The stockpiled topsoil will be evenly distributed over the disturbed area.

Prior to reseeding, all disturbed areas, including the access roads, will be scarified and left with a rough surface.

Seed will be broadcast or drilled between during a time specified by the BLM and or state. If broadcast, a harrow or some other implement will be dragged over the seeded area to assure uniform seed coverage.

The following seed mixture will be used: **As specified in the conditions of approval.**

If necessary, an abandonment marker will be one of the following, as specified by BLM:


- 1) at least four feet above ground level,
- 2) at restored ground level, or
- 3) below ground level.

In any case the marker shall be inscribed with the following: operator name, lease number, well name and surveyed description (township, range, section and either quarter-quarter or footages).


Additional requirements: **None**

11. Surface and Mineral Ownership: **Both the surface and the minerals are property of the United States Federal Government and are managed by the Bureau of Land Management.**
12. Other Information:
 - a. Archeological Concerns: **A BLM approved contractor will submit the appropriate reports to the agency as required. Special stipulations will be included in the COA's of the approved APD.**

The operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the appropriate BLM Field Office for further instructions.
 - b. Threatened and Endangered Species Concerns: **An BLM approved contractor will submit the appropriate reports to the agency as required. Special stipulation will be included in the COA's of the approved APD.**
 - c. Wildlife Seasonal Restrictions: **Current wildlife restrictions and closure dates, if applicable, will be specified in the approved APD.**
 - d. **The Drilling Program is attached. See Exhibit "F".**
 - e. **On-site took place on August 30, 2007 with Scott Hall-BLM, Scott Baxstrom-XTO, Carrol Ellington-Daggett, Randy Watson-Daggett, Brent Beaty-Rosenbaum, and Kyla Vaughan-XTO.**



THIS MAP IS FOR ESTIMATING PURPOSES ONLY.
CONSTRUCTION FOOTAGES ARE APPROXIMATE.






EXHIBIT B

XTO Energy

T 27N, R 8W

0 4,378 8,756
FEET

POSTED WELL DATA

Well Label

WELL SYMBOLS

- Location Only
- Gas Well
- Oil & Gas Well

April 20, 2007



BLANCO GATHERING SYSTEM

DWG. NO. BLK016-046-01

LINE XTO ENERGY INC.- BOLACK NO. 4A

WO NO.

RW NO. 0770231


DATE 09/04/07

SCALE 1" = 1000'

SURVEYED 08/10/07

FROM 0+00 = 30+76.40 ON AMOCO PRODUCTION CO. - BOLACK B LS NO. 2
(BLK016-005-01, R/W NO. 5570359)(MC NO. 71041)

COUNTY SAN JUAN STATE NEW MEXICO SECTION 12 TOWNSHIP 27-N RANGE 08-W, N.M.P.M.



DWN. BY DB CONSTR. COMMENCED _____ APPL. DWG. _____ SLACK CHAIN _____
CKD. BY MD CONSTR. COMPLETED _____ DATE _____ PIPE SIZE 4.50" O.D.

PRINT RECORD PIPE DATA METER STA. NO. MV/DK/CH

7	SJ DISTRIB	09/05/07

NOTE: WELL FLAG
SURVEY LOOPS PROPOSED ROAD
LOCATION NOT BUILT

OWNERSHIP	SUBDIVISION	OWNER	LESSEE	METER(S)	RODS	ACRE(S)
	SW/4, SEC. 12	UNITED STATES	PACHECO RANCHES		75.467	1.143

EXHIBIT C

BLK016-046-01 FM24 (Rev. 1/99)

Submit 3 Copies To Appropriate District Office
 District I
 1625 N. French Dr., Hobbs, NM 87240
 District II
 1301 W. Grand Ave., Artesia, NM 88210
 District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 May 27, 2004

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO.
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: BOLACK
8. Well Number #4A
9. OGRID Number 5380
10. Pool name or Wildcat BASIN DK/BASIN MC/BLANCO MV/OTERO CH

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
 Oil Well Gas Well Other

2. Name of Operator
 XTO Energy Inc.

3. Address of Operator
 382 CR 3100 AZTEC, NM 87410 505-333-3100

4. Well Location
 Unit Letter L : 1880 feet from the SOUTH line and 765 feet from the WEST line
 Section 12 Township 27N Range 8W NMPM NMEM County SAN JUAN

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
 6612' GROUND ELEVATION

Pit or Below-grade Tank Application or Closure

Pit type DRILL Depth to Groundwater >100 Distance from nearest fresh water well >1000 Distance from nearest surface water >1000

Pit Liner Thickness: 12 mil Below-Grade Tank: Volume 8000 bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <u>PIT</u> <input checked="" type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO Energy plans to construct a lined pit on location for drilling.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan


SIGNATURE Kyla Vaughan TITLE Regulatory Compliance DATE 01/22/2008
 E-mail address: kyla_vaughan@xtoenergy.com
 Type or print name Kyla Vaughan Telephone No. 505-333-3159

For State Use Only
 APPROVED BY _____ TITLE _____ DATE _____
 Conditions of Approval, if any:

EXHIBIT D



XTO ENERGY INC.
 BOLACK No. 4A, 1880 FSL 765 FWL
 SECTION 12, T27N, R8W, N.M.P.M., SAN JUAN COUNTY, N.M.
 GROUND ELEVATION: 6612' DATE: SEPTEMBER 12, 2007

NAD 83
 LAT. = 36.58644° N
 LONG. = 107.63999° W
 NAD 27
 LAT. = 36°35'11.2" N
 LONG. = 107°38'21.8" W



RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1' ABOVE SHALLOW SIDE).
 BLOW PIT: OVERFLOW PIPE HALFWAY BETWEEN TOP AND BOTTOM AND TO EXTEND OVER PLASTIC LINER AND INTO BLOW PIT.

NOTE: DAGGETT ENTERPRISES, INC. IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES. NEW MEXICO ONE CALL TO BE NOTIFIED 48 HOURS PRIOR TO EXCAVATION OR CONSTRUCTION.



NOTE: CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED BURIED PIPELINES OR CABLES ON WELL PAD AND OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION.

REVISION:	DATE:	REVISION BY:
LOCATION RESTAKE 'D'	10/15/07	G.V.

Daggett Enterprises, Inc.
 Surveying and Oil Field Services
 P. O. Box 510 • Farmington, NM 87489
 Phone (505) 326-1772 • Fax (505) 326-6019
 NEW MEXICO L.S. No. 8894
 CMAPLE CR857-CFB

OWNER: XTO ENERGY INC.

EXHIBIT "B" E

XTO ENERGY INC.

Bolack #4A

APD Data

January 21, 2008

Location: 1880' FSL x 765' FWL Sec 12, T27N, R8W County: San Juan State: New Mexico

GREATEST PROJECTED TD: 7600'

OBJECTIVE: Basin Dakota / Basin Mancos / Blanco Mesa Verde / Otero Chacra

APPROX GR ELEV: 6612'

Est KB ELEV: 6624' (12' AGL)

1. MUD PROGRAM:

INTERVAL	0' to 360'	360' to 2500'	2500' to 7600'
HOLE SIZE	12.25"	7.875"	7.875"
MUD TYPE	FW/Spud Mud	FW/Polymer	LSND / Gel Chemical
WEIGHT	8.6-9.0	8.4-8.8	8.6- 9.20
VISCOSITY	28-32	28-32	45-60
WATER LOSS	NC	NC	8-10

Remarks: Use fibrous materials as needed to control seepage and lost circulation. Pump high viscosity sweeps as needed for hole cleaning. Raise viscosity at TD for logging. Reduce viscosity after logging for cementing purposes.

2. CASING PROGRAM:

Surface Casing: 8.625" casing to be set at $\pm 360'$ in a 12.25" hole filled with 9.20 ppg mud

Interval	Length	Wt	Gr	Cplg	Coll Rating (psi)	Burst Rating (psi)	Jt Str (M-lbs)	ID (in)	Drift (in)	SF Coll	SF Burst	SF Ten
0'-360'	360'	24.0#	J-55	ST&C	1370	2950	244	8.097	7.972	7.950	17.13	28.24

Production Casing: 5.5" casing to be set at TD ($\pm 7600'$) in 7.875" hole filled with 9.20 ppg mud.

Interval	Length	Wt	Gr	Cplg	Coll Rating (psi)	Burst Rating (psi)	Jt Str (M-lbs)	ID (in)	Drift (in)	SF Coll	SF Burst	SF Ten
0'-7600	7600'	15.5#	J-55	ST&C	4040	4810	202	4.950	4.825	1.11	1.32	1.71

3. WELLHEAD:

- A. Casing Head: Larkin Fig 92 (or equivalent), 9" nominal, 2,000 psig WP (4,000 psig test) with 8-5/8" 8rnd thread on bottom and 11-3/4" 8rnd thread on top.
- B. Tubing Head: Larkin Fig 612 (or equivalent), 6.456" nominal, 2,000 psig WP (4,000 psig test), 5-1/2" 8rnd female thread on bottom (or slip-on, weld-on), 8-5/8" 8rnd thread on top.

EXHIBIT F

4. CEMENT PROGRAM (Slurry design may change slightly, but the plan is to circulate cement to surface on both casing strings):

A. Surface: 8.625", 24.0#, J-55, ST&C casing to be set at $\pm 360'$ in 12-1/4" hole.

214 sx of Type III cement (or equivalent) typically containing accelerator and LCM, mixed at 14.5 ppg, 1.39 ft³/sk, & 6.70 gal wtr/sk.

Total slurry volume is 297 ft³, 100% excess of calculated annular volume to 360'.

B. Production: 5.5", 15.5#, J-55 (or K-55), ST&C casing to be set at $\pm 7600'$ in 7.875" hole. DV Tool set @ $\pm 5100'$

1st Stage

LEAD:

± 187 sx of Premium Lite HS (Type III/Poz/Gel) or equivalent, with dispersant, fluid loss, accelerator, & LCM mixed at 12.5 ppg, 2.01 ft³/sk, 10.55 gal wtr/sx.

TAIL:

150 sx Type III or equivalent cement with bonding additive, LCM, dispersant, & fluid loss mixed at 14.2 ppg, 1.54 cuft/sx, 8.00 gal/sx.

2nd Stage

LEAD:

± 436 sx of Type III or equivalent cement with 8% gel & LCM mixed at 11.9 ppg, 2.54 ft³/sk, 15.00 gal wtr/sx.

TAIL:

100 sx Type III neat mixed at 14.5 ppg, 1.39 cuft/sx, 6.3 gal/sx.

Total estimated slurry volume for the 5-1/2" production casing is 1853 ft³.

Note: The slurry design may change slightly based upon actual conditions. Final cement volumes will be determined from the caliper logs plus 40%. It will be attempted to circulate cement to the surface.

5. LOGGING PROGRAM:

A. Mud Logger: None.

B. Open Hole Logs as follows: Run Array Induction/SFL/GR/SP fr/TD (7600') to the bottom of the surface csg. Run Neutron/Lithodensity/Pe/GR/Cal from TD (7600') to 3,000'.

EXHIBIT F

6. FORMATION TOPS:

Est. KB Elevation: 6624'

FORMATION	Sub-Sea	MD	FORMATION	TV Sub-Sea	MD
Ojo Alamo SS	4506	2118	Gallup	265	6359
Kirtland Shale	4404	2220	Greenhorn	-502	7126
Farmington SS			Graneros	-566	7190
Fruitland Formation	4055	2569	Dakota 1*	-600	7224
Lower Fruitland Coal	3695	2929	Dakota 2*	-625	7249
Pictured Cliffs SS	3670	2954	Dakota 3*	-672	7296
Lewis Shale	3459	3165	Dakota 4*	-721	7345
Chacra SS	2755	3869	Dakota 5*	-751	7375
Cliffhouse SS*	2042	4582	Dakota 6*	-791	7415
Menefee**	1995	4629	Burro Canyon	-835	7459
Point Lookout SS*	1440	5184	Morrison*	-881	7505
Mancos Shale	1067	5557	TD	-976	7600

* Primary Objective

** Secondary Objective

**** Maximum anticipated BHP should be <2,000 psig (<0.30 psi/ft) *****

7. COMPANY PERSONNEL:

Name	Title	Office Phone	Home Phone
Justin Niederhofer	Drilling Engineer	505-333-3199	505-320-0158
Jerry Lacy	Drilling Superintendent	505-333-3177	505-320-6543
John Klutsch	Project Geologist	817-885-2800	--


JN
1/21/08

EXHIBIT F

BOP SCHEMATIC FOR DRILLING OPERATIONS CLASS 1 (2M) NORMAL PRESSURE

TESTING PROCEDURE

1. Test BOP after installation:
 Pressure test BOP to 200-300 psig (low pressure) for 10 min.
 Test BOP to Working Press or to 70% internal yield of surf csg (10 min) or which ever is less.
2. Test operation of (both) rams on every trip.
3. Check and record Accumulator pressure on every tour.
4. Re-pressure test BOP stack after changing out rams.
5. Have kelly cock valve with handle available.
6. Have safety valve and subs to fit all sizes of drill string on the rig floor and ready to go.



** Remove check or ball from check valve and press test to same press as BOP's. **

TO CHOKE MANIFOLD
 2" dia min.
 See Choke Manifold drawing for specifications

MUD CROSS
 EXHIBIT

HCR VALVE (OPTIONAL)
 2" (MIN) FULL OPENING VALVE

**CHOKE MANIFOLD
SCHEMATIC FOR DRILLING
OPERATIONS
CLASS 1 (2M) NORMAL
PRESSURE**

1. Stake all lines from choke manifold to pit.
2. Pressure test choke manifold after installation.
3. Pressure test manifold at the same time with the BOP Stack. Test manifold to the same test pressures.

**TESTING
PROCEDURE**




EXHIBIT F