RECEIVED

Form 3160-5 (February 2005)

UNITED STATES DEPARTMENT OF THE INTERIOR JUL 0 8 2016

FORM	A	PPR	OV	ED
OMB I	No.	100	4-0	137
Expires:	Ma	rch	31,	2007

В	UREAU OF LAN	D MANAGEMENT Fam	minaton Field Offi	Le .	Expires: March 31, 2007
		REPORTS ON WELLS	of Land Manage	N0-G-1403	al No. 3-1944
		osals to drill or to re-er		6. If Indian, A	Allottee or Tribe Name
abandoned wel	I. Use Form 316	0-3 (APD) for such pro	posals.		
1. Type of Well	BMIT IN TRIPLICAT	E – Other instructions on page	2.	7. If Unit of C NMNM 135	CA/Agreement, Name and/or No. 6216X
	Gas Well O	ther		8. Well Name W. Lybrook	and No. CUT # 708H
Name of Operator WPX Energy Production, LL	С			9. API Well N 30-045-357	
3a. Address PO Box 640 Aztec, NN	M 87410	3b. Phone No. (include area of 505-333-1808	ode)	10. Field and Lybrook Mar	Pool or Exploratory Area
 Location of Well (Footage, Se SHL: 860' FSL & 404' FEL, Se BHL: 335' FNL & 706' FWL, 	c 12, T23N, R9W	Description)		11. Country of San Juan, N	r Parish, State IM
12. CHECK	K THE APPROPRIATI	E BOX(ES) TO INDICATE NAT	TURE OF NOTICE, F	REPORT OR O	THER DATA
TYPE OF SUBMISSION		1	YPE OF ACTION		
Notice of Intent	Acidize Alter Casing	Deepen Fracture Treat	Production (Sta	art/Resume)	Water Shut-Off Well Integrity Other FLARE EXTENSION
Subsequent Report	Casing Repair Change Plans	New Construction Plug and Abandon	Recomplete Temporarily Al	oandon	
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal		
duration thereof. If the prop all pertinent markers and zo subsequent reports must be recompletion in a new inter-	osal is to deepen direct nes. Attach the Bond u filed within 30 days fo val, a Form 3160-4 mu	y state all pertinent details, including including the perfect of the work will be perfected by the perfection of the involvent before the involvent before and the operator has determined by the perfect of the perfec	y, give subsurface loc ormed or provide the ed operations. If the o completed, Final Abar	eations and meas Bond No. on fil peration results adonment Notice	sured and true vertical depths of le with BLM/BIA. Required in a multiple completion or es must be filed only after all

WPX Energy requests authorization to flare this well for 30 additional days due to high nitrogen content. The most recent gas analysis report shows nitrogen at approximately 58.7%, which is higher than the Gas Systems allows. It is anticipated that this level of nitrogen will not be obtained by the date of expiration (7/24/16). WPX anticipates that the well will need an additional 30 days to flare after expiration. The most recent gas measurement report is attached.

NOTE: WPX received verbal approval from William (BLM) on 7/8/16. Also, cleared to attach the gas measurement report instead of the gas analysis report.

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) Lacey Granillo	ng is true and correct. Title Permit Tech III	
Signature NIS SPACE FOR FEDERA	Date 7/8/16 L OR STATE OFFICE USE	
Conditions of approval, if any, are attached. Approval of this notice does not warrant of certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Title Petroleum Engineer Office FFO	Date 7/11/2016





GAS MEASUREMENT EMISSIONS TESTING LABORATORY

307.856.0866 www.precision-labs.com

Run File

Williams Mancos SGD 7.7 2pm.27-7-2016 2-04-23 PM.dat

Method

PrecisionC6.met

Operator

System

Analysis Date

7/7/2016

Client:

Williams

Date Sampled:

7/7/2016

Sample Identification:

Williams Mancos SGD 7.7 2pm.2

Purpose:

NI

Unique #:

NI

Pressure:

150

PSI

Sample Temperature:

89

DEG F

Type Sample:

SPOT

Sampled by:	Corey Rose			County:	San Juan
P					
Component	Mole %	BTU	GPM		
Hydrogen Sulfide (H2S)	0.0000	0.0000	0.0000		
Nitrogen (N2)	58.7420				
Carbon Dioxide	0.2390				
Methane (CH4)	30.4630	307.6763			
Ethane (C2)	4.3220	76.4864	1.1570		
Propane (C3)	3.8610	97.1466	1.0650		
iso-Butane (i-C4)	0.4900	15.9343	0.1610		
Butane (C4)	1.2020	39.2128	0.3790		
iso-Pentane (i-C5)	0.2440	9.7622	0.0890		
Pentane (C5)	0.2270	9.0997	0.0820		
Hexanes (C6+)	0.2100	10.7714	0.0920		

Totals

100.0000

566.0898

3.0250

Specific Gravity from Composition

0.8975

Ideal BTUs @ 14.730 Saturated 557.500 Ideal BTUs @ 14.730 Dry

567.400

Real BTUs @ 14.730 Saturated 558.500 Real BTUs @ 14.730 Dry

568.200

Ideal BTUs @ 14.650 Saturated 554.500 Ideal BTUs @ 14.650 Dry

564.300

Real BTUs @ 14.650 Saturated 555.500

Real BTUs @ 14.650 Dry

565.100

Compressibility

0.9986

Hydrogen Sulfide (H2S)

0ppm

Notes