District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration

or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request

Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank,

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
I.
Operator: BP America Production Company OGRID #: 778
Address: 200 Energy Court, Farmington, NM 87401
Facility or well name: E E ELLIOTT B 009
API Number: 3004509155 OCD Permit Number:
U/L or Qtr/Qtr K Section 26 Township 30N Range 09W County: San Juan
Center of Proposed Design: Latitude 36.78025 Longitude -108.75393 NAD: □1927 ⋈ 1983
Surface Owner: 🛮 Federal 🗌 State 🔲 Private 🔲 Tribal Trust or Indian Allotment
2.
Pit: Subsection F, G or J of 19.15.17.11 NMAC
Temporary: Drilling Workover
Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other
☐ String-Reinforced
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D
3.
Below-grade tank: Subsection I of 19.15.17.11 NMAC TANK A
Volume: 95 bbl Type of fluid: Produced water
Tank Construction material: Steel
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other <u>Single wall/ Double bottom; no visible sidewalls</u>
Liner type: Thicknessmil

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environment Consoleration of approval.

APR 2 1 2017

5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) ☐ Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet ☐ Alternate. Please specify	hospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC	
Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	ptable source
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - □ NM Office of the State Engineer - iWATERS database search; □ USGS; □ Data obtained from nearby wells	Yes No
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	☐ Yes ☐ No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes No							
 application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 								
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No							
Within 100 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Temporary Pit Non-low chloride drilling fluid								
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No							
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site								
Within 300 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Permanent Pit or Multi-Well Fluid Management Pit								
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No							
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No							
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.								
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No							
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No							
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached.	MAC cuments are							
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC								
Previously Approved Design (attach copy of design) API Number: or Permit Number:								
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC								
Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) - API Number: Or Permit Number:								
Previously Approved Design (attach copy of design) API Number: or Permit Number:								

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment	documents are
 □ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC □ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC □ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC □ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC □ Quality Control/Quality Assurance Construction and Installation Plan □ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC □ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC 	
 Nuisance or Hazardous Odors, including H₂S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC 	
13. Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	luid Management Pit
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
15. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. I 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality										
- written commitment or verification from the municipanty, written approval obtained from the municipanty	☐ Yes ☐ No									
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division										
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 										
Within a 100-year floodplain FEMA map	☐ Yes ☐ No ☐ Yes ☐ No									
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plants a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannum Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	.11 NMAC 15.17.11 NMAC									
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believe the certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believe the certification: Title:										
Signature: Date:										
e-mail address:										
18. OCD Approval: Permit Application (Including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date:	112017									
Title: COURT OCD Permit Number:										
19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 2/10/2017										
19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	complete this									

22.	
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure report belief. I also certify that the closure complies with all applicable closure requirement	
Name (Print): Steve Moskal	Title: Field Environmental Coordinator
Signature: Alexandres	Date:April 19, 2017
e-mail address: steven.moskal@bp.com	Telephone: (505) 326-9497

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

EE ELLIOTT B 009 API No. 3004509155 Unit Letter K, Section 26, T30N, R09W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

 Notice is attached.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

 Notice was provided and is attached.
- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	95 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	< 0.018
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.073
TPH	US EPA Method SW-846 418.1 or 8015 extended	100	<u><48</u>
Chlorides	US EPA Method 300.0 or 4500B	250 or background	<30

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled for TPH, BTEX and chloride with all concentrations below the stated limits. The field report and laboratory reports are attached.

7. BP shall notify the division District III office of its results on form C-141. **C-141 is attached.**

- 8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

 Sampling results indicates no had occurred. Attached is a laboratory report and C-141.
- 9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

Sampling results indicates no release had occurred. Attached is a laboratory report and field report. The location will be reclaimed when the well is plugged and abandoned.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area has been backfilled. The location will be reclaimed when the well is plugged and abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The location will be reclaimed when the well is plugged and abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The location will be reclaimed when the well is plugged and abandoned.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The location will be reclaimed when the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

The location will be reclaimed when the well is plugged and abandoned.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

 Closure report on C-144 form is included including photos of reclamation completion.
- 16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-141 Revised August 8, 2011

Release Notification and Corrective Action												
	OPERATOR	☐ Initial Report ☐ Final Report										
Name of Company: BP	Contact: Steve Moskal											
Address: 200 Energy Court, Farmington, NM 87401	Telephone No.: 505-326-9497											
Facility Name: EE ELLOITT B 009	Facility Type: Natural gas well											
Surface Owner: Federal Mineral Owne	r: Federal	API No. 3004509155										
LOCATIO	ON OF RELEASE											
Unit Letter Section Township Range Feet from the Nor K 26 30N 09W 1,910 Sou	The same and the s	st/West Line County: San Juan										
Latitude 36.78025°	Longitude 107.75393 °											
	E OF RELEASE											
Type of Release: none Volume of Release: unknown Volume Recovered: N/A												
Source of Release: below grade tank – 95 bbl	Date and Hour of Occurrence:	Date and Hour of Discovery: none										
W- I - V- i - Ci0	none											
Was Immediate Notice Given? ☐ Yes ☐ No ☐ Not Require	If YES, To Whom?											
By Whom?	Date and Hour											
Was a Watercourse Reached? ☐ Yes ☑ No	If YES, Volume Impacting the Watercourse.											
If a Watercourse was Impacted, Describe Fully.*												
Describe Cause of Problem and Remedial Action Taken.* Sampling of BTEX, TPH and chlorides below BGT closure standards. Sampling re attached.												
Describe Area Affected and Cleanup Action Taken.* No action necessar	ry. Final laboratory analysis determin	ed no remedial action is required.										
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.												
Signature: Man Min	OIL CONSERVATION DIVISION											
Printed Name: Steve Moskal	Approved by Environmental Specia	list:										
Title: Field Environmental Coordinator	Approval Date:	Expiration Date:										
E-mail Address: steven.moskal@bp.com	Conditions of Approval:	Attached										
Date: April 19, 2017 Phone: 505-326-9497												

^{*} Attach Additional Sheets If Necessary

bp



BP America Production Company 200 Energy Court Farmington, NM 87401

January 27, 2017

Bureau of Land Management Whitney Thomas 6251 College Suite A Farmington, NM 87402

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: EE ELLIOTT B 009

API#: 3004509155

Dear Mrs. Thomas.

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about February 2, 2017. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (505)-326-9497.

Sincerely,

Steven Moskal

BP America Production Company

Moskal, Steven

From:

Moskal, Steven

Sent:

Monday, February 06, 2017 3:53 PM

To:

Smith, Cory, EMNRD; Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us);

l1thomas@blm.gov

Cc:

jeffcblagg@aol.com; blagg_njv@yahoo.com; cparks@mbfservices.com

Subject:

RE: BP Pit Close Notification - EE ELLIOTT B 009

The BGT is scheduled to be removed on 2.8.17 at 9:00 AM. There has been a slight delay due to access and weather.

Thank you,

Steve Moskal

BP Lower 48 – San Juan – Farmington Field Environmental Coordinator Office: (505) 326-9497 Cell: (505) 330-9179



This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

From: Railsback, Farrah (CH2M HILL) Sent: Friday, January 27, 2017 11:11 AM

To: Smith, Cory, EMNRD; Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us)

Cc: jeffcblagg@aol.com; blagg_njv@yahoo.com; Moskal, Steven

Subject: BP Pit Close Notification - EE ELLIOTT B 009

BP America Production Company

200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US; VANESSA.FIELDS@STATE.NM.US

January 27, 2017

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

EE ELLIOTT B 009 API 30-045-09155 (K) Section 26 – T20N – R09W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around February 2, 2017.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Steven Moskal BP Field Environmental Coordinator

(505) 326-9497

Farrah Railsback
BGT Project Support
970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

CLIENT: BP	BLAGG F P.O. BOX 87, I		API#: 3004509						
	(5	05) 632-1199		TANK ID (if applicble):					
FIELD REPORT:	(circle one): BGT CONFIRMATION]/ RELEASE INVESTIGATION	I / OTHER:	PAGE #: 1 of	f <u>1</u>				
SITE INFORMATION	J: SITE NAME: E.E. E	LLIOTT B #9		DATE STARTED: 02/0	8/17				
QUAD/UNIT: K SEC: 26 TWP:	30N RNG: 9W PM	M: NM CNTY: S	SJ ST: NM	DATE FINISHED:					
1/4-1/4/FOOTAGE: 1,910'S / 1,7		TYPE: FEDERAL STA		ENVIRONMENTAL	78. 6				
LEASE #: SF078139	PROD. FORMATION: MV/DK	CONTRACTOR: MBF -	R. POWELL	SPECIALIST(S):	JV				
REFERENCE POINT	: WELL HEAD (W.H.) GR	os COORD.: 36.7		GL ELEV.: 5					
1) 95 BGT (SW/DB)	GPS COORD.:	86.78025 X 107.7539	DISTANCE/BEA	ARING FROM W.H.: 152', N	79W				
2)	GPS COORD.:		DISTANCE/BEA	ARING FROM W.H.:					
3)	GPS COORD.:		DISTANCE/BEA	ARING FROM W.H.:					
	GPS COORD.:			ARING FROM W.H.:	OVM				
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) #				READING (ppm)				
1) SAMPLE ID: 5PC - TB @ 5'					NA				
2) SAMPLE ID:					-				
3) SAMPLE ID:									
4) SAMPLE ID:									
SOIL DESCRIPTION SOIL COLOR: DARK YEL COHESION (ALL OTHERS): NON COHESIVE (SLIGHTLY CONSISTENCY (NON COHESIVE SOILS): LO MOISTURE: DRY (SLIGHTLY MOIST) MOIST / WI SAMPLE TYPE: GRAB (COMPOSITE) #	LOMSH ORANGE Y COHESIVE COHESIVE / HIGHLY COHESIV DOSE (FIRM) DENSE / VERY DENSE ET / SATURATED / SUPER SATURATED	PLASTICITY (CLAYS): NON PL DENSITY (COHESIVE CLA' HC ODOR DETECTED: YES	LASTIC / SLIGHTLY PLASTIC / C LYS & SILTS): SOFT / FIRM /	COHESIVE / MEDIUM PLASTIC / HIGHI / STIFF / VERY STIFF / HARD					
DISCOLORATION/STAINING OBSERVED: YES N		ANT AREAS DISPLATING WE	EINESS: TES LINU EXPLA	NATION -					
SITE OBSERVATION APPARENT EVIDENCE OF A RELEASE OBSERVE EQUIPMENT SET OVER RECLAIMED AREA: OTHER: GAS WELL IS PLUGGED & ABA	DAND/OR OCCURRED: YES NO EX YES NO EXPLANATION - 105 B	PLANATION:	FILE ABOVE-GRADE TAI T TO WITNESS CONFIRI	NK TO BE SET ATOP BGT L MATION SAMPLING.	OCATION.				
SOIL IMPACT DIMENSION ESTIMATION:	NA ft. X NA	ft. X NA ft.	EXCAVATION EST	TIMATION (Cubic Yards) :	NA				
DEPTH TO GROUNDWATER: >100' N	EAREST WATER SOURCE: >1,00	00' NEAREST SURFACE WA	TER: <200' NMOC	CD TPH CLOSURE STD: 100	0 ppm				
SITE SKETCH	BGT Located: off on s	PLOT PLAN	circle: attached OVM	I CALIB. READ. = NA ppr	n RF =0.52				
			↑ own	CALIB. GAS = NA ppr	111 -0.02				
			N TIME	E: NA am/pm DATE:	NA				
BERM			'	MISCELL. NOT	ES				
		TT B CDP 001 MPRESSOR	W	VO:					
FENCE		MPRESSOR	_	REF. #: P - 657					
// (?	X X X X			ID: VHIXONEVB2					
		J.	P&A	J#:	140				
	PBGTL	M		rermit date(s): 06/08 DCD Appr. date(s): 11/21					
	T.B. ~ 5' B.G.		Tan	nk OVM = Organic Vapor Mete					
	- V		A		N)				
			X - S.P.D.	BGT Sidewalls Visible: Y / N	V				
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATIO	ON DEPRESSION; B.G. = BELOW GRADE; B =	BELOW: T.H. = TEST HOLE; ~ = APP!		BGT Sidewalls Visible: Y / N	١				
T.B. = TANK BOTTOM; PBGTL = PREVIOUS BELI APPLICABLE OR NOT AVAILABLE; SW - SINGLE			INING WALL; NA - NOT N	Magnetic declination: 10	°E				
NOTES: GOOGLE EARTH IMAGE		ONSITE: 02/							

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 5PC-TB @ 5' (95)

EE ELLIOTT B #9 Project:

Collection Date: 2/8/2017 9:15:00 AM

Lab ID: 1702431-001

Matrix: SOIL

Received Date: 2/9/2017 8:00:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analys	: LGT
Chloride	ND	30	mg/Kg	20	2/9/2017 11:17:00 AM	30138
EPA METHOD 8015M/D: DIESEL RANG	SE ORGANICS				Analys	t: TOM
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	2/9/2017 9:48:26 AM	30131
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	2/9/2017 9:48:26 AM	30131
Surr: DNOP	101	70-130	%Rec	1	2/9/2017 9:48:26 AM	30131
EPA METHOD 8015D: GASOLINE RAN	GE				Analyst	: NSB
Gasoline Range Organics (GRO)	ND	3.7	mg/Kg	1	2/9/2017 11:06:21 AM	30119
Surr: BFB	89.6	54-150	%Rec	1	2/9/2017 11:06:21 AM	30119
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.018	mg/Kg	1	2/9/2017 11:06:21 AM	30119
Toluene	ND	0.037	mg/Kg	1	2/9/2017 11:06:21 AM	30119
Ethylbenzene	ND	0.037	mg/Kg	1	2/9/2017 11:06:21 AM	30119
Xylenes, Total	ND	0.073	mg/Kg	1	2/9/2017 11:06:21 AM	30119
Surr: 4-Bromofluorobenzene	105	80-120	%Rec	1	2/9/2017 11:06:21 AM	30119

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- % Recovery outside of range due to dilution or matrix
- В Analyte detected in the associated Method Blank
- E Value above quantitation range
- Analyte detected below quantitation limits Page 1 of 5
- P Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

CI	nain-c	of-Cus	stody Record	Turn-Around	Time:	SAM	E				н	AI	ı	FN	W	R	ON	IM	IEN	ITA	A II	
Client:	BLAG	G ENGR.	/ BP AMERICA	☐ Standard	☑ Rush	DA													RAS			
				Project Name			THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW				,	www	v.hal	lenvi	ironi	men	tal.c	om				
Mailing A	Mailing Address: P.O. BOX 87			EI	E ELLIOTT	B #9			49	01 H	awki								109			
		BLOOM	FIELD, NM 87413	Project #:					Te	1. 50	5-34	5-39	75	Fa	x 50)5-3	45-4	107				
Phone #:		(505) 63	2-1199						1				An	alys	is R	Requ	ıest					
email or F	email or Fax#:				ger:									-	-	T	T	1	ਜ਼	T		
QA/QC Pa	QC Package:		☐ Level 4 (Full Validation)		NELSON V	ELEZ		(8021B)	(Aluo	/ MRO)			(S)	8	04,50	PCB's		- 1	ter - 300.1)		9	
Accredita	tion:			Sampler:	NELSON V	ELEZ	97 V	% (8	(Gas	RO	F		SIN		5 5	087			Ma/		ldm	
□ NELAF	>	□ Other		On Ice:	¥ Yes	□ No	***	#	TPH	0/c	118.	90	3270		25	S/S	13	₹	0.00		e sa	2 Z
□ EDD (Гуре)			Sample Temp	erature:1.300			4	¥ +	(GR(po	bo	o .	tals	Ž :	cide	A S	- N		e	osit	3
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEA 1702		BTEX +-MTE	BTEX + MTBE + TPH (Gas only)	TPH 8015B (GRO / DRO	TPH (Method 418.1)	EDB (Method 504.1)	PAH (8310 or 8270SIMS)	RCRA 8 Metals	Anions (F,CI,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides / 8082	8260B (VOA)	82/0 (Semi-VOA)	Chloride (soil - 300.0 / water	Grab sample	5 pt. composite sample	r Be
02/08/17	0915	SOIL	5PC-TB@ 5 '(95)	4 oz 1	Cool		201	٧		٧									٧		٧	
														1			\top	\top		+		П
												1	_	\top	_	1	_	\top	\top	\top	\top	П
						_						+	\top	+	\top	+	+	\top	+	+	+	Н
					-	 					_	+	+	+	+	+	+	\dagger	+	+	+	\vdash
						1						_	\dashv	+	+	+	+	+	+	+	+	Н
	-					_						+	+	+	+	+	+	+	+	+	+	\vdash
		 			 	1				\vdash		+	+	+	+	+	+	+	+	+	+	\vdash
								-	_	\dashv		\dashv	-	+	+	+	+	+	+	+	+	\vdash
Date:	Time:	Relinquishe	ed by	Received by:		Date	Гіте	Ren	narks		BILL D	IRECT	LY TO	BP US	INGT	HE CC	ONTAC	TWI	TH COR	RESPO	ONDIN	G VID
11/80/20		91	hr V7_	Ch X 1	Water	2/8/12	1						CE#W									
Date:	155 6 Time:	Relinquishe		Received by:	Walto	Date	Time	C			STEV			L/V	ANC	E HI	XON					
2/8/17	1851	Cho.	at Johnson	1	_	2/9/17	0804	Ref	eren		71117	P - 6										
1-1.1		samples sub	mitted to Hall Environmental may be su	bcontracted to other	accredited laborator	ies. This serv		of this	possit	oility.	Any su	-contr	racted	data v	vill be	clear	y notal	ted on	the an	alytical	report	

Hall Environmental Analysis Laboratory, Inc.

WO#:

1702431

10-Feb-17

Client:

Blagg Engineering

Project:

EE ELLIOTT B #9

Sample ID MB-30138

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

LCSS

Batch ID: 30138

RunNo: 40617

Prep Date: 2/9/2017 Analysis Date: 2/9/2017

SeqNo: 1273594

Units: mg/Kg

Analyte Chloride

Result **PQL**

SPK value SPK Ref Val %REC LowLimit

HighLimit

RPDLimit %RPD

Qual

Client ID:

ND 1.5

Sample ID LCS-30138

SampType: LCS

TestCode: EPA Method 300.0: Anions

RunNo: 40617

Prep Date: 2/9/2017

Batch ID: 30138 Analysis Date: 2/9/2017 **PQL**

SeqNo: 1273595

Units: mg/Kg

Analyte

15.00

0

90

%RPD HighLimit

1.5

%REC 93.2

RPDLimit

Chloride

14

SPK value SPK Ref Val

LowLimit

110

Qual

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Holding times for preparation or analysis exceeded H

Not Detected at the Reporting Limit ND

RPD outside accepted recovery limits R

% Recovery outside of range due to dilution or matrix S

B Analyte detected in the associated Method Blank

E Value above quantitation range

Reporting Detection Limit

Analyte detected below quantitation limits J

Page 2 of 5

P Sample pH Not In Range

RL

Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#: 1702431

10-Feb-17

Client:

Blagg Engineering

Project:

EE ELLIOTT B #9

Sample ID LCS-30131	SampT	ype: LC	S	Tes						
Client ID: LCSS	LCSS Batch ID: 30131 RunNo: 40610									
Prep Date: 2/9/2017	Prep Date: 2/9/2017 Analysis Date: 2/9/2017 SeqNo: 1272671 Units: mg/Kg									
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	49	10	50.00	0	98.1	63.8	116			
Surr: DNOP	4.6		5.000		91.9	70	130			

Surr: DNOP	4.0		5.000		91.9	70	130			
Sample ID MB-30131	SampType: MBLK			TestCode: EPA Method 8015M/D: Diesel Range Organics						
Client ID: PBS	Batch ID: 30131			RunNo: 40610						
Prep Date: 2/9/2017	Analysis Date: 2/9/2017			SeqNo: 1272674			Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	10		10.00		102	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 3 of 5

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1702431

10-Feb-17

Client:

Blagg Engineering

Project:

EE ELLIOTT B #9

Sample ID MB-30119

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

LowLimit

LowLimit

54

Client ID:

PBS

Batch ID: 30119

RunNo: 40618

Prep Date:

Surr: BFB

2/8/2017

Analysis Date: 2/9/2017

890

SeqNo: 1273205

Units: mg/Kg

HighLimit

Qual

Analyte Gasoline Range Organics (GRO)

Result PQL ND 5.0

1000

SPK value SPK Ref Val %REC

88.7

150

RPDLimit

Sample ID LCS-30119

SampType: LCS

TestCode: EPA Method 8015D: Gasoline Range

%RPD

Client ID: LCSS

Batch ID: 30119

RunNo: 40618

Prep Date: 2/8/2017 Analysis Date: 2/9/2017 SeqNo: 1273206 %REC

Units: mg/Kg

HighLimit %RPD

Analyte Gasoline Range Organics (GRO) Result PQL

25.00

SPK value SPK Ref Val

0

103

76.4

125

RPDLimit Qual

Page 4 of 5

Surr: BFB

26 5.0 970 1000

96.5

54

150

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded Н
- Not Detected at the Reporting Limit ND
- R RPD outside accepted recovery limits
- % Recovery outside of range due to dilution or matrix S
- В Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#: 1702431

10-Feb-17

Client: Project: Blagg Engineering

EE ELLIOTT B #9

Sample ID MB-30119

SampType: MBLK

TestCode: EPA Method 8021B: Volatiles

LowLimit

Client ID: **PBS**

Batch ID: 30119

PQL

RunNo: 40618

Units: mg/Kg

Prep Date:

2/8/2017

Analysis Date: 2/9/2017

Result

1.0

SeqNo: 1273222

HighLimit

%RPD

%RPD

RPDLimit

RPDLimit Qual

Qual

Analyte Benzene Toluene

ND 0.025 ND 0.050 Ethylbenzene ND 0.050 ND 0.10

Xylenes, Total Surr: 4-Bromofluorobenzene

1.000

103

80 120

Sample ID LCS-30119 Client ID: LCSS

Surr: 4-Bromofluorobenzene

SampType: LCS

Batch ID: 30119

RunNo: 40618

TestCode: EPA Method 8021B: Volatiles

Prep Date: 2/8/2017

Analysis Date: 2/9/2017

SeqNo: 1273223

Units: mg/Kg

Analyte Benzene Toluene Ethylbenzene Xylenes, Total Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit 0.99 0.025 1.000 0 99.1 75.2 115 1.0 0.050 1.000 0 102 80.7 112 0 78.9 0.050 1.000 103 117 1.0 3.1 0.10 3.000 0 103 79.2 115 1.000 106 80 120 1.1

SPK value SPK Ref Val %REC

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Holding times for preparation or analysis exceeded H

ND Not Detected at the Reporting Limit

RPD outside accepted recovery limits R

S % Recovery outside of range due to dilution or matrix B Analyte detected in the associated Method Blank

E Value above quantitation range

Analyte detected below quantitation limits

P Sample pH Not In Range

RL

Reporting Detection Limit Sample container temperature is out of limit as specified Page 5 of 5



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name:	BLAGG	Work Order Number:	170243	1		RcptNo:	1
Received by/dat	te: RG 02/6	09/17					
Logged By:	Anne Thorne	2/9/2017 8:00:00 AM		ame,	Am		
Completed By:	Anne Thorne	2/9/2017 8:29:18 AM		anne	Am	_	
Reviewed By:	as	02/09/17					
Chain of Cus	stody						
1. Custody seals intact on sample bottles?				No		Not Present	
2. Is Chain of Custody complete?			Yes	✓ No		Not Present	
3. How was the sample delivered?			Courie	ī			
Log In							
4. Was an attempt made to cool the samples?			Yes {	No		NA 🗆	
5. Were all samples received at a temperature of >0° C to 6.0°C			Yes 🛂	No		NA 🗆	
6. Sample(s) in proper container(s)?			Yes [√ No			
7. Sufficient sample volume for indicated test(s)?			Yes 5	No			
8. Are samples (except VOA and ONG) properly preserved?			Yes	No			
9. Was preservative added to bottles?			Yes [No	V	NA 🗆	
10.VOA vials ha	ave zero headspace?		Yes [No		No VOA Vials	
11. Were any sample containers received broken?			Yes	No	V	# of preserved	
10 -				a u		bottles checked	
12. Does paperwork match bottle labels? (Note discrepancies on chain of custody)			Yes	No		for pH: (<2 o	r >12 unless noted)
13. Are matrices correctly identified on Chain of Custody?			Yes	No		Adjusted?	
14. Is it clear what analyses were requested?			Yes •	No			
15. Were all holding times able to be met? (If no, notify customer for authorization.)			Yes 🖢	No		Checked by:	
(II tio, notify	customer for authorization.)						
Special Hand	lling (if applicable)						
16. Was client n	otified of all discrepancies with	this order?	Yes [No		NA 🔽	
Person	n Notified:	Date					
By Wh	nom:	Via:	eMail	Phone	Fax	In Person	
Regard	ding:	Makadawan keni i madhaki i in akti sa i i i i i i i i i i i i i i i i i i					
Client I	Instructions:		**************************************	THE VALUE OF THE PARTY OF THE P			
17. Additional re	emarks:		**				
18. Cooler Info	or the Allegan and the Allegan	Seal Intact Seal No S	eal Date	Signed E	i e		
1	1.3 Good Ye		ear Date	s Signed B	4		

EE ELLIOTT B 009



