

Submit 1 Copy To Appropriate District Office  
 District I - (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II - (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III - (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV - (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other		WELL API NO. 30-039-23001 5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> 6. State Oil & Gas Lease No. LG-0728 7. Lease Name or Unit Agreement Name Boomer 8. Well Number 1 9. OGRID Number 006515 10. Pool name or Wildcat Ballard Pictured Cliffs
2. Name of Operator Dugan Production Corp.		
3. Address of Operator PO Box 420, Farmington, NM 87499		
4. Well Location Unit Letter <u>A</u> : <u>790</u> feet from the <u>North</u> line and <u>790</u> feet from the <u>East</u> line Section <u>32</u> Township <u>25N</u> Range <u>7W</u> NMPM Rio Arriba County		
		11. Elevation (Show whether DR, RKB, RT, GR, etc.) 6648' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<b>NOTICE OF INTENTION TO:</b> PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/>		<b>SUBSEQUENT REPORT OF:</b> REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
--	--	--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

The well was P&A'd by the following procedure on 6/13/2017-06/14/2017:

- Pull 1/4" tubing and 2-7/8" packer out of the hole. Run 2-7/8" wireline set plug. Set plug @ 2134'. Load hole. Run CBL from 2134' to surface. Submit CBL for review w/NMOCD. Casing will not test.
- Spot Plug I with 1/4" tubing from 2134' to 1450' w/24 sks Class G neat cement (28.3, 1.18 cu ft/sk, 15.6 ppg). Broke circulation to surface w/23 bbls water. WOC overnight. Tag TOC @ 1271'. Tagged good. Plug I: 1271'-2134'. Ojo Kirtland-Fruitland-PC.
- Spot Plug II w/1/4" tubing from 354' to surface w/12 sks (14.2 cu ft) Class G neat. WOC. Tagged TOC behind 2-7/8" casing @ 55' from surface w/1" tubing. Dug cellar. Cut wellhead off. Fill backside and cellar up w/53 sks (63 cu ft) Class G cement. Plug II: Nacimiento, 0-354'.
- Install dry hole marker. Well P&A'd 6/14/2017.

OIL CONS. DIV DIST. 3

JUL 18 2017

*PNR only*

Approved for plugging of wellbore only.  
 Liability under bond is retained pending  
 Receipt of C-103 (Subsequent Report of Well  
 Plugging) which may be found @ OCD web  
 page under forms  
 www.emnrd.state.us/ocd

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *Spud I* TITLE Engineering Supervisor DATE July 10, 2017

Type or print name Aliph Reena E-mail address: aliph.reena@duganproduction.com PHONE: 505-325-1821

For State Use Only

APPROVED BY: *Aliph Reena* TITLE Deputy Oil & Gas Inspector, District #3 DATE 7/13/17  
 Conditions of Approval (if any): AV

**Completed P&A Wellbore Schematic**

Boomer # 1  
300-39-23001  
S32 T25N R7W  
720' FNL & 790' FEL



7" 20# ST & C casing @ 94'. Cemented w/ 35  
sks, 41 cu.ft.

Spot plug w/ 12 sks (14.2 Cu.ft) Class G from 354' to  
surface. Fill up backside and cellar w/ 53 sks (62.5 cu.ft)  
cement. **Plug II: Nacimiento, 0-354'**

Set Bridge Plug @ 2134'. Spot Plug I from 2134' w/ 24  
sks Class G to 1271' (28.3 Cu.ft)  
**Plug I: 1271'-2134', Ojo, Kirtland, Fruitland, PC**

**2-7/8" 6.5 # casing @ 2367'. PBT @ 2310'**

Pictured Cliffs Perfs @ 2184'-2223', 14'