State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes V No

WFS CLOSURE Type of action: Registration of a pit or below	r-grade tank Closure of a pit or below-grade tank	V
Operator: <u>BURLINGTON RESOURCES OIL & GAS CO</u> Telephone:	e-mail address:	
Address: 801 CHERRY ST FORT WORTH, TX 76102		
Facility or well name: SAN JUAN 27 5 UNIT #127E API #: 30-039-	<u>23901</u> U/L or Qtr/Qtr <u>D</u> SEC	<u>25</u> T <u>27N</u> R <u>5W</u>
County: RIO ARRIBA Latitude 36 32.	<u>P57 N</u> Longitude <u>107 18.915 W</u>	NAD: 1927 🗹 1983 🗌
Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐		
<u>Pit</u>	Below-grade tank	
Type: Drilling Production Disposal	Volume: bbl Type of fluid: Construction Material:	
Workover	Double-walled, with leak detection? Yes If not, ex	nlain why not
Lined Unlined 🗹		P
Liner Type: Synthetic Thickness mil Clay		
Pit Volume 77 bbl %		
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)
water elevation of ground water.)	50 feet or more, but less than 100 feet 100 feet or more	(10 points) $\underline{0}$ (0 points)
		(o points)
Wellhead protection area: (Less than 200 feet from a private domestic water	Yes	(20 points)
source, or less than 1000 feet from all other water sources.)	No	(0 points) $\underline{0}$
Distance to surface water: (Horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet to 1,000 feet Greater than 1,000 feet	(10 points) <u>10</u> (0 points)
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	Ranking Score (TOTAL POINTS):	<u>10</u>
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationsite box if your are burying in place) onsite ✓ offsite ☐ If offsite, name	ationship to other equipment and tanks. (2) Indicate disposal	location: (check the eneral description of remedial
action taken including remediation start date and end date. (4)Groundwater encour		ound surface ft.
and attach sample results. (5)Attach soil sample results and a diagram of sample lo	•	
Additional Comments:		Meter: 85901
CEEPS CEEPS	5017331	
	1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	
DENIED	A SAME OF	
No with	LER SOOD	
Den ed sino in the second	E OIL CONS. DIM.	
I haraby contifict that the information above is true and sometime that the body for the	12	
I hereby certify that the information above is true and complete to the best of my k tank has been/will be constructed or closed according to NMOCD guidelines	nowledge, and belief. I further certify that the above-describe , a general permit , or an (attached) alternative OCI	
	66.81.11.31.2	
Date: 10/3/05	MI Hor WES	
	nature	
Your certification and NMOCD approval of this application/closure does not reliev or otherwise endanger public health or the environment. Nor does it relieve the op regulations.	ve the operator of liablility should the contents of the pit or ta erator of its responsibility for compliance with any other fede	nk contaminate ground water eral, state, or local laws and/or
Approval:		
Approval: Printed Name/Title Signa	the teny tens	Date:
gr. 196		Date.
MARKET THAT IS	V	

ADDENDUM TO OCD FORM C-144


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

Well Name: SAN JUAN 27 5 UNIT #127E


API 30-039-23901

Meter: 85901

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 12 Ft.

Width $\underline{12}$ Ft.

Depth 3 Ft.

Location of Pit Center

Latitude 36 32.943 N

Longitude 07 18.913 W

(NAD 1927)

Pit ID

<u>859011</u>

Pit Type

Glycol Dehydrator

Date Closure Started: 4/12/05

Closure Method:

Excavated, Blended, Treated Soil Returned

Date Closure Completed: 4/12/05

Bedrock Encountered?

Cubic Yards Excavated: 64

Vertical Extent of Equipment Reached?

Description Of Closure Action:

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

Vertical extent of excavation limited by equipment

Pit Closure Sampling:

Sample ID	Sample Date	Head Space	BTEX Total (mg/kg)	Benzene (mg/kg)	TPH DRO (mg/kg)	Purpose	Location	Depth		
101712APR05	4/12/05	204	340	0	840	EX Confirm	Walls	9	See Risk Analysis	
102412APR05	4/12/05	265	223.7	0	490	EX Confirm	Flr	12	See Risk Analysis	
134710DEC04	12/10/04		2774	74	1600	ASSESS	Flr	4		



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6094208

Client Project ID: N MEXICO PIT PROGRAM

Lab Sample No: 608089694 Client Sample ID: 101712APR05 Project Sample Number: 6094208-016

Date Collected: 04/12/05 10:17

Matrix: Soil

Date Received: 04/22/05 09:30

Parameters	Results	Units	Report Limit	DF	Analyzed	Ву	CAS_No	Qual Re	gLmt
GC Semivolatiles	-								
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2							
Mineral Spirits	ND	mg/kg	11.	1.1	04/28/05 11:35	RMN1			
Jet Fuel	ND	mg/kg	11.	1.1	04/28/05 11:35	RMN1			
Kerosene	ND	mg/kg	11.	1.1	04/28/05 11:35	RMN1			
Diesel Fuel	ND	mg/kg	11.	1.1	04/28/05 11:35	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	11.	1.1	04/28/05 11:35	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	11.	1.1	04/28/05 11:35	RMN1			
Total Petroleum Hydrocarbons	840	mg/kg	11.	1.1	04/28/05 11:35	RMN1		1	
n-Tetracosane (S)	98	*	•	1.0	04/28/05 11:35	RMN1	646-31-1		
p-Terphenyl (S)	83	X		1.0	04/28/05 11:35	RMN1	92-94-4		
Date Extracted	04/26/05				04/26/05				
Organics Prep									
Percent Moisture	Method: SM 2	540G							
Percent Moisture	13.6	x		1.0	04/25/05	CJN1			
GC Volatiles									

G

GC VOIATTIES						
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soil	/ EPA 8021		
Benzene	ND	ug/kg	2200	44.9 04/25/05	11:21 SHF	71-43-2
Ethy1benzene	14000	ug/kg	2200	44.9 04/25/05	11:21 SHF	100-41-4
Toluene	26000	ug/kg	2200	44.9 04/25/05	11:21 SHF	108-88-3
Xylene (Total)	300000	ug/kg	5800	44.9 04/25/05	11:21 SHF	1330-20-7
a,a,a-Trifluorotoluene (S)	73	*		1.0 04/25/05	11:21 SHF	98-08-8

Date: 04/29/05

Page: 16 of 42

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6094208

Client Project ID: N MEXICO PIT PROGRAM

Lab Sample No: 608089702

Project Sample Number: 6094208-017

Date Collected: 04/12/05 10:24

Matrix Soil

Date Received: 04/22/05 09:30

Client Sample ID: 102412APR05				Matrix: Soil			Date Received: 04/22/05 09:3				
Parameters	Results	Units	Report Limit	_DF	Analy	/zed	Ву	CAS No.	Qua1	RegLmt	
GC Semivolatiles											
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2									
Mineral Spirits	ND	mg/kg	12.	1.2	04/28/05	11:53	RMN1				
Jet Fuel	ND	mg/kg	12.	1.2	04/28/05	11:53	RMN1	•			
Kerosene	ND	mg/kg	12.	1.2	04/28/05	11:53	RMN1				
Diesel Fuel	ND	mg/kg	12.	1.2	04/28/05	11:53	RMN1	68334-30-5			
Fuel Oil	ND	mg/kg	12.	1.2	04/28/05	11:53	RMN1	68334-30-5			
Motor Oil	ND	mg/kg	12.	1.2	04/28/05	11:53	RMN1				
Total Petroleum Hydrocarbons	490	mg/kg	12.	1.2	04/28/05	11:53	RMN1		1		
n-Tetracosane (S)	90	X		1.0	04/28/05	11:53	RMN1	646-31-1			
p-Terphenyl (S)	83	*		1.0	04/28/05	11:53	RMN1	92-94-4			
Date Extracted	04/26/05				04/26/05						
Organics Prep											
Percent Moisture	Method: SM 2	540G									
Percent Moisture	16.3	X		1.0	04/25/05		CJN1				
GC Volatiles										•	
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soil / E	PA 802	1						
Benzene	ND	ug/kg	2200	44.2	04/25/05	11:48	SHF	71-43-2			
Ethylbenzene	8700	ug/kg	2200	44.2	04/25/05	11:48	SHF	100-41-4			
Toluene	65000	ug/kg	2200	44.2	04/25/05	11:48	SHF	108-88-3			
Xylene (Total)	150000	ug/kg	5800	44.2	04/25/05	11:48	SHF	1330-20-7			
a,a,a-Trifluorotoluene (S)	99	*		1.0	04/25/05	11:48	SHF	98-08-8			

Date: 04/29/05

Page: 17 of 42

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6089937 Client Project ID: NM Pits

Lab Sample No: 607745478 Project Sample Number: 6089937-004

Date Collected: 12/10/04 13:47

Lab dampie no. donnon			p.				_					
Client Sample ID: 134710DEC04				Matrix	ix: Soil			Date Received: 12/14/04 13:00				
Parameters	Results	Units	Report Limit	DF_	Anal:	yzed	Ву	CAS No.	Qual	RegLmt		
GC Semivolatiles			-									
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2										
Mineral Spirits	ND	mg/kg	12.	1.2	12/16/04	21:22	RMN1					
Jet Fuel	ND	mg/kg	12.	1.2	12/16/04	21:22	RMN1					
Kerosene	ND	mg/kg	12.	1.2	12/16/04	21:22	RMN1					
Diesel Fuel	ND	mg/kg	12.	1.2	12/16/04	21:22	RMN1	68334-30-5				
Fuel Oil	ND	mg/kg	12.	1.2	12/16/04	21:22	RMN1	68334-30-5				
Motor 0il	ND	mg/kg	12.	1.2	12/16/04	21:22	RMN1					
Total Petroleum Hydrocarbons	1600	mg/kg	12.	1.2	12/16/04	21:22	RMN1		3			
n-Tetracosane (S)	98	*		1.0	12/16/04	21:22	RMN1	646-31-1				
p-Terphenyl (S)	101	X		1.0	12/16/04	21:22	RMN1	92-94-4				
Date Extracted	12/16/04				12/16/04							
Organics Prep												
Percent Moisture	Method: SM 2	540G										
Percent Moisture	19.7	*		1.0	12/16/04		ALJ1					
GC Volatiles												
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	ledium Soil / E	PA 8021								
Benzene	74000	ug/kg	5900		12/21/04	12:16		71-43-2				
Ethylbenzene	100000	ug/kg	5900		12/21/04			100-41-4				
Toluene	1200000	ug/kg	5900		12/21/04			108-88-3				
Xylene (Total)	1400000	ug/kg	15000		12/21/04			1330-20-7				
a,a,a-Trifluorotoluene (S)	142	*			12/21/04			98-08-8	2			

Date: 12/21/04

Page: 4 of 18

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





Environmental Services 188 CR 4900 Bloomfield, NM 8413

Pit Closure and Retirement Addendum- Risk Assessment

This site is located in the NMOCD / USBLM defined "Non Vulnerable Area". These agencies have predetermined that historical use of unlined pits in this area have limited potential to adversely affect ground water. This is primarily due to the depth to ground water, lack of vertical migration of contaminants, and distant proximity to river drainages.

The sample analyzed for confirmation at this site exhibited elevated levels of total petroleum hydrocarbons (TPH) and / or BTEX. Toxicity information indicates that the measured levels pose little risk to human health and the environment. This conclusion is based in part on the information below:

Toxicity Information

Toxicity values for TPH have not been established due to the variability of the chemical makeup of TPH. Normally, the toxicity is based on the toxicity of particular constituents of concern that may be present and which are evaluated based on health-based standards. The most common constituents examined include benzene, ethylbenzene, toluene, and xylene.

In the absence of constituents of concern or when the concentrations of the constituents of concern are low, the acceptable level of TPH is established by considering the following:

- No liquid product should remain in the soil
- The TPH should not harm vegetation
- The TPH concentrations should not create an odor nuisance
- Hydrocarbon vapors which may emanate from the impacted soil should not generate harmful or explosive vapors
- Site monitoring should indicate that TPH levels are stable or declining

Environmental and Site Conditions

Based on an evaluation of site topography and available well data, this site is believed to have ground water greater than 100' below ground surface. The absence of continuous transport mechanisms limits continued migration of contaminants in soil. Notwithstanding, bedrock was discovered at the pit (i.e. excavation) bottom. This condition retards vertical migration of contaminants and serves to significantly limit potential groundwater impact.

While residual TPH and/or BTEX exists at this site, closure of this site is warranted for the following reasons:

- The majority of soils that exhibited high levels of TPH and BTEX have been treated to enhance degradation in-situ.
- 2. Residual TPH concentrations are below levels considered problematic based on the criteria above.
- 3. Discharge at the site has been eliminated to prevent any future impacts to soils.
- 4. Depth to groundwater is estimated at greater than 100'.
- 5. Vertical migration of contamination is limited due to bedrock.
- 6. TPH / BTEX concentrations will not increase and will degrade over time from natural and enhanced processes occurring in-situ.
- 7. Further excavation at the site is not practicable due to bedrock.

Since there are no nearby receptors or domestic water sources, this site poses little risk to human health and the environment. Closure is justified based on the relatively low total petroleum hydrocarbon (TPH) concentration and the fact that all closure criteria cannot be practically attained. Additional information may be found in the Technical Background Document titled: Risk Based Closure of Unlined Surface Impoundment Sites, San Juan Basin, New Mexico.