District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

appropriate NMOCD District Office.

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No [

Type of action: Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank \(\subseteq \) Operator: Elm Ridge Resources Telephone: (505) 632-3476 e-mail address: amackiel@elmridge.net Address: #20 County Road 5060, Bloomfield, New Mexico, 87413 Facility or well name: Rincon No. 3 API #: 3003924660 ___ U/L or Qtr/Qtr __A_ Sec __30_ T_24N_ R 6W NAD: 1927 ⊠ 1983 □ -107..503800 County: Rio Arriba Latitude 36.288100 Longitude Surface Owner: Federal ☑ State ☐ Private ☐ Indian ☐ Below-grade tank Type; Drilling ☐ Production ☒ Disposal ☐ Volume: ____bbl Type of fluid: Workover ☐ Emergency ☐ Construction material: Lined Unlined Double-walled, with leak detection? Yes If not, explain why not. Liner type: Synthetic Thickness ____mil Clay ___ Pit Volume 10 bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) 10 (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) 0 water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more 0 (0 points) 10 **Ranking Score (Total Points)** If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite 🔲 offsite 🖂 If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🖾 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: The soils tested clean and no soil remediation was required I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \(\sigma\), a general permit \(\sigma\), or an (attached) alternative OCD-approved plan \(\sigma\). Ms Amy Mackie - Production Technician Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the Jontents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operafor of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval: 6 GAS MSFETTER, MST. 60
Printed Name/Title _______ Signature FEB 2 3 2006

								·	
CLIENT:		ĽNV	IROTEC	H INC.		LOC	ATION N	D:	
		ENVIRONME 5796	NTAL SCIENTISTS U.S. HIGHWAY IGTON, NEW ME	& ENGINEERS 64-3014			C.□.C. N	O:	
		PH	ONE: (505) 632	-0615		-			
FIELD REPOR	T:	CLOSU	RE V	ERIFIC	CATION	PAGE	No: _	<u> </u>	
LOCATION: NAME: Rinco						-	STARTED: _ FINISHED: _		
	30 TWP	P: 24 N RNG: 6 W PM NMPM CNTY: RA STNA					ENVIRONMENTAL SPECIALIST: Gwc		
QTR/FOOTAGE:		CONT	RACTOR:	Franks		SPECIA	ALIST:	SWC	
EXCAVATION APPROX FT. x FT. x FT. DEEP. CUBIC YARDAGE:									
DISPOSAL FACILITY: REMEDIATION METHOD:									
LAND USE:	AND USE: FORMATION:								
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 116 FT. 3100 FROM WELLHEAD.									
DEPTH TO GROUNDWATER: 50-100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000									
NMBCD RANKING SCORE: 10 NMBCD TPH CLOSURE STD: 1000 PPM CHECK ONE:									
SOIL AND EXCAVATION DESCRIPTION: Y PIT ABANDONED STEEL TANK INSTALLED									
Soil tested clean, no soil remediation required									
36.7 (22(6) 0.000, 700 2000									
	TIME	SAMPLE I.D.		_D 418.1 CAL WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm	
SCALE	1410	Button		5.0	20	4	0	0	
0 FT			OVM	1	10.10			<u> </u>	
RESULTS PILER RESULTS						, ,			
	•	SAMPL ID 1 Betto		EADSPACE (ppm)					
		2							
		4			7		_		
		5			1,)				
4'									
7	4				1				
P, F LAB SAMPLES									
SAMPLE ANALYSIS TIME									
			<u> </u>						
TRAVEL NOTES:									
CALLOUT: ONSITE:									

.



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Elm Ridge Resources

Project #:

03056-040-022

Sample No.:

Date Reported:

2/6/2006

Sample ID:

Composite sample 3' below surface Date Sampled: Date Analyzed: 2/3/2006 2/3/2006

Sample Matrix: Preservative:

Soil Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

ND

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Rincon No. 3

Instrument callibration checked against 200 ppm standard. Zeroed before each sample