District II
1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes V No

WFS CLOSJEG Type of action: Registrat	Ü	ow-grade tank Closure of a pit or below-grade tank						
Operator: DEVON ENERGY	Telephone:	e-mail address:						
Address:		10 10						
Facility or well name: NEBU #63	API#: 30-0	045-22042 U/L or Qtr/Qtr SEC	<u>1</u> T <u>31N</u> R . <u>7W</u>					
County: San Juan	Latitude 36 55		NAD: 1927 🗹 1983 🗌					
	n 🗐							
<u>Pit</u> <u>Type:</u> Drilling ☐ Production ✓ Disposal ☐		Below-grade tank Volume: bbl Type of fluid:						
Dining Troubling Disposa		Construction Material:						
Workover L Emergency L		Double-walled, with leak detection? Yes 🗵 If not, explain why not.						
Lined Unlined 🗹		·						
Liner Type: Synthetic Thickness mil	Clay							
Pit Volume 80 bbl								
Depth to ground water (vertical distance from bottom of pit to	seasonal high	Less than 50 feet	(20 points)					
water elevation of ground water.)		50 feet or more, but less than 100 feet 100 feet or more	(10 points) $0 points$					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)		Yes	(20 points) (0 points) <u>0</u>					
		No	(0 points) $\underline{0}$					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)		Less than 200 feet	(20 points)					
		200 feet to 1,000 feet Greater than 1,000 feet	(10 points) <u>0</u> (0 points)					
			, ,					
		Ranking Score (TOTAL POINTS):	<u>0</u>					
If this is a pit closure: (1)Attach a diagram of the facility so onsite box if your are burying in place) onsite ✓ offsite		elationship to other equipment and tanks. (2) Indicate disposal	l location: (check the general description of remedial					
action taken including remediation start date and end date. (4)(ound surface ft.					
and attach sample results. (5)Attach soil sample results and a d	iagram of sample		-					
Additional Comments:		330000	Meter: <u>86936</u>					
		4	<u>00230</u>					
		FEB 2006 P						
		RE JED 9	•					
		E OIL CO. IS. DIV.						
		OIST. 3						
I hereby certify that the information above is true and complete tank has been/will be constructed or closed according to NMO	to the best of my CD guidelines	knowledge and belief. If turther certify that the above-describes \Box , a general permit \Box , or an (attached) alternative OC	ed pit or below-grade D-approved plan					
Date:		MIZING, FOR WES						
Printed Name/Title Mark Harvey for Williams Field	Services S	ignature						
Your certification and NMOCD approval of this application/cl or otherwise endanger public health or the environment. Nor degulations.								
Approval:			FEB 0 2 2006					
Printed Name/Title OFFUTY OR & GAS INSPECTOR	OST. (M Sig	nature Wenty feely	PLB 0 2 2006 Date:					

ADDENDUM TO OCD FORM C-144


Operator:

Well Name:


API

Meter: 86936

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 15 Ft.

Width $\underline{15}$ Ft.

Depth $\underline{2}$ Ft.

Location of Pit Center

Latitude 36 55.441 N

Longitude <u>07 31.666 W</u>

(NAD 1927)

Pit ID

<u>869361</u>

Pit Type

Glycol Dehydrator

Date Closure Started: 10/31/05

Closure Method:

Pushed In

Date Closure Completed: <u>10/31/05</u>

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date Head Space BTEX Total

(mg/kg)

Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location

Depth

144221JUN05 6/21/05 0.374 0 220 ASSESS Fir 2.5



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6096734

Client Project ID: NM Pits 2nd QTR 2005

Lab Sample No: 608302352 Project Sample Number: 6096734-011 Date Collected: 06/21/05 14:42

Client Sample ID: 144221JUN05				Matrix: Soil		Date Received	: 06/25/05 08:15	
Parameters	Results	Units	Report Limi	t <u>DF</u> <u>Analy</u>	zed By	CAS No.	Qual RegLmt	
GC Semivolatiles			,					
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2	2					
Mineral Spirits	ND	mg/kg	12.	1.2 07/01/05	01:45 MAM			
Jet Fuel	ND	mg/kg	12.	1.2 07/01/05	01:45 MAM			
Kerosene	ND	mg/kg	12.	1.2 07/01/05	01:45 MAM		•	
Diesel Fuel	ND	mg/kg	12.	1.2 07/01/05	01:45 MAM	68334-30-5		
Fuel Oil	ND	mg/kg	12.	1.2 07/01/05	01:45 MAM	68334-30-5		
Motor 0il	ND	mg/kg	12.	1.2 07/01/05	01:45 MAM			
Total Petroleum Hydrocarbons	220	mg/kg	12.	1.2 07/01/05	01:45 MAM		4 ·	
n-Tetracosane (S)	99	X		1.0 07/01/05	01:45 MAM	646-31-1		
p-Terphenyl (S)	101	*		1.0 07/01/05	01:45 MAM	92-94-4		
Date Extracted	06/29/05			06/29/05				
Organics Prep								
Percent Moisture	Method: SM 2	540G						
Percent Moisture	17.0	*		1.0 06/28/05	ALJ	1		
GC Volatiles								
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soil /	EPA 8021				
Benzene	ND	ug/kg	60.	1.2 06/30/05	10:15 SHF	71-43-2		
Ethylbenzene	ND	ug/kg	60.	1.2 06/30/05	10:15 SHF	100-41-4		
Toluene	84.	ug/kg	60.	1.2 06/30/05	10:15 SHF	108-88-3		
Xylene (Total)	290	ug/kg	160	1.2 06/30/05	10:15 SHF	1330-20-7		
a,a,a-Trifluorotoluene (S)	118	*		1.0 06/30/05	10:15 SHF	98-08-8	5	

Date: 07/06/05

Page: 10 of 21

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

