District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submitto appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registrationor Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No ...

Type of action: Registration of a pit or below-grade tank [] Closure of a pit or below-grade tank [A		
Operator: CONOCOPHILLIPS CO. Telephone: (505)599-3419e-mail address: juanita.r.farrell@conocophillips.com		
Address: P.O. BOX 2197 WL3 6108 HOUSTON, TX 77252		
Facility or well name: LINDRITH B UNIT 33 API#: 30-039-23798 U/Lor Qtr/Qtr I Sec 21 T 24N R 3W		
County: RIO ARRIBA Latitude Longitude	NAD: 1927 ☐ 1983 ☐ Surface O	wner Federal 📜 State 🗌 Private 🔀 Indian 🗌
it Below-gradetank		
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover 🛛 Emergency 🗌	Constructionmaterial:	
Lined 🛮 Unlined 🗌	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic 🛛 Thickness 12 mil Clay 🗌	tic X Thickness 12 mil Clay	
Pit Volumebbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)
water elevation of ground water.)	100 feet or more	(0 points)
Well-day a sign of the same of	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	
If this is a pit closure (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🖾 offsite 🗌 If offsite, name of facility(3) Attach a general description of remedial action taken including		
remediationstart date and end date. (4) Groundwater encountered: No 🗓 Yes 🗌 If yes, show depth below ground surfaceft. and attach sample results. (5)		
Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments:		
This workover pit was closed in accordance with rule 50 and as per November 1, 2004 guidelines.		
Location unknown. Used for cement purposes only (P&A 5/12/05) GW: >100' WHP: >1000' SW: 200-1000'		
GW: > 100' WHP: > 1000' SW: 200-1000'		E ON SUEIVED E
S ON T		
		(E) (B)
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pic or below, gradetank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan Date: 02/15/2006		
Printed Name/Title Juanita Farrell Regulatory Specialist Signature		
Your certification and NMOCD approval of this application/closuredoes not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval: Signature Signature Date: MAR 0 9 2006		